

ABERDEEN BLIND COMPANY

ESTABLISHED 1952

32 Esslemont Avenue

Aberdeen

AB25 1SP

Tel: 01224 637609

Fax: 01224 631172

Email: sales@aberdeen-blinds.co.uk

43343

CUSTOMER
ORDER No.

DATE
MEASURED/ORDERED
16/march/22

AM PM (MEASURING TIME)

MON		
TUE		
WED	✓	9-12
THU		
FRI		

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name Deiday
Address 15 pantoch Drive

Banchory Post Code AB31 5ZE

CURTAINS		
PLEATED	✓	10+
ROLLERS	✓	11
ROMANS		
SHUTTERS		
VENETIAN		
VERTICALS		
VISION		
WOODEN		

AM PM (FITTING TIME)

MON		
TUE		
WED		
THU		
FRI		

Tel. home	
Tel. work	
mobile	07875 468649
email	

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Any other Instructions	Price
Cons	1360	1450	Row	White	LH	2300		120
	1120				LH			106
	1120				LH			106
	1122				LH			106
	1122				LH			106
	1120				LH			106
	480				LH			64
Kit	640	1900			LH			86
	1727	1100			LH	2200		131
	574							
	492							
	492							
	492							
	574							
	1300							
	1200							
				FESTIVAL SPC LOW E PANCERANAY				1300

alum	anthracite	black	brown	champ-gold	chrome	silver	white	recess size	motorised	wood fix	stone fix	brackets top face
								✓		ALC		✓

measured by	fitted by	date	CASH	CHEQUE	SPREE
<i>[Signature]</i>			INVOICE	CARD	

ALL BLINDS MANUFACTURED AFTER 1st APRIL 2014 MUST COMPLY WITH NEW CHILD SAFETY LAWS. SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. REFUSAL TO ALLOW A SAFETY DEVICE TO BE FITTED WILL RESULT IN THE BLINDS NOT BEING INSTALLED. UNDER THE TERMS OF THIS CONTRACT YOU WILL BE LIABLE TO ACCEPT DELIVERY AND PAY THE FULL AMOUNT. I have ordered the above goods and agree to pay 50% deposit and the remaining balance on the day of fitting. If payment is not made in full at that time Aberdeen Blinds has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 3700
DEPOSIT £ 1650
BALANCE £ 1650

To Be Confirmed
PRICE ACCEPTANCE
Customer's Signature

Special Instructions
Cons Room 3116 = 3000
Cons Room 2 800
Kit Room 2 131

3931

T FIT SURVEY SHEET

LOUVOLITE

*Fitted
8th Floor - All Am*

Customer Name

ABC

Order No

43343 DeLeon

Address

Style:

Roof

Frame colour:

White Brown

Roof style:

Flush Recess Hybrid

Recess Straight Slope

Roof Base fitting:

Butt up to fascia Drop behind fascia

Post code

Measured by

STEVEN

Date

18-03-22

Style:

Windows/doors Skylight

Frame colour:

White Brown Silver

Golden Oak Mahogany Anthracite

Window depth:

..... mm

* PLEASE CONFIRM ALL MEASUREMENTS TO BE IN MILLIMETRES & TAKEN FROM A WORMS EYE VIEW

Blind Number	Shape A - G	Base width (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	Cowling to apex mark	Quadrant beading	Ridge allowance	Special instructions	Skylight Codes Model No.	Code No.
1	F	614	2223	596	2226						Yes / No		
2	F	611	2066	414	2080						Yes / No		
WALL		390	160	390	160	EXACT FRAME SIZE (OUTSIDE)					Yes / No		
3	B	1066	2055	95	1937						Yes / No		
4	B	1062	1915	90	1844						Yes / No		
5	B	1058	1836	92	1837						Yes / No		
6	B	1060	1835	94	1927						Yes / No		
7	B	1064	1928	95	2065						Yes / No		
8	E	610	2083	414	2067						Yes / No		
WALL		390	160	390	160	EXACT FRAME SIZE (OUTSIDE)					Yes / No		
9	E	604	2223	600	2225						Yes / No		
											Yes / No		
											Yes / No		
											Yes / No		
											Yes / No		
											Yes / No		
											Yes / No		
											Yes / No		
											Yes / No		
											Yes / No		
											Yes / No		
											Yes / No		
											Yes / No		
											Yes / No		

*TRIANGLE ARE COVERING 2 WINDOWS - NO CURTAINS AT TOP
GET OVER THE TOPS AT BACK OR TOP RAIL + 3" OVER BACK
ON THE SIDE RAILS*

Special Instructions

Obstruction type	Blind or drawing no.	LHS or RHS	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)

Blind type:

- Roller
- Pleated 20mm
- Cellular
- Venetian: Wood 25mm
- Alum 25mm
- Alum 16mm

Fabric range:

FESTIVAL SP L LOW E


Colourway:

ROMBERGATE

Drawings/ Notes

- Number each drawing
- Indicate with a number the points between which each measurement has been taken
- Record each measurement in special instructions box above

GET OVER ON FRAME



Fit 8th April AM

Louvolute Perfect Fit® Survey Sheet

Order No 43343 DELOAY

Customer Name ABC

Style Windows/doors Skylight Roof

Address

Frame colour: White Brown Silver (not roof)

Window depth: mm

Roof style: Flush Recess

Roof Apex fitting: Close Level

Roof Base fitting: Butt up to fascia Drop behind fascia

Measured by STEVEN Date 18-03-2022

Guide wires:

* PLEASE CONFIRM ALL MEASUREMENTS TO BE IN MILLIMETRES & TAKEN FROM A WORMS EYE VIEW

Blind Number	Shape A - G (circle correct)	Base width (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	Cowling to apex mark	Quadrant beading	Ridge allowance	Special Instructions	Skylight codes	
												Model No.	Code No.
1	ABCDEF G	684	2223	596	2228			1			Yes / No		
2	ABCDEF G	611	2066	414	2080			2			Yes / No		
3	ABCDEF G										Yes / No		
4	ABCDEF G	1066	2055	95	1937			2			Yes / No		
5	ABCDEF G	1062	1915	90	1844						Yes / No		
6	ABCDEF G	1058	1836	92	1837						Yes / No		
7	ABCDEF G	1060	1835	94	1927						Yes / No		
8	ABCDEF G	1064	1928	95	2065						Yes / No		
9	ABCDEF G	610	2083	414	2067						Yes / No		
10	ABCDEF G										Yes / No		
11	ABCDEF G	604	2223	600	2225						Yes / No		
	ABCDEF G										Yes / No		
	ABCDEF G										Yes / No		
	ABCDEF G										Yes / No		
	ABCDEF G										Yes / No		
	ABCDEF G										Yes / No		
	ABCDEF G										Yes / No		
	ABCDEF G										Yes / No		
	ABCDEF G										Yes / No		

Special Instructions

Obstruction type	Blind or drawing no.	LHS or RHS	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)

Blind type: Pleated 20mm
 Cellular
 Venetian: Wood 25mm
 Alum 25mm
 Alum 16mm

Fabric range: FESTIVAL SPC LOW E
 Colourway: POMENATAC
1 x POLE

Drawings/ Notes

- Number each drawing
- Indicate with a number the points between which each measurement has been taken
- Record each measurement in special instructions box above

