



# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 customerservices@rainbow-blinds.com

Page 1 of 4

# WOOD VENETIAN BLINDS

## Order Form

Date: 18-7-23  
 Telephone:  
 Retailer: The Garnet  
 Email:  
 Address: Bath Street  
 Postcode: Maccuff  
 Signature:  
 Purchase Reference No: 2772  
 Special Instructions:

Slit Width (✓)	Width (mm)		Drop (mm)	Recess (✓)	Exact (✓)	Child Safety Installation Height (mm)	Length of Control (mm)	Slit Range and Colour	CONTROLS			FIXING		PELMET		TOTAL COST (£)	
	25mm (✓)	35mm (✓)							50mm (✓)	Operation		Brackets		Width (mm)	Return (mm)		Price (£)
1			1029	✓	✓	2700		Sunwood - Tuscan Oak	RHS (✓)	LHS (✓)	TOP (✓)	FACE (✓)				1	
2			1030	✓	✓	2700		Sunwood - Tuscan Oak	RHS (✓)	LHS (✓)						1	
3																	
4																	
5																	
6																	
7																	
8																	

**NOTE:** UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS  
 All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device  
 Customer has been advised on (✓):  
 The Child Safety Regulations EN13559 and the use of child safety devices  
 Minimum distances applying to operating cords

Date: 18-7-23

Telephone: \_\_\_\_\_

Retailer: The Garret

Email: \_\_\_\_\_

Address: Bath Street  
maccuff

Signature: \_\_\_\_\_

Special Instructions: - Bracket covers  
- Blind 1 side rolled  
- Blinds 2-7 reverse rolled.

Postcode: \_\_\_\_\_

Purchase Reference No: 2772

Rainbow Blinds & Interiors  
61 Canyon Road  
Excelsior Park  
Wishaw  
ML3 0EG  
T. 01698 351 888  
F. 01698 351 999  
customerservices@rainbow-blinds.com


BLIND SIZE	CONTROLS				OPTIONS		ORDER								
	Width (mm)	Drop (mm)	Recess (✓)	Exact (✓)	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	RHS (✓)	LHS (✓)	Operation	Metal Chain	Price (£)	Qty	TOTAL COST (£)
1	1260	1290		precise size	2600		Maggie	Blue	✓			CLUTCH		1	
2	700	1200	✓		2200		Sisi	Soft Grey	✓		✓			1	
3	1465	2100	✓				Peyton	Antique	✓		✓			1	
4	1435		✓						✓					1	
5	1425		✓						✓					1	
6	1444		✓						✓					1	
7	1470		✓						✓					1	
8															

**NOTE:** UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):  The Child Safety Regulations (1990) and the use of child safety devices

Minimum distances applying to operating cords



**Rainbow Blinds**

Rainbow Blinds & Interiors  
61 Canyon Road  
Excelsior Park  
Wishaw  
ML3 0EG  
T. 01698 351 888  
F. 01698 351 999  
customerservices@rainbow-blinds.com

Page 3 of 4

# VISION BLINDS Order Form

Date: 18-7-23

Telephone: \_\_\_\_\_

Retailer: The Carpet

Email: \_\_\_\_\_

Address: Bath Street Macduff

Signature: \_\_\_\_\_

Postcode: \_\_\_\_\_

Purchase Reference No: 2772

Special Instructions: \_\_\_\_\_

	BLIND SIZE			Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range & Colour	Bottombar Colour	Fabric Colour & Fabric Option	CONTROLS			FIXING		TOTAL COST (£)	
	Width (mm)	Drop (mm)	Cassette Size						Operation	FACE (✓)	TOP (✓)	Price (£)	QTY		
1	1008	1789	Recess (✓)	2200		Capri Navy	White	White + Matching	Open (✓)	Closed (✓)	RHS (✓)	LHS (✓)	✓		1
2															
3															
4															
5															
6															
7															
8															

**NOTE:**

Bottombar Colours: White, Beige, Black

Open Cassette Colours: White, Beige, Black

Closed Cassette Colours: White with matching or coordinating fabric

Unless otherwise stated: all measurement will be taken as recess; blinds will be made with Open cassette (white), matching (white) bottombar, white operating chain, right hand control, top fix brackets

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓) X

The Child Safety Regulations (EN1320) and the use of child safety device

Minimum distances applying to operating cords

