

Customer's Name PHILLIPS  
Address SUMMERS LOTTAGES  
BRAEMAR Post Code \_\_\_\_\_

Tel. home \_\_\_\_\_  
Tel. work \_\_\_\_\_  
mobile 07595246852  
email \_\_\_\_\_



DATE  
MEASURED/ORDERED  
12/02/12

|           |  |  |
|-----------|--|--|
| CURTAINS  |  |  |
| PLEATED   |  |  |
| ROLLERS   |  |  |
| ROMANS    |  |  |
| SHUTTERS  |  |  |
| VENETIAN  |  |  |
| VERTICALS |  |  |
| VISION    |  |  |
| WOODEN    |  |  |

| AM PM (MEASURING TIME) |  |  | P/CUST |
|------------------------|--|--|--------|
| MON                    |  |  | NET    |
| TUE                    |  |  | PRESS  |
| WED                    |  |  | RADIO  |
| THU                    |  |  | MAG.   |
| FRI                    |  |  | VAN    |
| AM PM (FITTING TIME)   |  |  | RECC.  |
| MON                    |  |  | SHOP   |
| TUE                    |  |  | TV     |
| WED                    |  |  | YELL P |
| THU                    |  |  | OTHER  |
| FRI                    |  |  |        |

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**

| Room           | Width         | Drop          | Slat Size     | Colour                | Control LH or RH | Fitting Height | Any other Instructions | Price |
|----------------|---------------|---------------|---------------|-----------------------|------------------|----------------|------------------------|-------|
| <u>Sunroom</u> | <u>2087</u> ✓ | <u>2095</u> ✓ | <u>16mm</u> ✓ | <u>Beige Mono</u> ✓   | <u>RH</u> ✓      | <u>motor</u>   |                        |       |
| ↓              | <u>2087</u> ✓ | ↓ ✓           | ↓ ✓           | ↓ ✓                   | <u>LH</u> ✓      | <u>motor</u>   |                        |       |
|                |               |               |               | <u>Autumn B/Ban</u> ✓ |                  |                |                        |       |



|      |            |       |       |            |        |        |       |             |           |          |           |              |      |
|------|------------|-------|-------|------------|--------|--------|-------|-------------|-----------|----------|-----------|--------------|------|
| alum | anthracite | black | brown | champ-gold | chrome | silver | white | recess size | motorised | wood fix | stone fix | brackets top | face |
|      |            |       |       |            |        |        |       | ✓           |           |          |           |              |      |

|                                |                 |            |         |        |       |
|--------------------------------|-----------------|------------|---------|--------|-------|
| measured by <u>[Signature]</u> | fitted by _____ | date _____ | CASH    | CHEQUE | SPREE |
|                                |                 |            | INVOICE | CARD   |       |

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. REFUSAL TO ALLOW A SAFETY DEVICE TO BE FITTED WILL RESULT IN THE BLINDS NOT BEING INSTALLED. UNDER THE TERMS OF THIS CONTRACT, YOU WILL BE LIABLE TO ACCEPT DELIVERY AND PAY THE FULL AMOUNT. I have ordered the above goods and agree to pay a 50% deposit and the remaining balance when confirming the installation appointment. If payment is not made in full at that time, Aberdeen Blinds have the right to refuse to install the products until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £1806 -  
DEPOSIT £ 903 -  
BALANCE £ 903 -


To Be Confirmed  
PRICE ACCEPTANCE  
Customer's Signature

Emma

Special Instructions  
BACS Paid DP 903 14/2

# directions for Braemar

fork in road  
 into village  
 50 yds forward  
 Fyfe Arms on Right.  
 on left Exit. one way



2 telephone Boxes (Red) left  
 turn right follow track  
 Sign says woodburn Cottage  
 follow track

436  
 30.8  
 746

Between 2 green farming sheds  
 or New build L4 2087 m m r 100  
 on Right wood cladding.

37  
 37  
 173  
 173  
 163  
 160

740

Area Wipe 80m  
 60

273  
 273  
 260  
 260

1066

~~SILVER ROOM~~


LARCH

DIG.  
 TOT = 2103  
 + 4x BENDS.

2095  
 TOT 2088  
 + 4x BENDS.

DROP  
 1075  
 BITS ON SILL

DROP  
 1025  
 ON SILL



Sales

**From:** Stephanie Phillips <stephaniephillips24@gmail.com>  
**Sent:** 10 February 2024 13:04  
**To:** Sales  
**Subject:** Re: blinds & Curtain Rail

Hi Alysha,

Thank you for the quote, and yes we would like to go ahead.

One question we have is just about the end finials for the ceiling mounted poles in the uostairs upstairs bedrooms. Shall we pick one from the examples in the first attachment?

Kind regards,

Stephanie

Sent from my iPhone

On 10 Feb 2024, at 12:34, Sales <sales@aberdeen-blinds.co.uk> wrote:

Afternoon Stephanie,

**Ref: Summerfield Cottages, Braemar – Blinds & Curtain Rail**

Further to our recent visit, please find below our quotation to supply and install the following,

**Sunroom**

2no Battery Operated Roller Blinds complete with SOMFY Sonesse 30WF RTS motors, anthracite bottom bars.

Fabric: Bella Blackout

Colour: Mono

**Cost: £1066.00**

**Small Bedroom**

1no Shaped Silent Gliss Metropole complete with black finish, 60mm wave gliders, top fixed.

4no Bends

**Cost: £370.00**

**Larger Bedroom**

1no Shaped Silent Gliss Metropole complete with black finish, 60mm wave gliders, top fixed.

4no Bends

**Cost: £370.00**

If you have any further questions or wish to proceed, please contact myself where I am happy to assist.



Curtain Track Measure Sheet

Date Required: ASAP

Order Reference: 47283 Pullies

Date of Order: 13-02-24

Company Name: Asproten Bino Company

Contact:

Delivery Address: 32 Esslemont Ave, Argoe, Co. Dub.

Site Contact:

Telephone Number:

Customer Signature: [Signature]

| System Number | Colour  | Qty | * Child Safety Device (Integral 10483) Y/N | Overall Width | Location   | ** Installation Height | Input LH / RH or B<br>*** Left / right or both side operation | Input T / F or A<br>Top or Face fixing or Adjustable brackets | Bracket number if known or projection in mm | Method<br>LH / RH / Pair or Centre Stacking | Cord Drop | Wave Tracks please tick             |                          |
|---------------|---------|-----|--|---------------|------------|------------------------|---|---|---|---|-----------|-------------------------------------|--------------------------|
|               |         |     |  |               |            |                        |   |   |   |   |           | 3135 bkt = 60mm                     | 3136 bkt = 80mm          |
| 7600          | Beige 1 | 1   |  | 375           | Small Room | 374                    | Both  | Top   | 144   | PAR   |           | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 7600          | Beige 1 | 1   |  | 645           | Large Room | 373                    | Both  | Top   | 144   | PAR   |           | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 350           |         |     |  | 1255          | Small Room | 350                    |   |   | 123   | 1260  |           | <input type="checkbox"/>            | <input type="checkbox"/> |

Please Note: For multiple stack please include diagram  
 60mm Wave uses 3135 bracket as standard  
 80mm wave uses 3136 bracket as standard  
 \* Child Safety Device applicable to System 3840 only complete with Silent Gliss Colorama Wave Curtains only  
 \*\* If the Installation Height is known - cord drops will comply with EN13120  
 \*\*\* If B for both, intermediate pulley will be added at extra cost

\* Sizes are Track Sizes

Final Goods \*

\* SG-11621

| Operating loop for Child Safety Device |  | Operating loop for chain retainer |   |
|--|--|-----------------------------------|---|
| Installation Height                    | Known  | Installation Height               | Known   |
| Chain Length                           | Distance from floor to bottom of pull cords shall be at least 0.6m | Chain Length                      | Distance from floor to bottom of operating chain shall be at least 1.5m |
| Unknown                                | Less than or equal to 2/3rd drop of the blind                      | Unknown                           | Length of operating chain loop shall be ≤ 1m                            |
|  |  |                                   | Shall be ≤ drop of blind less 1.5m                                      |