

QUOTATION



Delivering **Shading** Solutions

date: Tuesday 31 Mar 2026
quote no: A1402 Q1
client: John Graham Construction Ltd
address: FSNI, Project Atlas, Carrickfergus
tel: 07827 278266
email: jimmy.mcdonald@graham.co.uk
contact: Mr.Jimmy McDonald

62-66 Duncrue Street, Belfast, Co.
Antrim, BT3 9AR
t: 028 9035 8000
f: 028 9035 2727
info@anderson-interiors.co.uk
www.anderson-interiors.co.uk

To supply and install 201 Kurolok Electrically operated hardwired blackout roller blinds, using fabric selected from the PVC range colour TBC and complete with White aluminium hardware.

To Supply and Install - 3no, Miscellaneous

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|-----------|-------------------|--|----------|--------|----------|
| 2/P/1 - A | X | Unit Type: mm, Quantity: 3, Details: Electrically Operated Kurolok 600 x 3950mm, Location: 2/P/1 - A | 3 | 945.23 | 2,835.69 |

To Supply and Install - 3no, Miscellaneous

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|-----------|-------------------|--|----------|--------|----------|
| 2/P/1 - B | X | Unit Type: mm, Quantity: 3, Details: Electrically Operated Kurolok 700 x 3950mm, Location: 2/P/1 - B | 3 | 965.21 | 2,895.63 |

To Supply and Install - 7no, Miscellaneous

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|-----------|-------------------|--|----------|--------|----------|
| 2/P/1 - C | X | Unit Type: mm, Quantity: 7, Details: Electrically Operated Kurolok 800 x 3950mm, Location: 2/P/1 - C | 7 | 985.20 | 6,896.40 |

To Supply and Install - 17no, Miscellaneous

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|-----------|-------------------|---|----------|----------|-----------|
| 2/P/1 - D | X | Unit Type: mm, Quantity: 17, Details: Electrically Operated Kurolok 900 x 3950mm, Location: 2/P/1 - D | 17 | 1,005.19 | 17,088.23 |

To Supply and Install - 1no, Miscellaneous

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|-----------|-------------------|--|----------|--------|---------|
| 2/P/1 - E | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 350 x 3950mm, Location: 2/P/1 - E | 1 | 895.26 | 895.26 |

To Supply and Install - 1no, Miscellaneous

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|-----------|-------------------|--|----------|--------|---------|
| 2/P/1 - F | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 450 x 3950mm, Location: 2/P/1 - F | 1 | 915.25 | 915.25 |

To Supply and Install - 3no, Miscellaneous

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|-----------|-------------------|--|----------|--------|----------|
| 2/P/1 - G | X | Unit Type: mm, Quantity: 3, Details: Electrically Operated Kurolok 550 x 3950mm, Location: 2/P/1 - G | 3 | 935.24 | 2,805.72 |

To Supply and Install - 4no, Miscellaneous

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|-----------|-------------------|--|----------|--------|----------|
| 2/P/1 - H | X | Unit Type: mm, Quantity: 4, Details: Electrically Operated Kurolok 650 x 3950mm, Location: 2/P/1 - H | 4 | 955.22 | 3,820.88 |

To Supply and Install - 8no, Miscellaneous

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|-----------|-------------------|--|----------|--------|----------|
| 2/P/1 - I | X | Unit Type: mm, Quantity: 8, Details: Electrically Operated Kurolok 750 x 3950mm, Location: 2/P/1 - I | 8 | 975.21 | 7,801.68 |

To Supply and Install - 8no, Miscellaneous

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|---|-------------------|--|----------|----------|-----------|
| 2/P/1 - J | X | Unit Type: mm, Quantity: 8, Details: Electrically Operated Kurolok 850 x 3950mm, Location: 2/P/1 - J | 8 | 995.19 | 7,961.52 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/1 - K | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 950 X 3450mm, Location: 2/P/1 - K | 1 | 976.14 | 976.14 |
| To Supply and Install - 15no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/1 - L | X | Unit Type: mm, Quantity: 15, Details: Electrically Operated Kurolok 950 X 3950mm, Location: 2/P/1 - L | 15 | 1,015.18 | 15,227.70 |
| To Supply and Install - 5no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/1 - M | X | Unit Type: mm, Quantity: 5, Details: Electrically Operated Kurolok 1100 X 3950mm, Location: 2/P/1 - M | 5 | 1,045.16 | 5,225.80 |
| To Supply and Install - 3no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/1 - N | X | Unit Type: mm, Quantity: 3, Details: Electrically Operated Kurolok 1200 X 3950mm, Location: 2/P/1 - N | 3 | 1,065.15 | 3,195.45 |
| To Supply and Install - 11no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/1 - O | X | Unit Type: mm, Quantity: 11, Details: Electrically Operated Kurolok 1300 X 3950mm, Location: 2/P/1 - O | 11 | 1,085.13 | 11,936.43 |
| To Supply and Install - 15no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/1 - P | X | Unit Type: mm, Quantity: 15, Details: Electrically Operated Kurolok 1400 X 3950mm, Location: 2/P/1 - P | 15 | 1,105.12 | 16,576.80 |
| To Supply and Install - 11no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/1 - Q | X | Unit Type: mm, Quantity: 11, Details: Electrically Operated Kurolok 1500 X 3950mm, Location: 2/P/1 - Q | 11 | 1,125.10 | 12,376.10 |
| To Supply and Install - 3no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/1 - R | X | Unit Type: mm, Quantity: 3, Details: Electrically Operated Kurolok 1600 X 3950mm, Location: 2/P/1 - R | 3 | 1,145.09 | 3,435.27 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/1 - S | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 1700 X 3450mm, Location: 2/P/1 - S | 1 | 1,117.23 | 1,117.23 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/1 - T | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 1700 X 3950mm, Location: 2/P/1 - T | 1 | 1,165.08 | 1,165.08 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - A | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 1800 X 3450mm, Location: 2/P/2 - A | 1 | 1,136.04 | 1,136.04 |
| To Supply and Install - 1no, Miscellaneous | | | | | |

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|---|-------------------|--|----------|----------|-----------|
| 2/P/2 - B | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 1800 X 3650mm, Location: 2/P/2 - B | 1 | 1,155.65 | 1,155.65 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - C | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 1900 X 3450mm, Location: 2/P/2 - C | 1 | 1,154.85 | 1,154.85 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - D | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 1150 X 3450mm, Location: 2/P/2 - D | 1 | 1,013.76 | 1,013.76 |
| To Supply and Install - 7no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - E | X | Unit Type: mm, Quantity: 7, Details: Electrically Operated Kurolok 1150 X 3950mm, Location: 2/P/2 - E | 7 | 1,055.15 | 7,386.05 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - F | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 1250 X 3450mm, Location: 2/P/2 - F | 1 | 1,032.57 | 1,032.57 |
| To Supply and Install - 2no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - G | X | Unit Type: mm, Quantity: 2, Details: Electrically Operated Kurolok 1250 X 3950mm, Location: 2/P/2 - G | 2 | 1,075.14 | 2,150.28 |
| To Supply and Install - 22no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - H | X | Unit Type: mm, Quantity: 22, Details: Electrically Operated Kurolok 1350 X 3950mm, Location: 2/P/2 - H | 22 | 1,095.13 | 24,092.86 |
| To Supply and Install - 3no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - I | X | Unit Type: mm, Quantity: 3, Details: Electrically Operated Kurolok 1450 X 3950mm, Location: 2/P/2 - I | 3 | 1,115.11 | 3,345.33 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - J | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 1550 X 3650mm, Location: 2/P/2 - J | 1 | 1,107.44 | 1,107.44 |
| To Supply and Install - 2no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - K | X | Unit Type: mm, Quantity: 2, Details: Electrically Operated Kurolok 1550 X 3950mm, Location: 2/P/2 - K | 2 | 1,135.10 | 2,270.20 |
| To Supply and Install - 3no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - L | X | Unit Type: mm, Quantity: 3, Details: Electrically Operated Kurolok 1650 X 3950mm, Location: 2/P/2 - L | 3 | 1,155.08 | 3,465.24 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - M | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 1750 X 3650mm, Location: 2/P/2 - M | 1 | 1,146.01 | 1,146.01 |
| To Supply and Install - 3no, Miscellaneous | | | | | |

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|---|-------------------|--|----------|----------|-----------|
| 2/P/2 - N | X | Unit Type: mm, Quantity: 3, Details: Electrically Operated Kurolok 1750 X 3950mm, Location: 2/P/2 - N | 3 | 1,175.07 | 3,525.21 |
| To Supply and Install - 14no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - O | X | Unit Type: mm, Quantity: 14, Details: Electrically Operated Kurolok 1000 X 3950mm, Location: 2/P/2 - O | 14 | 1,025.17 | 14,352.38 |
| To Supply and Install - 2no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - P | X | Unit Type: mm, Quantity: 2, Details: Electrically Operated Kurolok 2100 X 3950mm, Location: 2/P/2 - P | 2 | 1,245.02 | 2,490.04 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - Q | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 2300 X 3950mm, Location: 2/P/2 - Q | 1 | 1,284.99 | 1,284.99 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - R | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 2500 X 3450mm, Location: 2/P/2 - R | 1 | 1,267.72 | 1,267.72 |
| To Supply and Install - 2no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - S | X | Unit Type: mm, Quantity: 2, Details: Electrically Operated Kurolok 2900 X 3450mm, Location: 2/P/2 - S | 2 | 1,342.96 | 2,685.92 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - T | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 2150 X 3650mm, Location: 2/P/2 - T | 1 | 1,223.13 | 1,223.13 |
| To Supply and Install - 2no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - U | X | Unit Type: mm, Quantity: 2, Details: Electrically Operated Kurolok 2150 X 3950mm, Location: 2/P/2 - U | 2 | 1,255.02 | 2,510.04 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - V | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 2250 X 3450mm, Location: 2/P/2 - V | 1 | 1,220.69 | 1,220.69 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - W | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 2350 X 3450mm, Location: 2/P/2 - W | 1 | 1,239.50 | 1,239.50 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - X | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 2750 X 3450mm, Location: 2/P/2 - X | 1 | 1,314.74 | 1,314.74 |
| To Supply and Install - 2no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/2 - Y | X | Unit Type: mm, Quantity: 2, Details: Electrically Operated Kurolok 2000 X 3950mm, Location: 2/P/2 - Y | 2 | 1,225.04 | 2,450.08 |
| To Supply and Install - 1no, Miscellaneous | | | | | |

| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
|--|-------------------|---|----------|------------------|--------------|
| 2/P/2 - Z | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 3400 X 3450mm, Location: 2/P/2 - Z | 1 | 1,475.13 | 1,475.13 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/3 - A | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 3500 X 3650mm, Location: 2/P/3 - A | 1 | 1,522.66 | 1,522.66 |
| To Supply and Install - 1no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| 2/P/3 - B | X | Unit Type: mm, Quantity: 1, Details: Electrically Operated Kurolok 3000 X 3450mm, Location: 2/P/3 - B | 1 | 1,361.77 | 1,361.77 |
| To Supply and Install - 201no, Miscellaneous | | | | | |
| Location | Width X Drop [mm] | Description | Quantity | Unit £ | Total £ |
| All Blinds | X | Unit Type: mm, Quantity: 201, Details: Wall Mounted Switch., Location: All Blinds | 201 | 20.77 | 4,174.79 |
| | | | | Subtotal | £ 219,703.33 |
| | | | | Total (excl VAT) | £ 219,703.33 |

Note:

- All prices are subject to VAT and remain fixed for 30 days from the date of quotation
- All prices are subject to a full site survey, final agreed specification and assume good access for measure and fixing grounds suitable for the installation of the specified products.
- Any variations could mean a price change.
- Installation will be during normal working hours to clear areas, e.g. benches, desks, computers etc. and in one phase.
- If possible please quote our reference in all future correspondence.
- From receipt of order there will be a 4 week program for completion.
- No retention is to be held back.

The Team @ Andersons.

