

This document was exported from Numbers. Each table was converted to an Excel worksheet. All other objects on each Numbers sheet were placed on separate worksheets. Please be aware that formula calculations may differ in Excel.

Numbers Sheet Name	Numbers Table Name	Excel Worksheet Name
Kestrel K9500 track	Table 1	<a href="#">Kestrel K9500 track</a>
Kestrel K9500 track	Table 1	<a href="#">Kestrel K9500 track</a>

Customer SHSCT Site. **1 Man work OK if fitting between 0900 to 1630hrs as Children will be away or at School as**  
 Greenhill YMCA Donard Park Newcastle BT33 0GR

Track Type	Spec	Location	Fitting Price	Price Uplift	Option List	Quantity	Width	Draw	Control side	Control Drop
<b>Monica Rogan has taken photos of Panaz Spectrum and Dart cards colour TBC</b>										
		<b>Chalet 5</b>								
		Ground floor								
Kestrel K9500 track		Lounge				1	3660	Bi-part		
Kestrel K9500 track		Front door				1	850	RH		
Kestrel K9500 track		Front Bedroom LR1				1	980	Bi-part		
Kestrel K9500 track		Front Bedroom LR2				1	985	Bi-part		
Kestrel K9500 track		Back Bedroom				1	1780	Bi-part		
Kestrel K9500 track		Office				1	1780	Bi-part		
Fitting Instructions										

L2 steps

Childrens unit Children to be at School while work being carried one Man ok to carry out work

See special instructions column for fixing detail

**Kestrel K9500 track. Top of face fix magnet to glider hook 115mm. Top of top fix magnet to glider hook 65mm. T**



per Monica

Contact.

Monica Rogan

Tel: Mob: 07773 135639

White or White & Grey or Grey	Extra Componnets	Fixing	Floor to track Approx	Cord Tensioner	Man power	Fitting
		Face	2865		1 Man	1.5hr
		Face	1960		1 Man	0.5hr
		Face	2275		1 Man	0.75hr
		Face	2275		1 Man	0.75hr
		Face	2265		1 Man	0.75hr
		Face	2270		1 Man	0.75hr
						parking

rack profile to glider hook 42mm. If CP3 tape Bottom pocket nil h



Special Instructions

Face fix through plasterboard top of face fix magnets 2865mm from floor level remove old pole

Face fix top of face fix magnets 1960mm from floor level fix directly to timber door

Face fix through plasterboard top of face fix magnets 185mm above head remove old pole

Face fix through plasterboard top of face fix magnets 185mm above head remove old pole

Face fix through plasterboard top of face fix magnets 185mm above head remove old pole

Face fix through plasterboard top of face fix magnets 185mm above head remove old pole

and access 0.5hr

**ending**

