

# ROLLER BLINDS

Invoice S11SCT Site Contact Tracy Wilson Phone 3026-8025 Survey Date 23/1/26  
 Del. Meth. Est Site Address Cedar Grove  
 Order No. 3 Windsor Ave  
 Order Date. Newry  
 Contact. \_\_\_\_\_  
 Phone. \_\_\_\_\_  
 Fit/Deliver Date \_\_\_\_\_

Location	Make	Colour	Spec.	Qty.	Width	Drop	M'tment	S/Roller Y/N	Safety Device	C/M Cts.	Cord Chain Drop	Fix	Special Instruction	Price	Discount
1 Bed-Room 25 C11A	Kestrel KR205	dark TBC		1	600	1140	Rec	R/C	/	/	/	Top	White Alou-B-Bal		
2 C11B	Slow-Rise-Spring			1	1510	1140	11	11	/	1	1	11	11 11 11		
3 Bed-Room 23 C11A	11	11		1	1470	1155	11	11	/	1	1	11	11 11 11		
4 C11B	11	11		1	600	1155	11	11	/	1	1	11	11 11 11		
5 Bed-Room 26	11	11		1	1330	1165	11	11	/	1	1	11	11 11 11		
6 Bed-Room 31	11	11		1	1335	1165	11	11	/	1	1	11	11 11 11		
7 Bed-Room 34	11	11		1									Approx 1350x1200		
8															

Directions YES / NO

Fitting Information		Work Done	
Date	Filter	Time	Work Done



**MEASUREMENT FORM**

**Anderson Interiors Ltd**

<b>Date:</b> 23/01/2026	<b>Taken By:</b> Mark Chesney	<b>Survey Date/Time:</b> 23/01/2026 09:15 / 23/01/2026 10:30	
<b>Invoice:</b> Southern HSC Trust ( C ), PO Box 1048 Ballymena BT42 9BY		<b>Site:</b> Cedar Grove 3 Windsor Ave Newry BT34 1FG	
<b>Contact:</b>		<b>Contact:</b> Tracey Wilson or Ma	
<b>Tel:</b>		<b>Tel:</b> 3026 8025	
<b>Mobile:</b>		<b>Mobile:</b>	
<b>Fax:</b>		<b>Fax:</b>	
<b>Email:</b> karen.maguire@southerntrust.hscni.net		<b>Email:</b>	
Directions Req'd: (On reverse)	Yes/No	Directions Yellow:	Yes/No

**Product/Room (s) - Details:**

Anti-lig RBs for approx 4nr bedrooms

Must arrange access - must be pm call

VVB for office

**ESTIMATE HELP**

<b>Who makes decision:</b>	<b>When:</b>
<b>Sales Plus Points:</b>	
<b>Any competition:</b>	<b>Quote required by:</b>
<b>No. of Fitters:</b> 1	<b>Fitting time(excl. travel):</b> 2 per blind
Extra time for Access/Parking: 1/2	
<b>RE-SURVEY REQUIRED:</b> Yes Room 34 No Access took Approx Fee Quote	
Planned completion date:	
<b>Other information</b> NA	

**SITE INFORMATION**

<b>PARKING:</b> on-site	<b>Lift/Stairs:</b> 5/Floor
	<b>Floor (s)</b>
	<b>Problem with access:</b> TBW
<b>POWER:</b> NONE/240V/110V/other	<b>PLANS available:</b> NA
	<b>WORK AREA CLEAR:</b> YG
<b>EXTRA EQUIPMENT/TOO REQUIRED:</b> NA	
<b>OTHER INFORMATION:</b> NA	
<b>Site Condition Ready:</b> YG	<b>Supervision Required:</b> NA
<b>If No When:</b>	
<b>Surveyed By:</b> [Signature]	<b>Date:</b> 23/1/26



Enterprise Way, Wickford, Essex, SS11 8DH,  
 Phone: 01268 570900 Fax: 01268 732509,  
 Email: enquiries@yewdale.co.uk  
 Web: www.yewdale.co.uk

03 February 2026

Proposal No: 145248

Anderson Interiors Ltd 62-66 Duncrue Street Belfast BT3 9AY	Job Ref: CEDAR GROVE
Rebekah gary.buchanan@anderson-interiors.co.uk Tel: 028 9035 8000	

**Please ensure all proposal numbers are used when placing orders**

Thank you for your recent enquiry. We submit our prices as shown below and hope these will be of interest to you. Please do not hesitate to contact our sales team for any further information, or if something is unclear.

Type / Colour	Width	Drop	Unit Qty.	Unit Price	Net
KR20ST Top Fixed Spring Dart TBC 3000mm Spring Type: Braked Spring (Short), Bottom Bar Type: White Tear Drop Ali. Bottom Bar, Back Bar Option: White Aluminium Back Bar, Bracket Option: Polycarbonate Top Fix Bracket - Individual, Branded Labels: Label - YewdaleKestrel Measurement: Recess      Spec. Ins: Location: Bedroom 25	600	1140	1	99.89	99.89
KR20ST Top Fixed Spring Dart TBC 3000mm Spring Type: Braked Spring (Wide), Bottom Bar Type: White Tear Drop Ali. Bottom Bar, Back Bar Option: White Aluminium Back Bar, Bracket Option: Polycarbonate Top Fix Bracket - Individual, Branded Labels: Label - YewdaleKestrel Measurement: Recess      Spec. Ins:	1510	1140	1	158.16	158.16
KR20ST Top Fixed Spring Dart TBC 3000mm Spring Type: Braked Spring (Wide), Bottom Bar Type: White Tear Drop Ali. Bottom Bar, Back Bar Option: White Aluminium Back Bar, Bracket Option: Polycarbonate Top Fix Bracket - Individual, Branded Labels: Label - YewdaleKestrel Measurement: Recess      Spec. Ins: Location: Bedroom 23	1470	1155	1	158.16	158.16
KR20ST Top Fixed Spring Dart TBC 3000mm Spring Type: Braked Spring (Short), Bottom Bar Type: White Tear Drop Ali. Bottom Bar, Back Bar Option: White Aluminium Back Bar, Bracket Option: Polycarbonate Top Fix Bracket - Individual, Branded Labels: Label - YewdaleKestrel Measurement: Recess      Spec. Ins:	600	1155	1	99.89	99.89

VAT No: 139064510

This quotation is valid for 30 days. Carriage will be charged, if applicable.  
 Prices are in GBP and exclude VAT. All prices subject to final site



Enterprise Way, Wickford, Essex, SS11 8DH,  
 Phone: 01268 570900 Fax: 01268 732509,  
 Email: enquiries@yewdale.co.uk  
 Web: www.yewdale.co.uk

03 February 2026

Proposal No: 145248

Anderson Interiors Ltd 62-66 Duncrue Street Belfast BT3 9AY	Job Ref: CEDAR GROVE
Rebekah gary.buchanan@anderson-interiors.co.uk Tel: 028 9035 8000	

**Please ensure all proposal numbers are used when placing orders**

Thank you for your recent enquiry. We submit our prices as shown below and hope these will be interest to you. Please do not hesitate to contact our sales team for any further information, or if something is unclear.

Type / Colour	Width	Drop	Unit Qty.	Unit Price	Net
KR20ST Top Fixed Spring Dart TBC 3000mm Spring Type: Braked Spring (Long), Bottom Bar Type: White Tear Drop Ali. Bottom Bar, Back Bar Option: White Aluminium Back Bar, Bracket Option: Polycarbonate Top Fix Bracket - Individual, Branded Labels: Label - YewdaleKestrel Measurement: Recess      Spec. Ins: Location: Bedroom 26	1330	1165	1	131.03	131.03
KR20ST Top Fixed Spring Dart TBC 3000mm Spring Type: Braked Spring (Long), Bottom Bar Type: White Tear Drop Ali. Bottom Bar, Back Bar Option: White Aluminium Back Bar, Bracket Option: Polycarbonate Top Fix Bracket - Individual, Branded Labels: Label - YewdaleKestrel Measurement: Recess      Spec. Ins: Location: Bedroom 31	1335	1165	1	131.03	131.03
KR20ST Top Fixed Spring Dart TBC 3000mm Spring Type: Braked Spring (Long), Bottom Bar Type: White Tear Drop Ali. Bottom Bar, Back Bar Option: White Aluminium Back Bar, Bracket Option: Polycarbonate Top Fix Bracket - Individual, Branded Labels: Label - YewdaleKestrel Measurement: Recess      Spec. Ins.: Approx Size Location: Bedroom 34 CARRIAGE 1127 = 1.57	1350	1200	1	131.03	131.03
CARRIAGE			1	11.00	11.00

Total Net Value of Proposal £920.19
VAT £184.05
<b>Total £1104.24</b>

VAT No: 139064510

This quotation is valid for 30 days. Carriage will be charged, if applicable.  
 Prices are in GBP and exclude VAT. All prices subject to final site

Date: 23/1/26

Customer: SHScr

Location: Cedar Grove

Surveyor: [Signature]

Please indicate as part of your assessment which of the following risks are relevant to this location, your assessment of risk, persons exposed, control measures and any comments you may have.

RISK	ASSESSMENT OF RISK	PERSONS EXPOSED	CONTROL MEASURES	COMMENTS
<p><u>Work at Heights</u></p> <p>Applicable <input type="checkbox"/></p> <p>Not applicable <input type="checkbox"/></p>	<p>Low <input checked="" type="checkbox"/></p> <p>Medium <input type="checkbox"/></p> <p>High <input type="checkbox"/></p>	<p>Anderson's Staff <input checked="" type="checkbox"/></p> <p>Other Contractors <input type="checkbox"/></p> <p>Client's Personnel <input type="checkbox"/></p> <p>Public <input type="checkbox"/></p> <p>Children <input type="checkbox"/></p>	<p>The hierarchy for safe work at heights requires that:</p> <p>a) Avoid the risk by not working at heights</p> <p>b) Prevent falls</p> <p>c) Mitigate the consequences of a fall</p> <p>d) Give collective measures e.g. guard rails, nets etc. precedence over personal protective measures</p> <p>Options:</p> <p>1) Mobile Scaffolding _____</p> <p>2) Stepadders _____</p> <p>3) Other _____</p> <p>4) kneeling on secure Bench/Desk _____</p> <p>5) Standing on secure Bench/Desk _____</p> <p>6) Steps on secure Bench/Desk _____</p> <p>7) Sink Cover _____</p> <p>8) Number of operatives Required _____</p>	<p>Small steps man</p>
<p><u>Working in Occupied Premises</u></p> <p>Applicable <input checked="" type="checkbox"/></p> <p>Not applicable <input type="checkbox"/></p>	<p>Low <input checked="" type="checkbox"/></p> <p>Medium <input type="checkbox"/></p> <p>High <input type="checkbox"/></p>	<p>Anderson's Staff <input checked="" type="checkbox"/></p> <p>Other Contractors <input type="checkbox"/></p> <p>Client's Personnel <input type="checkbox"/></p> <p>Public <input type="checkbox"/></p> <p>Children <input type="checkbox"/></p>	<p>Work area to be vacated by Client's personnel <input type="checkbox"/></p> <p>Work area to be secured by fixed barriers <input type="checkbox"/></p> <p>Work area to remain occupied throughout work <input type="checkbox"/></p> <p>Work area to be secured by temporary barriers <input type="checkbox"/></p>	
<p><u>Risks Associated with Electricity or other services</u></p> <p>Applicable <input type="checkbox"/></p> <p>Not applicable <input checked="" type="checkbox"/></p>	<p>Low <input type="checkbox"/></p> <p>Medium <input type="checkbox"/></p> <p>High <input type="checkbox"/></p>	<p>Anderson's Staff <input type="checkbox"/></p> <p>Other Contractors <input type="checkbox"/></p> <p>Client's Personnel <input type="checkbox"/></p> <p>Public <input type="checkbox"/></p> <p>Children <input type="checkbox"/></p>	<p>Confirm location and routes of any services <input type="checkbox"/></p> <p>Confirm status of power or other services with client upon arrival <input type="checkbox"/></p> <p>Work to any services to be carried out by a competent person <input type="checkbox"/></p> <p>Client to immobilise power or other services <input type="checkbox"/></p>	
<p><u>Asbestos</u></p> <p>Applicable <input type="checkbox"/></p> <p>Not applicable <input checked="" type="checkbox"/></p>	<p>Low <input type="checkbox"/></p> <p>Medium <input type="checkbox"/></p> <p>High <input type="checkbox"/></p>	<p>Anderson's Staff <input type="checkbox"/></p> <p>Other Contractors <input type="checkbox"/></p> <p>Client's Personnel <input type="checkbox"/></p> <p>Public <input type="checkbox"/></p> <p>Children <input type="checkbox"/></p>	<p>Copy of relevant asbestos survey provided <input type="checkbox"/></p> <p>No relevant asbestos survey available <input type="checkbox"/></p>	
<p><u>Slips, Trips and Falls</u></p> <p>Applicable <input checked="" type="checkbox"/></p> <p>Not applicable <input type="checkbox"/></p>	<p>Low <input checked="" type="checkbox"/></p> <p>Medium <input type="checkbox"/></p> <p>High <input type="checkbox"/></p>	<p>Anderson's Staff <input checked="" type="checkbox"/></p> <p>Other Contractors <input type="checkbox"/></p> <p>Client's Personnel <input type="checkbox"/></p> <p>Public <input type="checkbox"/></p> <p>Children <input type="checkbox"/></p>	<p>Work area to be vacated by Client's personnel and can be used for storage <input type="checkbox"/></p> <p>Work area will be secured by fixed or temporary barriers and materials secured within <input type="checkbox"/></p> <p>Materials will be removed by Andersons Interiors when not on site <input type="checkbox"/></p> <p>Storage area to be agreed on site with Client/Principal Contractor <input type="checkbox"/></p>	
<p><u>Manual Handling</u></p> <p>Applicable <input checked="" type="checkbox"/></p> <p>Not applicable <input type="checkbox"/></p>	<p>Low <input checked="" type="checkbox"/></p> <p>Medium <input type="checkbox"/></p> <p>High <input type="checkbox"/></p>	<p>Anderson's Staff <input checked="" type="checkbox"/></p> <p>Other Contractors <input type="checkbox"/></p> <p>Client's Personnel <input type="checkbox"/></p> <p>Public <input type="checkbox"/></p> <p>Children <input type="checkbox"/></p>	<p>Location of work (ground floor, first floor etc):</p> <p>Route to area of work (existing traffic routes, stairs, lift):</p> <p>Height at which work is to be carried out:</p> <p>Approximate weight of item to be fitted (if &gt; 15kg):</p> <p>Other:</p>	<p>Slotted</p> <p>Er 8/19</p> <p>21.5g</p>