



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name EADIE

Address 33, SPRINGWELL ROAD
DURHAM

Post Code DH1 4LR

Tel. home	<u>0191 386 9773</u>
Tel. work	
mobile	
email	

DATE
MEASURED/ORDERED
26 / 07 / 19

Measured By:
SHAUN HANLEY

CURTAINS		
PLEATED		
ROLLERS		
ROMANS		
SHUTTERS		
VENETIAN		
VERTICALS		
VISION		
WOODEN		

SPECIAL INSTRUCTIONS

R.W.R
DIN NOT REQ'D
TILL LATER

3.26 / 1940 / 1400

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face
					<u>1/R</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
<u>FIBER L</u>	<u>1320</u>	<u>1358</u>	<u>50</u>	<u>EXPRESSIONS SNOW</u>	<u>STD</u>	<u>2700</u>	<u>189 / 140</u>
<u>FRONT BED</u>	<u>550</u>	<u>1528</u>	<u>50</u>	<u>PEL 620</u>	<u>STD</u>	<u>2700</u>	<u>382 / 260</u>
<u>BED BAY</u>	<u>530</u>	<u>1528</u>	<u> </u>		<u> </u>	<u> </u>	
	<u>565</u>	<u>1528</u>	<u> </u>	<u>PEL 620</u>	<u> </u>	<u> </u>	
	<u>595</u>						
<u>DIN ROOM</u>	<u>530</u>	<u>1725</u>	<u>50</u>	<u>PEL 620</u>	<u>STD</u>	<u>2800</u>	<u>382 / 260</u>
<u>BAY</u>	<u>520</u>	<u>1725</u>	<u> </u>		<u> </u>	<u> </u>	
<u>LTCR</u>	<u>560</u>	<u>1725</u>	<u> </u>	<u>PEL 620</u>	<u> </u>	<u> </u>	
	<u>580</u>						<u>660</u>
				<u>STD CONTROLS</u>			
				<u>L - TILT</u>			
				<u>R - RAISE / LOWER</u>			

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ <u>660</u>
<u>11/937</u>	
DEPOSIT	£ <u>165</u>
BALANCE	£ <u>495</u>

PRICE ACCEPTANCE Customer's Signature

[Signature]

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------





Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Telephone: _____
 Email: _____
 Signature: _____
 Purchase Reference No: **335/21 EGDVE**

Special Instructions: _____
Page 1 of 2

Date: **26-07-19**
 Retailer: **BAILEYS BLINDS**
 Address: **SPENNYMOOR SHOP**
 Date Required: _____

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		TOTAL COST (£)		
	25mm (v)	35mm (v)	50mm (v)							Operation			RHS (v)	BOX (v)	Width (mm)	Return (mm)		Price (£)	Qty
										STD (v)	LHS (v)	RHS (v)							
1 BED L	/	/	/	1320	1358	1/4	2700		EXPRESSIONS	/	/	/					1		
2 FRONT	/	/	/	550	1528				SNOW	/	/	/		620			1		
3 BED	/	/	/	530	1528					/	/	/					1		
4 BHT	/	/	/	530	1528					/	/	/					1		
5 LTR	/	/	/	565	1528					/	/	/		620			1		
6 DIN	/	/	/	595	1725		2809			/	/	/		620			1		
7 BHT	/	/	/	530	1725					/	/	/					1		
8 LTO	/	/	/	520	1725					/	/	/					1		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS


Customer has been advised on (v): The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords:

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, ML2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

Issue June 2016



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date:	Telephone:
Retailer: BAILEYS BLINDS	Email:
Address: SPENNYMOOR SHOP	Signature:
Date Required:	Purchase Reference No:

Special Instructions

Window	Slat Width			Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		TOTAL COST (£)			
	25mm (v)	35mm (v)	50mm (v)						Operation			LHS (v)	RHS (v)	BOX (v)	Width (mm)		Return (mm)	Price (£)	Qty
	STD (v)	LHS (v)	RHS (v)						STD (v)	LHS (v)	RHS (v)								
1			1	1725	1/2	2800		EXPRESSIONS SNOW									1		
2																			
3																			
4																			
5																			
6																			
7																			
8																			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

0800 389 7281
sales@arena-blinds.com



Welcome back accounts@baileys-blinds.co.uk

ACCOUNT

SIGN OUT

[change password](#)

PRODUCTS SERVICES BRANDS NEWS ABOUT US CONTACT US MEMBERS IMAGERY

HOME ▶ **MEMBER HOME** ▶ **PLACE AN ORDER** ▶ **ORDER SUMMARY**

order reference: **335121**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

335121

delivery address

Baileys Blinds, DL166DB

line items

line 10:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	132.0 cm
Drop *:	135.8 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 30:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	53.0 cm
Drop *:	152.8 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 50:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	56.5 cm

line 20:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	55.0 cm
Drop *:	152.8 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	62.0 cm
Valance Returns Required *:	No
Qty:	1

line 40:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	53.0 cm
Drop *:	152.8 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 60:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	59.5 cm

line 70:
50mm snow expressions

line 80:
BRANDS
50mm snow expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **53.0 cm**
 Drop *: **172.5 cm**
 Installation Height *: **280.0 cm**
 Controls Length: **100 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **52.0 cm**
 Drop *: **172.5 cm**
 Installation Height *: **280.0 cm**
 Controls Length: **100 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**

Contact Form
 Leave a message and we will be in touch

Call Arena
 On 0800 389 7281
 Weekdays 8.30am - 5pm

line 90:
50mm snow expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **58.0 cm**
 Drop *: **172.5 cm**
 Installation Height *: **280.0 cm**
 Controls Length: **100 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Non-Standard**
 Non-Standard Valance Length: **62.0 cm**
 Valance Returns Required *: **No**
 Qty: **1**

© 2019 Arena Terms & Conditions Anti-Slavery Statement

[Back To Top](#)

version :