

# Baileys Blinds

G/Ahead  
326549

CUSTOMER ORDER No. 0200801386

34 HIGH STREET, SPENNYMOOR,  
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

DATE MEASURED/ORDERED  
27 / 02 / 18

VAT Reg. No. 607 6561 34

## SPECIAL INSTRUCTIONS

EMAIL

QUOTE

MON - THURS AFT 3PM

FRIDAY - AFT 2.00PM

07824361132 Andrew

SAFETY CLIPS

(cream)

Customer's Name SKERNE PARK SCHOOL

FIT-

Address COLERIDGE GARDENS

DARLINGTON DL1 5AS

PHONE No. home work 246434 mobile 07833 024 580 fax STEVEN ARMSTRONG

VENETIAN  
ROLLERS  
VERTICALS  
PLEATED

## ALL BLINDS TO BE PAID FOR AT TIME OF FITTING

Room	No.	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
RSR Room Door	1	115 0	1930 1/2W		DAPPLE SPCT BLUSH SHAPE 1	L		66.07
Room H Door	1	114 0	1930 1/2			L		66.07
Room 11 Door	1	115 0	2800 1/2			L	3000	84.53
								£216.67 + VAT

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

PLEASE NOTE THAT WHEN SLATS ONLY ARE SUPPLIED TO EXISTING HEADRAIL, THIS IS DONE AT CUSTOMERS OWN RISK. BAILEYS BLINDS CANNOT BE HELD RESPONSIBLE FOR BREAKAGE WHICH MAY HAVE BECOME BRITTLE WITH AGE.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys Blinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 260.00

PRICE ACCEPTANCE Customer's Signature

Measured By:

DEPOSIT £ -

SHAUN HANLEY

BALANCE £ 260.00

