



# Rainbow Blinds

# VERTICAL BLINDS

## Order Form

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wisnaw  
 ML2 OEG  
 T: 01698 351 888  
 F: 01698 351 999  
 sales@rainbow-blinds.com

Date: 17/5/18  
 Retailer: MORRIS  
 Address: SMOOK  
 Date Required: 20/5

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 333964

Special Instructions  
 84mm VANES

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	CONTROLS				OPTIONS			ORDER		
									Draw		Operation		Headrail Colour	Top/Face Fix	Price (£)	Qty	TOTAL COST (£)	
1	2	3	4	5	6	7	8	RHS (✓)	LHS (✓)	SPLIT (✓)	RHS (✓)	LHS (✓)						
	628	1295	R	2311		DEKON	PASTORIO											
	1139																	
	635																	
	571																	
						ARENA	A											

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS


All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓)  The Child Safety Regulations ENEC and the use of child safety devices

Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wisnaw, ML2 OEG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

Issue June 2016



# Rainbow Blinds

# ROLLER BLINDS

## Order Form

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 WISNAW  
 M.L.2 OEG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Date: 17/11/18  
 Retailer: MORAS  
 Address: SIMON

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 333964

Special Instructions  
 NO Sew Bar  
 CHROME CHAINS  
 T AND CAR

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvres / Benth Eclipse		ORDER		
									LHC	RHC	Price (£)	Qty	TOTAL COST (£)
1	1143	1016	R	2235		32	P.P.P.A	A.S.O.A	L	C	1		
2													
3													
4													
5													
6													
7													
8													

UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS NECESS AND SYSTEM WILL BE LOWVOLUME 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH DROP OR FABRIC WEIGHT.

Customer has been advised on (\*)  
 The Child Safety Regulations Enforce and the use of child safety devices  
 Minimum distances applying to operating cords