

Commercial Baileys Blinds

From: Amanda Revins <a.revins@naturalretreats.co.uk>
Sent: 23 August 2018 12:13
To: commercial@baileys-blinds.co.uk
Subject: RE: NATURALRETREATS334179

Hi Julie,

Many thanks please can we proceed with this. Also if you can change the name of the invoice to:
THE UK Great Travel Company

Everything else is the same!

Kind Regards,

Amanda

From: Commercial Baileys Blinds <commercial@baileys-blinds.co.uk>
Sent: 23 August 2018 12:11
To: Amanda Revins <a.revins@naturalretreats.co.uk>
Subject: FW: NATURALRETREATS334179

Good Afternoon,

Please see attached our Quotation for Blinds.

Many Thanks

Julie

From: Commercial Baileys Blinds <commercial@baileys-blinds.co.uk>
Sent: 31 July 2018 09:21
To: 'Amanda Revins' <a.revins@naturalretreats.com>
Subject: NATURALRETREATS334179

Good Morning Amanda,

Please see attached our Quotation for a Roller Blind in Lodge 6.

Many Thanks

Julie



Rainbow Blinds

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 0EG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date: 24-08-18

Retailer: BAILEYS

Address: S' MOOR SHOP

Date Required: 6/9

Telephone:

Email:

Signature:

Purchase Reference No: 334179 RETURN RETURNS

Special Instructions: CONTINUOUS CHAONIE S/WINDOR PROVIDE SAFETY CLIP.

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	BLIND SIZE		ORDER			
									LHC	RHC	Price (£)	Qty	TOTAL COST (£)	
1	Door	1945	2940	1/2	3100	1600	40	GEMINI	BEIGE	L	C	1	1	
2														
3														
4														
5														
6														
7														
8														

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WIDTH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords