

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

Customer's Name TOMLINSON  
Address 9, CLEMISON WAY  
CROOK  
Post Code DL15 9GQ

Tel. home	
Tel. work	
mobile	07917 431 760
email	

DATE MEASURED/ORDERED  
19 / 10 / 18

Measured By:  
SHAUN HANLEY

CURTAINS		
PLEATED		
ROLLERS		
ROMANS		
SHUTTERS		
VENETIAN		
VERTICALS		
VISION		
WOODEN		

## SPECIAL INSTRUCTIONS

CALLING IN SHOP

MID NOVEMBER

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face
					<u>1/R</u>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
FIBER L	1140	1133	50	EXPRESSIONS	STD	2200	94
B'BER R	1133	1140		ASTRAL			94
FIBER R	1128	1135		WITH TABLES			94
B'BER L	1130	1135					94
STUDY	1132	1288				2400	120
W.C	425	976					120 54
DIN	1137	1285					54 120
KIT	1108	980		PEL 1125		2500	94
PATIO L	490	1713	25	P/FIT - WHITE FRAME	L		117
~ R	490	1713	25	TENSIONED 7055 (B)	R		117
ENSUITE	853	970	50	EXPRESSIONS MEDIUM OAK	STD	2300	76
BATH	1113	975	50	<del>ASTRAL</del> PEL 1120 WITH TABLES	STD		94

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 1168
DEPOSIT	£ 292
BALANCE	£ 876

PRICE ACCEPTANCE Customer's Signature

22/10/18 AUTH CODE 795437

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------



WOODS ORDERED 90-AHEAD 334550



# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

# WOOD VENETIAN BLINDS

## Order Form

Date:	23/10/18
Telephone:	
Retailer:	TOMLINSON
Email:	
Address:	SPENNYMOOR
Signature:	
Purchase Reference No:	334550
Special Instructions:	PELMET 1125

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		TOTAL COST (£)			
	25mm (v)	35mm (v)	50mm (v)							Operation			LHS (v)	RHS (v)	BOX (v)	Width (mm)		Return (mm)	Price (£)	Qty
										STD (v)	LHS (v)	RHS (v)								
1				1140	1133	I/R	2200		EXP ASTRAL	/										
2				1133	1140	I/R	2206		WITH TAPES	/										
3				1128	1135	I/R	2200			/										
4				1130	1135	I/R	2200			/										
5				1132	1288	I/R	2400			/										
6				425	976	I/R	2400			/										
7				1137	1285	I/R	2406			/										
8				1108	980	I/R	2500			/						1125				

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):  The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

20F2



# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

# WOOD VENETIAN BLINDS

## Order Form

Date:	23/10/18
Telephone:	
Retailer:	TOMLINSON
Email:	
Address:	SPENNYMOOR
Signature:	
Purchase Reference No:	334550
Special Instructions:	PELMET 1120

Window	BLIND SIZE						CONTROLS			BRACKETS		PELMET		ORDER		
	Slat Width			Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	Operation			Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
	25mm (v)	35mm (v)	50mm (v)						STD (v)	LHS (v)	RHS (v)					
1 ENSUITE			/	853	970	IR	2300	EXP	/							
2 BATH			/	1113	975	IR	2300	MEDIUM OAK	/			1120				
3																
4																
5																
6																
7																
8																

**NOTE:** UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):  The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

**BRANDS**

line 90:

**50mm medium oak expressions**

AQUARIUS

SHERWOOD

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **85.3 cm**  
 Drop \*: **97.0 cm**  
 Installation Height \*: **230.0 cm**  
 Controls Length: **50 cm**  
 Cord or Tape Ladder \*: **Tape**  
 Tape Colour \*: **Sand/Natural**  
 Raise / Lower Control side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extension Colour \*: **None**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

**Contact Form**

Leave a message and we will be in touch

line 100:

**50mm medium oak expressions**

IS

SANDRINGHAM  
BLINDS

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **111.3 cm**  
 Drop \*: **97.5 cm**  
 Installation Height \*: **230.0 cm**  
 Controls Length: **50 cm**  
 Cord or Tape Ladder \*: **Tape**  
 Tape Colour \*: **Sand/Natural**  
 Raise / Lower Control side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extension Colour \*: **None**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Non-Standard**  
 Non-Standard Valance Length: **112.0 cm**  
 Valance Returns Required \*: **Yes**  
 Qty: **1**

**Call Arena**

On 0800 389 7281

Monday 8.30am - 5pm

© 2018 Arena Terms & Conditions | Anti-Slavery Statement



version :

By using our site, you consent to our use of cookies. I Understand Learn More

**0800 389 7281**  
sales@arena-blinds.com



Welcome back accounts@baileys-  
blinds.co.uk

**ACCOUNT**

**SIGN OUT**

change password

**PRODUCTS SERVICES BRANDS NEWS ABOUT US CONTACT US MEMBERS IMAGERY**

**HOME** ▶ **MEMBER HOME** ▶ **PLACE AN ORDER** ▶ **ORDER SUMMARY**

order reference: **334550**

We have sent a confirmation email to **accounts@baileys-blinds.co.uk**.

### order reference

334550

### delivery address

Baileys Blinds, DL166DB

### line items

#### line 10:

#### 50mm astral expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>114.0 cm</b>
Drop *:	<b>113.3 cm</b>
Installation Height *:	<b>220.0 cm</b>
Controls Length:	<b>40 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>Grey</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

#### line 20:

#### 50mm astral expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>113.3 cm</b>
Drop *:	<b>114.0 cm</b>
Installation Height *:	<b>220.0 cm</b>
Controls Length:	<b>40 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>Grey</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

## line 30:

**50mm astral expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>112.8 cm</b>
Drop *:	<b>113.5 cm</b>
Installation Height *:	<b>220.0 cm</b>
Controls Length:	<b>40 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>Grey</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 50:

**50mm astral expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>113.2 cm</b>
Drop *:	<b>128.8 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>Grey</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 70:

**50mm astral expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>113.7 cm</b>
Drop *:	<b>128.5 cm</b>

## line 40:

**50mm astral expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>113.0 cm</b>
Drop *:	<b>113.5 cm</b>
Installation Height *:	<b>220.0 cm</b>
Controls Length:	<b>40 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>Grey</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 60:

**50mm astral expressions**


Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>42.5 cm</b>
Drop *:	<b>97.6 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>Grey</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 80:

**50mm astral expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>110.8 cm</b>
Drop *:	<b>99.0 cm</b>

By using our site, you consent to our use of cookies. I Understand [Learn More](#)



# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

# PERFECT FIT BLINDS

## Order Form

Date: 29-10-18  
 Retailer: BAILEYS BLINDS  
 Address: SPENNYMOOR SHOP  
 Date Required: 13/11

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No:  
 334550 TOMLINSON

Special Instructions

PLEATED

VENETIAN

ROLLER

Window	GLASS SIZE			BLIND				CONTROLS				ORDER			
	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH		BRACKET		VENETIAN Controls				Price (£)	Qty	TOTAL COST (£)
					16mm (v)	25mm (v)	18/20mm (v)	24/30mm (v)	STD	LH	RH	REV			
1	PATIO L 490	1713	WHITE	7055 (B)	/	/	SUPPLY 20	/	/	/	/	/	/	1	
2	- R 490	1713	"	--	/	/	2 2 4							1	
3															
4															
5															
6															
7															
8															

Customer has been advised on (v):

The Child Safety Regulations EN13200 and the use of child safety devices

Venetian blinds will be tensioned unless stated otherwise.

Minimum distances applying to operating cords