



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name CROSS

Address 42 DALTON WYND.

DURHAM GATE.

DL16 6FE. Post Code

Tel. home	<u>01834213169.</u>
Tel. work	
mobile	
email	

DATE MEASURED/ORDERED  
22 / 10 / 18

Measured By:  
AS

CURTAINS		
PLEATED		
ROLLERS		
ROMANS		
SHUTTERS		
VENETIAN	<input checked="" type="checkbox"/>	<u>4 RIF</u>
VERTICALS		
VISION		
WOODEN	<input checked="" type="checkbox"/>	<u>7</u>

**SPECIAL INSTRUCTIONS**

942086.

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
L/R	<u>68114</u>	<u>59118</u>	<u>50</u>	<u>Pure WHITE</u>	<u>ST</u>	<u>106</u>	<u>216</u>
L/F	<u>16112</u>	<u>80718</u>	<u>50</u>	<u>L/R RETURN</u>	<u>L/L</u>	<u>106</u>	<u>92</u>
L/F Door	<u>334</u>	<u>1799</u>	<u>25</u>	<u>0150</u>	<u>L</u>	<u>20</u>	<u>130</u>
R/F	<u>334</u>	<u>1799</u>	<u>25</u>	<u>0150</u>	<u>R</u>	<u>20</u>	<u>130</u>
R/F	<u>16112</u>	<u>81</u>	<u>50</u>	<u>L/R RETURN</u>	<u>R/R</u>	<u>106</u>	<u>92</u>
K/R	<u>44718</u>	<u>37718</u>	<u>50</u>	<u>45314 PELMET ASTREL</u>	<u>ST</u>	<u>106</u>	<u>76</u>
K/R L/F	<u>326</u>	<u>1799</u>	<u>25</u>	<u>0150</u>	<u>L</u>	<u>20</u>	<u>130</u>
Door R/F	<u>326</u>	<u>1799</u>	<u>25</u>	<u>0150</u>	<u>R</u>	<u>20</u>	<u>130</u>
L/F F/R	<u>68118</u>	<u>45318</u>	<u>50</u>	<u>Pure WHITE</u>	<u>ST</u>	<u>106</u>	<u>183</u>
L/F	<u>34112</u>	<u>45114</u>	<u>50</u>	<u>_____</u>	<u>ST</u>	<u>106</u>	<u>92</u>
L/F F/R	<u>34318</u>	<u>45114</u>	<u>50</u>	<u>_____</u>	<u>ST</u>	<u>106</u>	<u>92</u>

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1,367-

DEPOSIT £ 400.

BALANCE £ 967-

PRICE ACCEPTANCE Customer's Signature

[Signature]

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**







**Rainbow Blinds**

**EXPRESSION**

**WOOD VENETIAN BLINDS**

**Order Form**

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Date: 22/10/18  
 Retailer: CROSS  
 Address: S | moon  
 Date Required: 1/1/11

Telephone: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Signature: \_\_\_\_\_  
 Purchase Reference No: 337556

Special Instructions

Window	SLAT WIDTH			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER			
	25mm (v)	35mm (v)	50mm (v)							Operation			LHS (v)	RHS (v)	BOX (v)	Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
										STD (v)	LHS (v)	RHS (v)								
1				1140	962	R	2692		EXP ASTRAL											
2																				
3																				
4																				
5																				
6																				
7																				
8																				

**NOTE:** UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

# PERFECT FIT BLINDS

## Order Form

Date: 22-10-18  
 Retailer: CROSS  
 Address: S/moor  
 Date Required: 1/11

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 337556

Special Instructions

PLEATED

VENETIAN

ROLLER

Window	GLASS SIZE			BLIND		BRACKET				CONTROLS				ROLLER		ORDER			
	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH		18/20mm (v)		24/30mm (v)		VENETIAN Controls				Cover Weight Bar		Price (£)	Qty	TOTAL COST (£)
					16mm (v)	25mm (v)	STD	LH	RH	REV	Tensioned	YES	NO						
1																			
2	334	1799	W	0150	✓	✓	20	✓	✓	✓	✓	✓	✓	✓	✓	✓			
3	334	1799	✓	157	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
4	326	1799	✓	157	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
5	326	1799	✓	157	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
6																			
7																			
8																			

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device  
 Venetian blinds will be tensioned unless stated otherwise.

Customer has been advised on (v):  
 The Child Safety Regulations EN1320 and the use of child safety devices  
 Minimum distances applying to operating cords

order reference: **337556**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

## order reference

337556

## delivery address

Baileys Blinds, DL166DB

## line items

### line 10:

#### 50mm pure white sherwood

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>173.3 cm</b>
Drop *:	<b>145.0 cm</b>
Installation Height *:	<b>269.2 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

### line 20:

#### 50mm pure white sherwood

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>49.1 cm</b>
Drop *:	<b>205.4 cm</b>
Installation Height *:	<b>269.2 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control side *:	<b>Left</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 30:

### 50mm pure white sherwood

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **49.1 cm**  
 Drop \*: **205.7 cm**  
 Installation Height \*: **269.2 cm**  
 Controls Length: **80 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control side \*: **Right**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Swivel Brackets \*: **No**  
 Valance Type \*: **Standard**  
 Qty: **1**

line 40:

### 50mm astral expressions

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **114.0 cm**  
 Drop \*: **96.2 cm**  
 Installation Height \*: **269.2 cm**  
 Controls Length: **80 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Non-Standard**  
 Non-Standard Valance Length: **116.2 cm**  
 Valance Returns Required \*: **Yes**  
 Qty: **1**

line 50:

### 50mm pure white sherwood

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **173.0 cm**  
 Drop \*: **115.2 cm**  
 Installation Height \*: **269.2 cm**  
 Controls Length: **80 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Swivel Brackets \*: **No**  
 Valance Type \*: **Standard**  
 Qty: **1**

line 60:

### 50mm pure white sherwood

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **87.6 cm**  
 Drop \*: **114.9 cm**  
 Installation Height \*: **269.2 cm**  
 Controls Length: **80 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Swivel Brackets \*: **No**  
 Valance Type \*: **Standard**  
 Qty: **1**

line 70:

### 50mm pure white sherwood

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **87.3 cm**  
 Drop \*: **114.9 cm**

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)