



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

DATE  
MEASURED/ORDERED  
25/10/18

Measured By:  
AD

337576

**SPECIAL INSTRUCTIONS**

AGREED DROP  
AWARE OF GAPS  
USE VELLRO  
ON PELMET ON  
BATH -

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name JERVAISE  
Address 369 GENEVA ROAD  
DILTON  
DL14 4HH Post Code

Tel. home 01761002018  
Tel. work  
mobile  
email

CURTAINS		
PLEATED		
ROLLERS		
ROMANS		
SHUTTERS		
VENETIAN	<input checked="" type="checkbox"/>	10 xP
VERTICALS		
VISION		
WOODEN		

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face
						<input checked="" type="checkbox"/>				

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
LIF	27 1/4	63 1/8	50	IR MEDIUM OAK XP	ST	118	
LIF ETR	54 1/2	63 1/8	50	X	-	118	
RIF	27 1/4	63 1/8	50	IR	-	118	
KIT	58 5/8	44	50	IR	-	118	
LIF	22 1/2	35	50	IR	-	98	
RIF	22 3/8	34 3/8	50	IR	-	98	
LAND	21 7/8	35	50	IR	-	98	
SFBK	40 1/2	56 1/4	50	IR	-	108	
MFBK	58 3/8	56 1/4	50	IR	-	108	
BPA	58 7/8	56 1/8	50	IR	-	108	

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 962  
DEPOSIT £ 481  
BALANCE £ 481

PRICE ACCEPTANCE Customer's Signature


*[Signature]*

CASH  CHEQUE  CARD

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**



2-2



# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

# EXPRESSIONS (VENETIAN)BLINDS

## Order Form

Date: 25-10-18

Retailer: JERNAISE

Address: 51 moor

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 337576

Special Instructions:

Window	Slat Width			Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER			
	25mm (v)	35mm (v)	50mm (v)						Operation			Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)			
	(v)	(v)	(v)						STD (v)	LHS (v)	RHS (v)						BOX (v)		
1			<input checked="" type="checkbox"/>	1482	R	2743		MEDIUM OAK	<input checked="" type="checkbox"/>										
2			<input checked="" type="checkbox"/>	1482	R														
3																			
4																			
5																			
6																			
7																			
8																			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):  The Child Safety Regulations EN13030 and the use of child safety devices

Minimum clearances applying to operating cords

1-2

# EXPRESSIONS (VENETIAN) BLINDS

## Order Form



**Rainbow Blinds**

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Date:	25-10-18
Retailer:	JERVAISE
Address:	slmoor
Date Required:	
Telephone:	
Emails:	
Signature:	
Purchase Reference No:	337576
Special Instructions:	

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER	
	35mm (✓)	50mm (✓)	50mm (✓)							Operation			Return (mm)	Width (mm)	Price (£)	Qty	TOTAL COST (£)	
										STD (✓)	LHS (✓)	RHS (✓)						BOX (✓)
1				692	1603	R	2997		MEDIUM OAK	✓								
2				1384	1603	XACT	✓			✓								
3				692	1603	R	✓			✓								
4				1489	1117	R				✓								
5				571	889	R	2489			✓								
6				563	873	R	✓			✓								
7				555	889	R	✓			✓								
8				1028	1428	R	2743			✓								

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):  
 The Child Safety Regulations EN1320 and the size of child safety devices  
 Minimum distances applying to operating cords

order reference: **337576**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

## order reference

337576

## delivery address

Baileys Blinds, DL166DB

## line items

### line 10:

#### 50mm medium oak expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>69.2 cm</b>
Drop *:	<b>160.3 cm</b>
Installation Height *:	<b>299.7 cm</b>
Controls Length:	<b>110 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

### line 20:

#### 50mm medium oak expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>138.4 cm</b>
Drop *:	<b>160.3 cm</b>
Installation Height *:	<b>299.7 cm</b>
Controls Length:	<b>110 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

## line 30:

**50mm medium oak expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>69.2 cm</b>
Drop *:	<b>160.3 cm</b>
Installation Height *:	<b>299.7 cm</b>
Controls Length:	<b>110 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 50:

**50mm medium oak expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>57.1 cm</b>
Drop *:	<b>88.9 cm</b>
Installation Height *:	<b>248.9 cm</b>
Controls Length:	<b>60 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 70:

**50mm medium oak expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>55.5 cm</b>
Drop *:	<b>88.9 cm</b>
Installation Height *:	<b>248.9 cm</b>
Controls Length:	<b>60 cm</b>

## line 40:

**50mm medium oak expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>148.9 cm</b>
Drop *:	<b>111.7 cm</b>
Installation Height *:	<b>299.7 cm</b>
Controls Length:	<b>110 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 60:

**50mm medium oak expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>56.8 cm</b>
Drop *:	<b>87.3 cm</b>
Installation Height *:	<b>248.9 cm</b>
Controls Length:	<b>60 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 80:

**50mm medium oak expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>102.8 cm</b>
Drop *:	<b>142.8 cm</b>
Installation Height *:	<b>274.3 cm</b>
Controls Length:	<b>80 cm</b>

By using our site, you consent to our use of cookies. [Learn more](#)

**BRANDS**

line 90:

**50mm medium oak expressions**

AQUARIUS

SHERWOOD

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **148.2 cm**  
 Drop \*: **142.8 cm**  
 Installation Height \*: **274.3 cm**  
 Controls Length: **90 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

**Contact Form**

Leave a message and we will be in touch

line 100:

**50mm medium oak expressions IS**

SANDRINGHAM  
SHERWOOD

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **148.2 cm**  
 Drop \*: **142.5 cm**  
 Installation Height \*: **274.3 cm**  
 Controls Length: **90 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

**Call Arena**

On 0800 389 7281  
Weekdays 8:30am - 5pm

© 2018 Arena Terms & Conditions Anti-Slavery Statement



version :

By using our site, you consent to our use of cookies. I Understand [Learn More](#)