

Rainbow Blinds

VERTICAL BLINDS

Order Form

Rainbow Blinds & Interiors
 61 Canyon Road
 Escalator Park
 Waihiwahi
 MIL2 OBG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 9-11-18
 Retailer: ROBERTSON
 Address:
 Date Required: GOSFORTH

Telephone:
 Email:
 Signature:
 Purchase Reference No: 338575

Special Instructions
 F/F 2 312
 SHALLOW

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control WAND	Fabric Range	Fabric Colour	CONTROLS				OPTIONS		SLAT SIZE		
								RHS (✓)	LHS (✓)	SPLIT (✓)	RHS (✓)	LHS (✓)	Headrail Colour	Top/Face Fix		
1	1479	2016	R	2336		BLENDHEIM	WHITE	✓	✓	✓	✓	✓	89	127		
2	1114	1939	-					✓	✓	✓	✓	✓				
3	1066	1939	-					✓	✓	✓	✓	✓				
4	1225	2032	-					✓	✓	✓	✓	✓				
5	1235	2032	-					✓	✓	✓	✓	✓				
6	1117	1943	-					✓	✓	✓	✓	✓				
7	1064	1943	-					✓	✓	✓	✓	✓				
8						ALQUA A		✓	✓	✓	✓	✓				

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (✓) The Child Safety Regulators fit into and the use of child safety devices

Minimum distances applying to operating cords

Rainbow Blinds

PERFECT FIT BLINDS

Order Form

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 9-11-18
 Retailer: ROBERTSON
 Address: GOSFOOTH
 Date Required:

Telephone:
 Email:
 Signature:
 Purchase Reference No: 338575

Special Instructions

PLEATED

VENETIAN

ROLLER

Window	GLASS SIZE			FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH			BRACKET		CONTROLS			ROLLER		ORDER		
	Width (mm)	Drop (mm)				16mm (v)	25mm (v)	18/20mm (v)	24/30mm (v)	STD	LH	RH	REV	Tensioned	YES	NO	Price (£)	Qty
1	608	1099	W		O150													
2	608	686	W		O150					24								
3																		
4																		
5																		
6																		
7																		
8																		

If blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device
 Venetian blinds will be tensioned unless stated otherwise.

Customer has been advised on (v):

The Child Safety Regulations (BS1362) and the use of child safety devices
 Minimum distance applying to operating cords