



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

DATE MEASURED/ORDERED
4/12/18

Measured By:
[Signature]

338799

SPECIAL INSTRUCTIONS

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name JENSON
Address 16 COPPERFIELD DRIVE
MORPETH
NE6 1ZEM Post Code

CURTAINS	
PLEATED	
ROLLERS	<input checked="" type="checkbox"/>
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	<input checked="" type="checkbox"/>

004261.

Fitted By	DATE	DAY	AM	PM

Tel. home	01980601280
Tel. work	
mobile	
email	

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
TOP 4/F FR	42 1/8	45	50	PURE WHITE	ST	110	106
BATH	33 1/8	39		RIBBON ZEST	R	88	80
TOP ENSUITE	42 3/8	46		RIBBON ZEST	R	88	92
TOP 4/F BR	42 1/2	45	50		ST	110	106
TOP 4/F BR	42 1/4	45	50		ST	110	106
2ND FLOOR 4/F BR	42 5/8	45 1/4	50	PURE WHITE	ST	110	106
ENSUITE	42 7/4	45		RIBBON ZEST	R	88	92
4/R BLW	42 1/4	54 1/4	50	PURE WHITE	ST	110	132
4/R FW	42 1/4	45 1/4	50		ST	110	106
4/R SIDE	42 5/8	51 1/4	50		ST	110	132
GROUND FLOOR							
KIT	42 3/8	39 1/2	50	PURE WHITE	ST	110	106
WIC	20 1/2	40		RIBBON ZEST	R	88	50
2/R	42 3/8	39 1/2	50	PURE WHITE	ST	110	106
TOP LAND							
BLW	33 1/8	39 1/4	50	PURE WHITE	ST	110	106
2ND FLOOR LAND							
FW	33 1/2	51 1/4	50	PURE WHITE	ST	110	106
DW	33 5/8	39 1/2	50		ST	110	106

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1,638

DEPOSIT £ 400-

BALANCE £ 1,238

PRICE ACCEPTANCE Customer's Signature

[Signature]

CASH	CHEQUE	CARD <input checked="" type="checkbox"/>
------	--------	--

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING





Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

1-2

Date: 4-12-18

Retailer: JENSON

Address: GOSFORTH

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 338799

Special Instructions:

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER		
	25mm (✓)	35mm (✓)	50mm (✓)							Operation			Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)		
										STD (✓)	LHS (✓)	RHS (✓)						BOX (✓)	
1			✓	1069	1143	R	2794		PURE WHITE	✓						NO			
2			✓	1019	1143	-	-			✓									
3			✓	1013	1143	-	-			✓									
4			✓	1032	1149	-	-			✓									
5			✓	1013	1371	-	-			✓									
6			✓	1013	1149	-	-			✓									
7			✓	1032	1301	-	-			✓									
8			✓	1076	1003	-	-			✓									

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (✓):

The Child Safety Regulations EN13030 and the use of child safety devices

Minimum distances applying to operating cords

WOOD VENETIAN BLINDS

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

2-2

Order Form

Date:	4-12-18	Telephone:	
Retailer:	JENSON	Email:	
Address:	GOSFORTH	Signature:	
Date Required:		Purchase Reference No:	338799

Special Instructions

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		TOTAL COST (£)	
	35mm (v)	50mm (v)	Operation							STD (v)	LHS (v)	RHS (v)	BOX (v)	Width (mm)	Return (mm)	Price (£)		Qty
1		X	1076	1003	R	2794			PURE WHITE	✓								
2		X	841	996	-					✓								
3		X	850	1301	-					✓								
4		X	854	1003	-					✓								
5																		
6																		
7																		
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN13030 and the use of child safety devices

Minimum distances applying to operating cords

ROLLER BLINDS

Order Form

4-12-18
 SENSON
 GOSFORTH
 1312
 338799

Roller Blinds

Roller Blinds & Accessories
 4150 W. 12th Street
 Minneapolis, MN 55410
 Phone: 612-835-1163
 Fax: 612-835-1164
 Website: www.rollershades.com

Order #	Roller Blind #	Color	Material	Length (in)	Width (in)	Mounting	Notes	Quantity	Unit Price	Total Price
C	84990	R	2035							
C	0761163	-	-							
C	0851143	-	-							
C	5201016	-	-							

Roller Blinds & Accessories
 4150 W. 12th Street
 Minneapolis, MN 55410
 Phone: 612-835-1163
 Fax: 612-835-1164
 Website: www.rollershades.com

Roller Blinds & Accessories (4150 W. 12th Street, Minneapolis, MN 55410)
 Order # 338799
 Date 4-12-18

0800 389 7281
sales@arena-blinds.com



Welcome back accounts@baileys-
blinds.co.uk

ACCOUNT

SIGN OUT

[change password](#)

PRODUCTS SERVICES BRANDS NEWS ABOUT US CONTACT US MEMBERS IMAGERY

HOME ▶ **MEMBER HOME** ▶ **PLACE AN ORDER** ▶ **ORDER SUMMARY**

order reference: **338799**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

338799

delivery address

Baileys Blinds, NE31HQ

line items

line 10:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	106.9 cm
Drop *:	114.3 cm
Installation Height *:	279.4 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Location (this will appear on label):	1
Qty:	1

line 30:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	107.3 cm
Drop *:	114.3 cm
Installation Height *:	279.4 cm

line 20:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	107.9 cm
Drop *:	114.3 cm
Installation Height *:	279.4 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Location (this will appear on label):	2
Qty:	1

line 40:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	108.2 cm
Drop *:	114.9 cm
Installation Height *:	279.4 cm

line 50:

**50mm pure white
sherwood**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	107.3 cm
Drop *:	137.7 cm
Installation Height *:	279.4 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Location (this will appear on 5 label):	
Qty:	1

line 70:

**50mm pure white
sherwood**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	108.2 cm
Drop *:	130.1 cm
Installation Height *:	279.4 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Location (this will appear on 7 label):	
Qty:	1

line 90:

**50mm pure white
sherwood**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	107.6 cm
Drop *:	100.3 cm
Installation Height *:	279.4 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard

line 60:

**50mm pure white
sherwood**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	107.3 cm
Drop *:	114.9 cm
Installation Height *:	279.4 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Location (this will appear on 6 label):	
Qty:	1

line 80:

**50mm pure white
sherwood**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	107.6 cm
Drop *:	100.3 cm
Installation Height *:	279.4 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Location (this will appear on 8 label):	
Qty:	1

line 100:

**50mm pure white
sherwood**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	84.1 cm
Drop *:	99.6 cm
Installation Height *:	279.4 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard