

41Ahead.

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

335937

DATE MEASURED/ORDERED  
14 / 01 / 19

Measured By:  
SHAUN HANLEY

**SPECIAL INSTRUCTIONS**  
CALLING IN SHOP R.W.R.  
Fix onto doors  
CUSTOMER TO REMOVE AIR VENT ON (R) DOOR

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name T WEDDLE  
Address 49, HEWICK ROAD  
SPENNYMOOR  
Post Code DL16 6PF

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Tel. home	
Tel. work	
mobile	07375 948 275
email	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face
					1/2	✓		✓	✓	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price	
TOP BED L	1150	985	50	EXPRESSIONS	STD	2300	103	
TOP BATH	1150	990		SNOW?		"	103	
FRONT L	670	1151		WITH TAPES		2400	71	
BED M	1150	1151					103	
BAY R	640	1151					71	
DRESSING ROOM	585	1002				2300	59	
ENSUITE	576	990				1	59	
LANDING	1147	1150				2400	103	
F' BED R	1155	1145				1	103	
B' BED	1154	1005				1	103	
HALL	625	1305				2500	91	
ROOM	1058	1305					123	
BAY	608	1305					91	
KIT	1154	1000					103	
KIT L	550	1282					71	
BAY R	1637	1282			RIN L	2400	185	
DOOR L	400	1910	35	BOTTOM RAIL	RINS ON	STD	2300	91
-- R	400	1910	35	HOLDERS	BOTH SIDES	STD		91

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 1600 -
DEPOSIT	£ 400 -
BALANCE	£ 1200 -

PRICE ACCEPTANCE Customer's Signature  
27/2/19 APM 016147.

CASH	CHEQUE	CARD	✓
------	--------	------	---

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**



ARENA

~~ARENA~~

DELIVER TO  
34 HIGH ST  
SPENNYMOOR  
CO DURHAM  
DL16 6DB

335937

TWEDDLE

TEL: 01388 813267

ORDER REF:  
ACC NO: BAIL03  
ORDER DATE:

ORDERED BY: BEV

DATE REQUIRED: ASAP

28/02/19

QTY	SLAT SIZE	SLAT COLOUR	WIDTH	DROP	RECESS/ EXACT	CONTROLS	
1	50	EXPRESSIONS	1150	985	1/R	STD	2300
1		SNOW	1150	990			2300
1		WITH TAPES	670	1151			2400
1			1150	1151			2400
1			640	1151			2400
1			585	1002			2300
1			576	990			2300
1			1147	1150			2400
1			1155	1145			2400
1			1154	1005			2400
1			625	1305			2500
1			1058	1305			2500
1			608	1305			2500
1			1154	1000			2500
1			550	1282			2400
1			1637	1282			2400
1	35	EXPRESSIONS	400	1910	EX	STD	No 2300
1	35	SNOW	400	1910	EX	STD	Tapes 2300

BLIND 15 RUN ON L SIDE

-- 17, 18 RUNS ON BOTH SIDES  
+ BOTTOM RAIL HOLDERS

FLH 1, 2, 6, 7, 17, 18 2300

FLH 3, 4, 5, 8, 9, 10, 15, 16 2400

FLH 11, 12, 13, 14 2500



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **335937**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

### order reference

335937

### delivery address

Baileys Blinds, DL166DB

### line items

#### line 10:

#### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>115.0 cm</b>
Drop *:	<b>98.5 cm</b>
Installation Height *:	<b>230.0 cm</b>
Controls Length:	<b>50 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>White</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

#### line 20:

#### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>115.0 cm</b>
Drop *:	<b>99.0 cm</b>
Installation Height *:	<b>230.0 cm</b>
Controls Length:	<b>50 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>White</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 30:

### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>67.0 cm</b>
Drop *:	<b>115.1 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>White</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 40:

### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>115.0 cm</b>
Drop *:	<b>115.1 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>White</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 50:

### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>64.0 cm</b>
Drop *:	<b>115.1 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>White</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 60:

### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>58.5 cm</b>
Drop *:	<b>100.2 cm</b>
Installation Height *:	<b>230.0 cm</b>
Controls Length:	<b>50 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>White</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 70:

### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>57.6 cm</b>
Drop *:	<b>99.0 cm</b>

line 80:

### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>114.7 cm</b>
Drop *:	<b>115.0 cm</b>

By using our site, you consent to our use of cookies. I Understand Learn More

line 90:

### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>115.5 cm</b>
Drop *:	<b>114.5 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>White</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 100:

### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>115.4 cm</b>
Drop *:	<b>100.5 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>White</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 110:

### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>62.5 cm</b>
Drop *:	<b>130.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>White</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 120:

### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>105.8 cm</b>
Drop *:	<b>130.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Tape</b>
Tape Colour *:	<b>White</b>
Raise / Lower Control side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 130:

### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>60.8 cm</b>
Drop *:	<b>130.5 cm</b>

line 140:

### 50mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>115.4 cm</b>
Drop *:	<b>100.0 cm</b>

By using our site, you consent to our use of cookies. I Understand [Learn More](#)

line 150:

**50mm snow expressions**

AQUARIUS

SHERWOOD

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **55.0 cm**  
 Drop \*: **128.2 cm**  
 Installation Height \*: **240.0 cm**  
 Controls Length: **60 cm**  
 Cord or Tape Ladder \*: **Tape**  
 Tape Colour \*: **White**  
 Raise / Lower Control side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Manufacturers Notes: **Valance to have LH return only**

**Contact Form**

Leave a message and we will be in touch

Qty:

© 2019 Arena **1** terms & Conditions Anti-Slavery Statement

line 160:

**50mm snow expressions**

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **163.7 cm**  
 Drop \*: **128.2 cm**  
 Installation Height \*: **240.0 cm**  
 Controls Length: **60 cm**  
 Cord or Tape Ladder \*: **Tape**  
 Tape Colour \*: **White**  
 Raise / Lower Control side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

**Call Arena**

on 0800 389 7281  
 Weekdays 8.30am - 5pm

line 170:

**38mm snow expressions**

Exact or Recess \*: **Exact**  
 Units of Measurement \*: **cm**  
 Width \*: **40.0 cm**  
 Drop \*: **191.0 cm**  
 Installation Height \*: **230.0 cm**  
 Controls Length: **50 cm**  
 Raise / Lower Control side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **Yes**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

line 180:

**38mm snow expressions**

Exact or Recess \*: **Exact**  
 Units of Measurement \*: **cm**  
 Width \*: **40.0 cm**  
 Drop \*: **191.0 cm**  
 Installation Height \*: **230.0 cm**  
 Controls Length: **50 cm**  
 Raise / Lower Control side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **Yes**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

version :

By using our site, you consent to our use of cookies. I Understand Learn More