

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

Customer's Name RILEY  
Address 73, BALDWIN LANE  
DARLINGTON.  
Post Code DL1 1QA

Tel. home \_\_\_\_\_  
Tel. work \_\_\_\_\_  
mobile 07496 171 655  
email \_\_\_\_\_

GO AHEAD

338525

DATE MEASURED/ORDERED  
05/02/19

Measured By:  
SHAUN HANLEY

**SPECIAL INSTRUCTIONS**

R.W.R.

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
KIT	1300	986 1/1R	50	EXPRESSIONS SNOW	STD	2500	104
LANDING	873	1290 1/1R	50	---	STD	2400	97
F' BLO L	1283	1425	EXT	MARSEILLE TEAL	L	2200	277
-- R	860	1422	EXT	B'OUT LINING CHROME S'W	L	---	179
LIV	2.4m			19mm BELGRAVIA POLE CHROME			67
							724

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 724  
267873  
c/c DEPOSIT £ 200  
BALANCE £ 524

PRICE ACCEPTANCE Customer's Signature

[Signature]  
CASH  CHEQUE  CARD

**ALL BLINDS TO  
BE PAID FOR  
AT TIME OF  
FITTING**

**BBSA**  
BRITISH BLIND & SHUTTER ASSOCIATION



# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

# WOOD VENETIAN BLINDS

## Order Form

Date: 05-02-19

Telephone: \_\_\_\_\_

Retailer: BAILLIES

Email: \_\_\_\_\_

Address: S' MOOR

Signature: \_\_\_\_\_

Special Instructions: \_\_\_\_\_

Date Required: \_\_\_\_\_

Purchase Reference No: 338525 RILEY

Window	Slat Width			Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		TOTAL COST (£)	
	25mm (v)	35mm (v)	50mm (v)						Operation			Width (mm)	Return (mm)	Price (£)	Qty		
									STD (v)	LHS (v)	RHS (v)						BOX (v)
1 KIT			/	986	1/R	2500		EXPRESSIONS	/							1	
2 LAND			/	1290	1/R	2400		SNOW	/							1	
3																	
4																	
5																	
6																	
7																	
8																	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords



ACCOUNT

SIGN OUT

[change password](#)

**PRODUCTS SERVICES BRANDS NEWS ABOUT US CONTACT US MEMBERS IMAGERY**

**HOME** ▶ **MEMBER HOME** ▶ **PLACE AN ORDER** ▶ ORDER SUMMARY

order reference: **338525**

A confirmation email has already been sent for this order.

### order reference

338525

### delivery address

Baileys Blinds, DL166DB

### line items

#### line 10:

#### 50mm snow expressions

Exact or Recess \*: **Recess**  
Units of Measurement \*: **cm**  
Width \*: **130.0 cm**  
Drop \*: **98.6 cm**  
Installation Height \*: **250.0 cm**  
Controls Length: **70 cm**  
Cord or Tape Ladder \*: **Cord**  
Raise / Lower Control side \*: **Split**  
Pull Type \*: **None**  
Universal Extention Colour \*: **Silver**  
Hold Down Brackets \*: **No**  
Side Fix Brackets \*: **No**  
Is Valance Required \*: **Yes**  
Valance Type \*: **Standard**  
Location (this will appear on label): **KITCHEN**  
Qty: **1**

#### line 20:

#### 50mm snow expressions

Exact or Recess \*: **Recess**  
Units of Measurement \*: **cm**  
Width \*: **87.3 cm**  
Drop \*: **129.0 cm**  
Installation Height \*: **240.0 cm**  
Controls Length: **60 cm**  
Cord or Tape Ladder \*: **Cord**  
Raise / Lower Control side \*: **Split**  
Pull Type \*: **None**  
Universal Extention Colour \*: **Silver**  
Hold Down Brackets \*: **No**  
Side Fix Brackets \*: **No**  
Is Valance Required \*: **Yes**  
Valance Type \*: **Standard**  
Location (this will appear on label): **LANDING**  
Qty: **1**

### BRANDS



# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

# ROMAN BLINDS

## Order Form

Date: 05-02-19

Retailer: BAILEYS

Address: S MOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 335525 RILEY

Special Instructions: CHROME  
5' WINDERS

Window	BLIND SIZE			Child Safety Installation Height (mm)	Fabric Range & Colour	BLIND			HEADRAIL				FINISH				ORDER	
	Width (mm)	Drop (mm)	Recess or Exact			STD (v)	Blackout (v)	Unlined (v)	Roman (v)	Length of Control Chain (mm)	RHS (v)	LHS (v)	Braid	Shape	Eyelets	Pleat matching required (v)	Price (£)	Qty
1	1283	1425	EX	2200	MARSEILLE													
2	860	1422	EX	2200	TEAL													
3				2050	(ARENA)													
4																		
5																		
6																		
7																		
8																		

**NOTE:** UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (a):  The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **338525/1**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

### order reference

338525/1

### delivery address

Baileys Blinds, DL166DB

### line items

line 10:

#### marseille blackout roman

Colourway *:	<b>Teal</b>
Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>128.3 cm</b>
Drop *:	<b>142.5 cm</b>
Construction *:	<b>Deluxe</b>
Centre Seam Required?:	<b>No</b>
Chain Colour *:	<b>Chrome</b>
Installation Height *:	<b>225.0 cm</b>
Chain Loop Length:	<b>70 cm cm</b>
Raise/Lower Control side *:	<b>Left</b>
Universal Extention Brackets *:	<b>Yes</b>
Same Room Option:	<b>Yes</b>
Room Name *:	<b>Bedroom</b>
Location (this will appear on label):	<b>BEDL</b>
Qty:	<b>1</b>

line 20:

#### marseille blackout roman

Colourway *:	<b>Teal</b>
Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>86.0 cm</b>
Drop *:	<b>142.2 cm</b>
Construction *:	<b>Deluxe</b>
Centre Seam Required?:	<b>No</b>
Chain Colour *:	<b>Chrome</b>
Installation Height *:	<b>225.0 cm</b>
Chain Loop Length:	<b>70 cm cm</b>
Raise/Lower Control side *:	<b>Left</b>
Universal Extention Brackets *:	<b>Yes</b>
Same Room Option:	<b>Yes</b>
Room Name *:	<b>Bedroom</b>
Location (this will appear on label):	<b>BEDR</b>
Qty:	<b>1</b>

### BRANDS

Account Name

BAILEYS BLINDS

Account number

327111

Order Number 338525

Order Date

6/2/19

Please deliver to:  
Baileys Blinds Ltd  
311, High Street  
SPENNYMOOR  
COUNTY DURHAM  
DL16 6DB

CURTAINS

ROOM REFERENCE	Fabric design and colour	Pair single	standard	Lining type blackout	thermal	Width cm* Add 15cm to width for side to side overlap	drop cm	Header type pencil pinch eyelet	Eyelet colour	Fabric only metres
		PA SI	ST	BL	TH			PE PI EY		
		PA SI	ST	BL	TH			PE PI EY		
		PA SI	ST	BL	TH			PE PI EY		
		PA SI	ST	BL	TH			PE PI EY		

TIE BACKS

ROOM REFERENCE	Fabric design and colour	Pair single	Style plain self piped	Rings silver/brass
		PA SI	PL PI	SI BR
		PA SI	PL PI	SI BR

CUSHION COVERS

ROOM REFERENCE	Fabric design and colour	No of cushions	Style plain self piped	Size
			PL PI	43cm sq
			PL PI	50
			PL PI	43
			PL PI	50

VALANCES

ROOM REFERENCE	Fabric design and colour	Qty	Lining type standard blackout thermal	Width	Straight drop	Shaped valance drops drop centre drop	Header tape
			ST BL TH				PE PI
			ST BL TH				PE PI

TRACKS/POLES

Track or wood metal poles	Range	Colour	Qty	Size	Length
TR WP MP	Belgavia Chrome		1	19mm	2.4m
TR WP MP					
TR WP MP					

HOLDBACKS/FINIALS


Holdback/finials	Range	Colour	Size	No of pairs
HD FI				
HD FI				
HD FI				

Special instruction

CUR

**Rainbow Blinds Trade Dept**  
 61Canyon Road  
 Excelsior Business Park  
 Wishaw  
 ML2 0EG

**Curtain Fax Back Order form**



Customer Name	BAILES S' MOOR
Customer Reference	338525 RILA

Date:	05/02/19
Date Required	

Curtain Ref	Single / Pair	No of Widths	Drop	Fabric Range & Colour (Also code if applicable eg. PR5111)	Fabric Supplier	Pattern repeat	Heading Type (Pinched Pleat, Double Pleat, Goblet, Standard)	Headed Size (For Pinched Pleat, Double Pleat and Goblet Headings)	Hook Position (Top / Middle / Bottom)	Lined / B/Out / Unlined	Lining Colour	Eyelet / Ring Colour (if req'd)	Tiebacks (YES / NO)	D/Ring and hook colour

Special Instructions:

Qty	Supplier	Width	Fitting Height	Pole or track description (Curtain Track / Cubicle Track / 1080 e	Part Code	Brackets req?	Extras required (Hanger Rods / Fixing Kits etc)
1	ARENA	2.4m		19mm BELGRAVIA CHROME CURTAIN POLE			

Special Instructions:

Please state how curtains have been measured i.e from top of pole or from top to bottom of curtain. If Matching tiebacks are required, please state which colour of "D" ring required or if any piping required in the special instructions box.

\*\*\*\*Fitting height MUST be supplied for all tracks requiring cord or chain operating systems. If not supplied then cords/chains will be made as follows - Drop <2.5m Cord will be up to 1m long - Drop>2.5m Cord will be up to 1.5m long - This could result in you supplying a non-compliant product