



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

DATE MEASURED/ORDERED
28 / 01 / 19

336017

Measured By:
SHAUN HANLEY

SPECIAL INSTRUCTIONS

R.W.D
F/FIX RONAN
TO WOOD BATON
BAILEYS TO TAKE
OLD BLIND DOWN

PI/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name HODGSON
Address 30, BLOOMFIELD ROAD
DARLINGTON
Post Code DL3 6SA

Tel. home	
Tel. work	
mobile	07818 867 101
email	

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Fitted By	DATE	DAY	AM	PM

rail type & colour			white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets	
alum	white	brown							top	face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
KIT	1900	1150	EXF	COUNTRY HARES DUCK EGG THERMAL LINING	R	2500	£329
DOOR	1000 (L)	2300 2180		* FILE * SINGLE CTN AS ABOVE PENCIL PLOT THERMAL LINING.			£160
				CTN 39 X 90			

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 329
DEPOSIT	£ 40
BALANCE	£ 289

PRICE ACCEPTANCE Customer's Signature

J. Hodgson

CASH	<input checked="" type="checkbox"/>	CHEQUE	<input type="checkbox"/>	CARD	<input type="checkbox"/>
------	-------------------------------------	--------	--------------------------	------	--------------------------

ALL BLINDS TO
BE PAID FOR
AT TIME OF
FITTING



order reference: **336017**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

336017

delivery address

Baileys Blinds, DL166DB

line items

line 10:

country hares interlined

Colourway *:	Duck Egg
Exact or Recess *:	Exact
Units of Measurement *:	cm
Width *:	190.0 cm
Drop *:	115.0 cm
Construction *:	Deluxe
Centre Seam Required?:	No
Chain Colour *:	Chrome
Installation Height *:	250.0 cm
Chain Loop Length:	100 cm cm
Raise/Lower Control side *:	Right
Universal Extention Brackets *:	No
Same Room Option:	No
Qty:	1

BRANDS

AQUARIUS

SHERWOOD

expressions



By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)



Rainbow Blinds

ROMAN BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road
Excelsior Park
Wishaw

ML2 0EG
T. 01698 351 888
F. 01698 351 999
sales@rainbow-blinds.com

Date: 28-01-19
Retailer: BALEYS
Address: S'MOOR
Date Required: 7/2

Telephone:
Email:
Signature:
Purchase Reference No: 336017 HODGSON

Special Instructions
(INTERNAL)
A THERMAL
LINING
CHROME
S'WINDER

Window	BLIND SIZE				BLIND			HEADRAIL			FINISH				ORDER				
	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Fabric Range & Colour	STD (v)	Blackout (v)	Unlined (v)	Roman (v)	Length of Control Chain (mm)	RHS (v)	LHS (v)	Braid	Shape	Eyelets	Pleat matching required (v)	Price (£)	Qty	TOTAL COST (£)
1	KIT	1900	1150	EX	2500	COUNTRY HABES	THERMAL	✓	✓	1000	✓							1	
2					DUCK EGG	LINING													
3					(A2ENN)	STD COLOUR													
4																			
5																			
6																			
7																			
8																			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (a):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords