

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

Customer's Name NIXON

Address 8 THIRLMOOR PLACE  
STAKEFORD

NE625AY Post Code

|           |                     |
|-----------|---------------------|
| Tel. home | <u>01670 521412</u> |
| Tel. work |                     |
| mobile    |                     |
| email     |                     |


|                       |                |
|-----------------------|----------------|
| DATE MEASURED/ORDERED | <u>28/2/19</u> |
|-----------------------|----------------|

|              |                    |
|--------------|--------------------|
| Measured By: | <u>[Signature]</u> |
|--------------|--------------------|

|           |          |
|-----------|----------|
| CURTAINS  |          |
| PLEATED   |          |
| ROLLERS   | <u>2</u> |
| ROMANS    |          |
| SHUTTERS  |          |
| VENETIAN  |          |
| VERTICALS | <u>3</u> |
| VISION    |          |
| WOODEN    |          |

FILTER TAKE A ROLL OF R  
3 1/2 CHAIN 337086

### SPECIAL INSTRUCTIONS



|        |  |
|--------|--|
| P/CUST |  |
| NET    |  |
| PRESS  |  |
| RADIO  |  |
| MAG.   |  |
| VAN    |  |
| RECC.  |  |
| SHOP   |  |
| TV     |  |
| YELL P |  |
| OTHER  |  |

|           |      |     |    |    |
|-----------|------|-----|----|----|
| Fitted By | DATE | DAY | AM | PM |
|-----------|------|-----|----|----|

|      |       |       |             |                  |             |                   |          |           |              |               |
|------|-------|-------|-------------|------------------|-------------|-------------------|----------|-----------|--------------|---------------|
| alum | white | brown | white chain | welded in weight | recess size | window not square | wood fix | stone fix | brackets top | brackets face |
|------|-------|-------|-------------|------------------|-------------|-------------------|----------|-----------|--------------|---------------|

| Room    | Width             | Drop                   | Slat Size    | Colour                 | Control LH or RH | Fitting Height | Price      |
|---------|-------------------|------------------------|--------------|------------------------|------------------|----------------|------------|
| 1       | <u>2375</u>       |                        |              |                        |                  |                |            |
| 2       | <u>3190</u>       | <u>75 1/8</u>          | <u>89</u>    | <u>3 TRACKS</u>        | <u>L/R</u>       | <u>90</u>      |            |
| 3       | <u>2375</u>       | <u>HEM TO HEM</u>      |              | <u>3 TRACKS</u>        | <u>R/L</u>       | <u>90</u>      |            |
| STAGE   | <u>HEM TO HEM</u> | <u>K THEN CONTINUE</u> |              | <u>HOT HOUSE GREEN</u> | <u>R/R</u>       | <u>90</u>      |            |
| Blind 1 | <u>84 1/8</u>     | <u>81 1/8</u>          | <u>1 1/2</u> |                        |                  |                |            |
| 2       | <u>84 3/4</u>     | <u>80 3/4</u>          | <u>1 1/2</u> |                        |                  |                |            |
| 3       | <u>84 1/2</u>     | <u>80 7/8</u>          | <u>1 1/2</u> |                        |                  |                | <u>878</u> |
| 4       | <u>84 1/4</u>     | <u>80 1/2</u>          |              |                        |                  |                |            |
| 5       | <u>84</u>         | <u>80 1/4</u>          |              |                        |                  |                |            |
| 6       | <u>83 3/4</u>     | <u>79 5/8</u>          | <u>22</u>    | <u>X2</u>              |                  |                |            |
| 7       | <u>83 1/2</u>     | <u>79 3/4</u>          |              |                        |                  |                |            |
| 8       | <u>83 1/4</u>     | <u>79 1/2</u>          |              |                        |                  |                |            |
| 9       | <u>83 1/8</u>     | <u>79 1/4</u>          |              |                        |                  |                |            |
| 10      | <u>82 3/4</u>     | <u>79</u>              |              |                        |                  |                |            |
| 11      | <u>82 1/2</u>     | <u>78 3/4</u>          |              |                        |                  |                |            |
| 12      | <u>82 1/4</u>     | <u>78 1/2</u>          |              |                        |                  |                |            |
| 13      | <u>82</u>         | <u>78 1/4</u>          |              |                        |                  |                |            |
| 14      | <u>81 3/4</u>     | <u>78</u>              |              |                        |                  |                |            |
| 15      | <u>81 1/2</u>     | <u>77 3/4</u>          |              |                        |                  |                |            |
| 16      | <u>81 1/4</u>     |                        |              |                        |                  |                |            |

|                        |               |
|------------------------|---------------|
| <u>R/T</u>             | <u>Rec</u>    |
| <u>65 1/8 X 47</u>     | <u>L 143</u>  |
| <u>HOT HOUSE GREEN</u> | <u>FLH 94</u> |
| <u>BBR 65 7/8 + 53</u> | <u>R 143</u>  |
|                        | <u>FLH 88</u> |

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1,164

DEPOSIT £ 250

BALANCE £ 914

PRICE ACCEPTANCE Customer's Signature  
[Signature]

|      |        |      |
|------|--------|------|
| CASH | CHEQUE | CARD |
|------|--------|------|

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**



# ROLLER BLINDS

## Order Form

**inbow Blinds**

inbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Special Instructions

Telephone: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Signature: \_\_\_\_\_  
 Purchase Reference No:  
**337086**

Date: **28-2-14**  
 Retailer: **NIXON**  
 Address: **GCS FORTH**  
 Date Required: \_\_\_\_\_

| BLIND SIZE |           |                       |                                       |                              |                                     |              | ORDER         |                             |           |                  |           |    |     |                |
|------------|-----------|-----------------------|---------------------------------------|------------------------------|-------------------------------------|--------------|---------------|-----------------------------|-----------|------------------|-----------|----|-----|----------------|
| Width (mm) | Drop (mm) | Recess or Fabric size | Child Safety Installation Height (mm) | Length of Control Chain (mm) | Tube Diameter 32mm, 40mm, 45mm      | Fabric Range | Fabric Colour | Louvolite, Sanblin, Eclipse | LHC / RHC | CC h o i r n o s | F i n i s | NO | Qty | TOTAL COST (£) |
| A 1654     | 1193      | R                     | 2286                                  |                              | <input checked="" type="checkbox"/> | HOT HOUSE    | GREEN         | L                           |           | W                | 1         | 1  |     |                |
| A 1673     | 1346      | R                     |                                       |                              | <input checked="" type="checkbox"/> |              |               | R                           |           |                  | 1         | 1  |     |                |
|            |           |                       |                                       |                              |                                     |              |               |                             |           |                  |           |    |     |                |
|            |           |                       |                                       |                              |                                     |              |               |                             |           |                  |           |    |     |                |
|            |           |                       |                                       |                              |                                     |              |               |                             |           |                  |           |    |     |                |
|            |           |                       |                                       |                              |                                     |              |               |                             |           |                  |           |    |     |                |
|            |           |                       |                                       |                              |                                     |              |               |                             |           |                  |           |    |     |                |
|            |           |                       |                                       |                              |                                     |              |               |                             |           |                  |           |    |     |                |
|            |           |                       |                                       |                              |                                     |              |               |                             |           |                  |           |    |     |                |
|            |           |                       |                                       |                              |                                     |              |               |                             |           |                  |           |    |     |                |

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

The Child Safety Regulations EN13030 and the use of child safety devices

Customer has been advised on (✓):  Minimum distances applying to operating cords

applied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

|   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---|---|---|---|---|---|---|---|

All bit



Rainbow Blinds & Interiors  
 41 Canyon Road  
 Boulder Park  
 Wetherby  
 WLS 1664  
 T. 01937 251 888  
 F. 01937 251 999  
 sales@rainbowblinds.com

# VERTICAL BLINDS Order Form

Order No: 28-2-19  
 Customer Name: NIXON  
 Project Name: GOSFOLTH  
 Project Reference No: 331086

Product Reference No: 331086

Product Reference No: 331086

| ITEM            | BLIND SIZE |           |                   | CONTROLS                              |      |      |           | OPTIONS       |              |     | SLAT SIZE | WEIGHT<br>T<br>CARIN |
|-----------------|------------|-----------|-------------------|---------------------------------------|------|------|-----------|---------------|--------------|-----|-----------|----------------------|
|                 | Width (mm) | Drop (mm) | Recess or Bracket | Child Safety Installation Height (mm) | WAND | Draw | Operation | Headed Colour | TopFace Filz |     |           |                      |
| H/O 2315 2057 R | 2057       | 2057      | R                 | 2235                                  | WAND | ✓    | ✓         | W             | ✓            | 89  | 127       | ✓                    |
| H/O 3190 2057 R | 2057       | 2057      | R                 | ---                                   | ---  | ✓    | ✓         | W             | ---          | --- | ---       | ---                  |
| H/O 2315 2057 R | 2057       | 2057      | R                 | ---                                   | ---  | ✓    | ✓         | W             | ---          | --- | ---       | ---                  |

UNLESS OTHERWISE STATED ALL REQUIREMENTS WILL BE TAKEN AS DEFACTO

Child Safety Installation Height (mm) is measured from the top of the window frame to the top of the blind.

Calculator has been switched on (✓)  The Child Safety Installation Height (mm) is measured from the top of the window frame

Minimum clearance applying to operating cords

Issue June 2016

Rainbow Blinds - 41 Canyon Road, Boulder Park, Wetherby, WLS 1664 Tel: 01937 251 888 - Fax: 01937 251 999 - Email: sales@rainbowblinds.com





# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Newcastle Park  
 Wetherill  
 NLS 680  
 T: 0664 361 888  
 F: 0664 361 999  
 info@rainbowblinds.com

# VERTICAL BLINDS

## Order Form

22

Order No: 28-2-19  
 Customer: WILKIN  
 Project Name: GOSFORTH  
 Order Reference: 351086

Special Instructions:  
 SUBMIT  
 WEIGHTS  
 ONLY THAT  
 CAN BE  
 CHAINED IN  
 VANES

| ORDER NO | BLIND SIZE |                   |                                      | CONTROLS |                 |               | OPTIONS    |            | SLIT SIZE |                |              |              |
|----------|------------|-------------------|--------------------------------------|----------|-----------------|---------------|------------|------------|-----------|----------------|--------------|--------------|
|          | Drop (mm)  | Recess or Bracket | Child Safety Restriction Height (mm) | WIND     | Fabric Range    | Fabric Colour | Drum       | Operation  |           | Headset Colour | Top/Face Fix | WEIGHT CHAIN |
| A        | 410        | 2108              | XAGI                                 | QTY 2    | HOT HOUSE GREEN | GREEN         | HEM TO HGM | HEM TO HGM |           | 89             | 127          | ✓            |
|          |            |                   |                                      |          |                 |               |            |            |           |                |              |              |
|          |            |                   |                                      |          |                 |               |            |            |           |                |              |              |
|          |            |                   |                                      |          |                 |               |            |            |           |                |              |              |
|          |            |                   |                                      |          |                 |               |            |            |           |                |              |              |
|          |            |                   |                                      |          |                 |               |            |            |           |                |              |              |
|          |            |                   |                                      |          |                 |               |            |            |           |                |              |              |
|          |            |                   |                                      |          |                 |               |            |            |           |                |              |              |
|          |            |                   |                                      |          |                 |               |            |            |           |                |              |              |

UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Child Safety Restriction Height (mm)  WIND  HEM TO HGM

Customer has been advised (v)  The child safety restriction height and the use of child safety chains

Minimum clearance applying to operating cords



# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Hazelton Park  
 Wharfedale  
 W14 6HQ  
 T: 01938 551 833  
 F: 01938 251 999  
 sales@rainbow-blinds.com

# VERTICAL BLINDS

## Order Form

3-33

Client: 28-2-19  
 Address: NIXON  
 Postcode: GE25FOETH

Product Reference No: 331086

Special Instructions:  
SUPPLY  
WEIGHTS  
ONLY THAT  
CAN BE  
CHAINED  
IN VANES

| Order No | Drop (mm) | Recess or Bracket | Child Safety Installation Height (mm) | Fabric Range    | Fabric Colour | CONTROLS |           |         |                 | OPTIONS    |        | SLUFT SIZE |       |
|----------|-----------|-------------------|---------------------------------------|-----------------|---------------|----------|-----------|---------|-----------------|------------|--------|------------|-------|
|          |           |                   |                                       |                 |               | Draw     | Operation |         | Headrail Colour | Topfix Fix | Weight |            | Chain |
|          |           |                   |                                       |                 |               | INS (v)  | SPLIT (v) | RMS (v) | LHG (v)         |            |        |            |       |
| ESUR28   | 610       | 260               | 824                                   | HOT HOUSE GREEN | GREEN         |          |           |         |                 |            |        | 89         | 127   |
|          | 2024      |                   |                                       |                 |               |          |           |         |                 |            |        |            |       |
|          | 2030      |                   |                                       |                 |               |          |           |         |                 |            |        |            |       |
|          | 2044      |                   |                                       |                 |               |          |           |         |                 |            |        |            |       |
|          | 2038      |                   |                                       |                 |               |          |           |         |                 |            |        |            |       |
|          | 2032      |                   |                                       |                 |               |          |           |         |                 |            |        |            |       |
|          | 2026      |                   |                                       |                 |               |          |           |         |                 |            |        |            |       |
|          | 2020      |                   |                                       |                 |               |          |           |         |                 |            |        |            |       |

Unless otherwise stated all measurements will be taken as shown

Child safety installation height is measured to the top of the blind

Customer has been advised on (v)

Blind will be supplied to operating cords



**Rainbow Blinds**

Rainbow Blinds & Interiors  
 51 Canyon Road  
 Brentwood Park  
 Wetherby  
 WLS 6100  
 T: 01937 281 800  
 F: 01937 281 999  
 sales@rainbow-blinds.com

# VERTICAL BLINDS

## Order Form

4-4

Order No: 28-2-19  
 Customer Name: NIXON  
 Address: GOSFORTH

Product Reference No: 337086

Supply weights ONLY THAT CAN BE CHAINED IN VANES

| Blind Size | Controls |           |               | Options         |              | Blind Size |     |   |
|------------|----------|-----------|---------------|-----------------|--------------|------------|-----|---|
|            | Drum     | Operation | Headed Colour | Top/Fix         | Weight Chain |            |     |   |
| W          | H        | MS        | SLIT          | MS              | MS           | MS         |     |   |
| (mm)       | (mm)     | (mm)      | (mm)          | (mm)            | (mm)         | (mm)       |     |   |
| 410        | 2013     | 1845      | QTY 2         | HOT HOUSE GREEN | HEM TO HEM   | 89         | 127 | ✓ |
| 410        | 2006     | 1845      | QTY 2         |                 |              |            |     |   |
| 410        | 2000     | 1845      | QTY 2         |                 |              |            |     |   |
| 410        | 1994     | 1845      | QTY 2         |                 |              |            |     |   |
| 410        | 1988     | 1845      | QTY 2         |                 |              |            |     |   |
| 410        | 1982     | 1845      | QTY 2         |                 |              |            |     |   |
| 410        | 1975     | 1845      | QTY 2         |                 |              |            |     |   |
| 410        | 1921     | 1845      | QTY 2         |                 |              |            |     |   |

UNLESS OTHERWISE STATED ALL REQUIREMENTS WILL BE TAKEN AS PRECEDENT

Blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Header

Calculator has been selected on (✓)

The total blind height is 127mm and the vanes are 127mm

Minimum clearance applying to opening ends

Issue 1 June 2016

Rainbow Blinds - 51 Canyon Road, Brentwood Park, Wetherby, WLS 6100. T: 01937 281 800. F: 01937 281 999. sales@rainbow-blinds.com