



Rainbow Blinds

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date: 09-09-19

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:
335227
HMP
LOW NEWTON

Special Instructions

BLIND SIZE

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	ORDER				
									LHC / RHC	Price (£)	Qty	TOTAL COST (£)	
1	ABE 940	1200	1R	2200		32	GUNDRON	SILVER	L	W	1	1	
2	A00N 960	1200							L	W	1	1	
3	L50R 885	1200							L	W	1	1	
4	D00L 350	1000							L	W	1	1	
5													
6								CLAVARIA					
7													
8													


NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

VERTICAL BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road
Exceisior Park
Wishaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date: 09-09-19

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:
335 227
HTP
LOW NEWSON

Special Instructions

INC WHITE
WTS &
CHAINS
Pg 1 of 3

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	CONTROLS				OPTIONS			ORDER		
									Draw		Operation		Headrail Colour	Top/Face Fix	Price (£)	Qty	TOTAL COST (£)	
									RHS (✓)	LHS (✓)	SPLIT (✓)	RHS (✓)	LHS (✓)					
1	OPHD	1020	958	1/2	2350	GUARDIAN	SILVER		✓					WHITE	TOP	1	1	
2	OPPKS	1030	958						✓							1	1	
3	L50A	1030	955			3 1/2 LOW OEG			✓							1	1	
4		1020	955						✓							1	1	
5		1030	954						✓							1	1	
6		1024	952						✓							1	1	
7		1020	951						✓							1	1	
8		1020	949						✓							1	1	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN1320 and the use of child safety devices
 Minimum distances applying to operating cords

Rainbow Blinds

Rainbow Blinds & Interiors

61 Canyon Road
Excelsior Park

Wishaw
ML2 0EG

T. 01698 351 888
F. 01698 351 999

sales@rainbow-blinds.com

VERTICAL BLINDS

Order Form

Date: 09-09-19

Retailer: BAILEYS BLINDS

Address: SPENNYMOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 335227

Special Instructions: INE WHITE WTS & CHAINS

Page 2 of 3

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	CONTROLS				OPTIONS		ORDER	
									Draw		Operation		Headrail Colour	Top/Face Fix	Price (£)	Qty
1	1020	955	1/2	2350		GUARDIAN	SILVER		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	WHITE	TOP	1	
2	1038	950		"					<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			1	
3	980	1148		2500		(3 1/2 Louvers)			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			1	
4	980	1144		"					<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			1	
5	980	1147		2500					<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			1	
6	750	1030		2400					<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			1	
7	750	1030							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			1	
8	750	1039							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			1	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

Rainbow Blinds

VERTICAL BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road
Excelsior Park

Wishaw
ML2 0EG

T. 01698 351 888
F. 01698 351 999

sales@rainbow-blinds.com

Date: 09-09-19

Retailer: BALLETS BLINDS

Address: SPENNYMOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 335227

Special Instructions

INC WHITE
WTS &
CHAINS
Pg 3003

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	CONTROLS				OPTIONS		ORDER			
									Draw		Operation		Headrail Colour	Top/Face Fix	Price (£)	Qty	TOTAL COST (£)	
1	OMV	1025	1188	1/2	2500	GUMDINN	SILVER		RHS (v)	LHS (v)	SPLIT (v)	RHS (v)	LHS (v)	White	Top		1	
2		1030	1188	1/4														
3																		
4																		
5																		
6																		
7																		
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child safety Regulations EN1320 and the use of child safety devices
 Minimum distances applying to operating cords