



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name WALLINGTON

Address 25 SOUTH COURT
SPENNYMOOR

Post Code DL16 7BL

Tel. home	01388 812577
Tel. work	
mobile	07806 304 114
email	

DATE MEASURED/ORDERED
01/04/19

Measured By:
SHAUN HANLY

CURTAINS		
PLEATED		
ROLLERS		
ROMANS		
SHUTTERS		
VENETIAN		
VERTICALS		
VISION		
WOODEN	X	15

SPECIAL INSTRUCTIONS

R.W.R

338167

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
F'BLD L	1697	1146			STD	2400	
B'BLD R	1698	1138	50	EXPRESSIONS			
-r L	1128	1142		COOL WHITE			
F'BLD A	562	990		OR		2500	
-r	1132	991		HIGH STAINES		2400	
UTILITY	620	990		WHITE RTNR	*		
KIT	1676	978		PEL 1692EX	*		
EXT L	1075	1451		POSS WHITE TAPES			
-r R	1082	1458					
LIN	600	1360		STD CONTROLS RNL	*		
ROCN	2220	1360		L-TILT			
BOY	600	1360		R- RAISE RTNR	*		
BATH	1103	940				2300	
ENSUITE	557	967					
CLOAK	563	976		L-TILT NO TAPES			
				L-TILT TAPES RTNR			
				3 NO TAPES BATH			
				X CLOAK			
							P MATCH
							L 1200

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 1200
011483	
c/k DEPOSIT	£ 300
BALANCE	£ 900

PRICE ACCEPTANCE Customer's Signature

[Handwritten Signature]

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING

CASH	CHEQUE	CARD
		/



EXPRESSIONS

(WOOD)VENETIAN BLINDS

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wisnaw
 ML2 OEG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Order Form

Date: 01-04-19

Telephone: _____

Retailer: BAILEYS

Email: _____

Address: 5 Moor

Signature: _____

Special Instructions: 2/2

Purchase Reference No: 338167 WALLINGTON

Window	SLAT WIDTH				Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				BRACKETS		PELMET		ORDER	
	35mm (v)		50mm (v)								Operation		Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)			
	35mm (v)	50mm (v)	LHS (v)	RHS (v)							STD (v)	LRS (v)						BOX (v)		
1					1082	1458	1/2	2409		EXPRESSIONS	/									
2					600	1360				COOL	/						L			
3					2220	1360				WHITE	/									
4					600	1360					/									
5					1103	940		2300			/							R		
6					557	967					/									
7					563	976					/									
8																				

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v): Yes No

The Child Safety Regulations EN13200 and the use of child safety devices Yes No

Minimum distance applying to operating cords Yes No

EXPRESSIONS

(WOOD)VENETIAN BLINDS

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Order Form

Date: 01-04-19

Retailer: BALKES

Address: S' MOOR

Telephone: _____

Email: _____

Signature: _____

Special Instructions: 1/2

Purchase Reference No: 338167 WALLINGTON

Window	Slat Width			Drop (mm)	Recess or Exact (mm)	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		FELMET		ORDER		
	25mm (v)	35mm (v)	50mm (v)						SYD (v)	LHS (v)	RHS (v)	BOX (v)	Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)	
1 BLD			/	1146	1/R	2400		EXPRESSIONS	/	/	/							
2 BLD R			/	1138	/			COOL	/	/	/							
3 - L			/	1142	/			WHITE	/	/	/							
4 BLD			/	990		2500			/	/	/							
5 BLD			/	991		2400			/	/	/							
6 UTILITY			/	990					/	/	/							
7 KIT			/	978					/	/	/							
8 PFT			/	1451					/	/	/							

UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

Child Safety Regulations Enigpro and the use of child safety devices

Minimum distances applying to operating cords

order reference: **338167**We have sent a confirmation email to accounts@baileys-blinds.co.uk.**order reference**

338167

delivery address

Baileys Blinds, DL166DB

line items**line 10:****50mm cool white expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	169.7 cm
Drop *:	114.6 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 20:**50mm cool white expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	169.8 cm
Drop *:	113.8 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 30:**50mm cool white expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	112.8 cm
Drop *:	114.2 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 50:**50mm cool white expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	113.2 cm
Drop *:	99.1 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 70:**50mm cool white expressions**

Exact or Recess *:	Recess
--------------------	---------------

line 40:**50mm cool white expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	56.2 cm
Drop *:	99.0 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 60:**50mm cool white expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	62.0 cm
Drop *:	99.0 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have RH return only

Location (this will appear on utility label):

Qty: **1**

line 80:**50mm cool white expressions**

Exact or Recess *:	Recess
--------------------	---------------

line 90:**50mm cool white expressions**

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **108.2 cm**
 Drop *: **145.8 cm**
 Installation Height *: **240.0 cm**
 Controls Length: **60 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**

line 100:**50mm cool white expressions**

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **60.0 cm**
 Drop *: **136.0 cm**
 Installation Height *: **240.0 cm**
 Controls Length: **60 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Manufacturers Notes: **Valance to have LH return only**

Location (this will appear on **liv ro bay** label):

Qty: **1**

line 110:**50mm cool white expressions**

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **222.0 cm**
 Drop *: **136.0 cm**
 Installation Height *: **240.0 cm**
 Controls Length: **60 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Location (this will appear on **liv ro bay** label):

Qty: **1**

line 120:**50mm cool white expressions**

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **60.0 cm**
 Drop *: **136.0 cm**
 Installation Height *: **240.0 cm**
 Controls Length: **60 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Manufacturers Notes: **Valance to have RH return only**

Location (this will appear on **liv ro bay** label):

Qty: **1**

BRANDS

line 130:

line 140:

50mm cool white expressions

AQUARIUS

SHERWOOD

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **110.3 cm**
 Drop *: **94.0 cm**
 Installation Height *: **230.0 cm**
 Controls Length: **50 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Location (this will appear on label): **bath**
 Qty: **1**

50mm cool white expressions

SANDRINGHAM

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **55.7 cm**
 Drop *: **96.7 cm**
 Installation Height *: **230.0 cm**
 Controls Length: **50 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Location (this will appear on label): **ensuite**
 Qty: **1**

Contact Form

Leave a message and we will be in touch

Call Arena

On 0800 389 7281
 Weekdays 8.30am - 5pm

line 150: © 2019 Arena Terms & Conditions Anti-Slavery Statement

[Back To Top](#)

50mm cool white expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **56.3 cm**
 Drop *: **97.6 cm**
 Installation Height *: **230.0 cm**
 Controls Length: **50 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Location (this will appear on label): **cloak**
 Qty: **1**

version :