

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name BEST

Address 12 SKYLARK CLOSE

DITON

DL11 6RL Post Code

Tel. home	<u>01814 412003</u>
Tel. work	
mobile	
email	

DATE MEASURED/ORDERED
23/4/19

Measured By:
PD

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	<input checked="" type="checkbox"/> 4 RIF
VERTICALS	
VISION	
WOODEN	<input checked="" type="checkbox"/> 10 x 1

SPECIAL INSTRUCTIONS

STUDY FIT OPTO
WINDOW FRAME
IGNORE HANDLE
AWARE OF GAPS
@ SIDE FIT INSIDE OF
HANDLE

Total 1,100
DEL 300
Bal 800.

Fitted By

DATE DAY AM PM

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

336774

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
LIF STUDY	21518	44112	50	x SNOW	R@26	102	54
RIF	19314	44112		x	R@26	102	54
L/R	67314	51118		IR		102	54
K.I.F	44318	38118		IR		102	154
RIF FBAL	45318	45112		IR	R@46	102	94
LIF FBAL	45318	45114		IR		102	94
ENSURE	22114	38718		IR		102	94
RIF DBAL	45318	45318		IR		102	54
BATH	21518	38318		IR		102	94
LIF BBA	45112	45112		IR	R@23	102	54
						102	94
B1 FOLD							840
1	537	1815	25	7326	L		1510
2	537	1815			R		714
3	537	1815			L	20	
4	537	1815			R		502
						4100	
						P.M. Hillary	

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ <u>1100</u>
DEPOSIT	£ <u>300</u>
BALANCE	£ <u>800</u>

PRICE ACCEPTANCE Customer's Signature

Alan Best

**ALL BLINDS TO
BE PAID FOR
AT TIME OF
FITTING**

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

BBSA
BRITISH BLIND & SHUTTER ASSOCIATION

Registered No.: 02814869

PERFECT FIT BLINDS

Order Form

Special Instructions

Telephone: _____
 Email: _____
 Signature: _____
 Purchase Reference No: **336774**

Date: **23-4-14**
 Retailer: **BEST**
 Address: _____
 Date Required: **2/5**

ROLLER

VENETIAN

PERMANENT

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wistraw
 ML2 9EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Window	GLASS SIZE			FABRIC/SLAT RANGE & COLOUR	BLIND			CONTROLS				ORDER				
	Width (mm)	Drop (mm)	Frame Colour		SLAT WIDTH		BRACKET		VENETIAN Controls				Price (£)	Qty	TOTAL COST (£)	
					16mm (v)	25mm (v)	18/20mm (v)	24/30mm (v)	STD	LH	RH	REV				Tensions
1	537	1815	W	7326	✓	✓	20	✓	✓	✓	✓	✓	✓			
2	537	1815	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
3	537	1815	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
4	537	1815	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
5																
6																
7																
8																

If blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device
 in metal blinds will be tensioned unless stated otherwise.

Customer has been advised on (✓):
 The Child Safety Regulations EN1320 and the use of child safety devices
 Minimum distances applying to operating cords

EXPRESSIONS

(WOOD)VENETIAN BLINDS

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wislaw
 ML2 OEG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Order Form

Date: 23-4-19
 Retailer: BEST
 Address: SImoor
 Date Required: ASAP

Telephone:
 Email:
 Signature:
 Purchase Reference No: 336774

Special Instructions

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER	
	25mm (v)	35mm (v)	50mm (v)							Operation			BOX (v)	Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
										STD (v)	LHS (v)	RHS (v)						
1				549	1130	XACT	2590		SNOW									
2				501	1130	XACT												
3				11720	1298													
4				1127	968													
5				1152	1155													
6				1152	1149													
7				565	987													
8				1152	1152													


NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v): This Child Safety Regulations (EN13340) and the use of child safety devices

Minimum distances applying to operating cords

2-2 EXPRESSIONS



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wisnaw
 ML2 OEG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

(WOOD)VENETIAN BLINDS

Order Form

Date: 23-4-19
 Retailer: BEST
 Address: SLMOOR
 Date Required: ASAP

Telephones:
 Email:
 Signature:
 Purchase Reference No: 336774

Special Instructions

Window	SLAT WIDTH				Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER		
	35mm (v)	35mm (v)	50mm (v)	Operation							STD (v)	LHS (v)	RHS (v)	BOX (v)	Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)	
	(v)	(v)	(v)	STD (v)							LHS (v)	RHS (v)	BOX (v)	Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)		
1					549	974	R	2590		SNOW										
2					1155	1155	R													
3																				
4																				
5																				
6																				
7																				
8																				

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v): This Child Safety Regulations (EN13030 and the use of child safety devices)

Minimum distances applying to operating cords

0800 389 7281
sales@arena-blinds.com



Welcome back accounts@baileys-blinds.co.uk

ACCOUNT

SIGN OUT

[change password](#)

PRODUCTS SERVICES BRANDS NEWS ABOUT US CONTACT US MEMBERS IMAGERY

HOME ▶ **MEMBER HOME** ▶ **PLACE AN ORDER** ▶ **ORDER SUMMARY**

order reference: **336774**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

336774

delivery address

Baileys Blinds, DL166DB

line items

line 10:

50mm snow expressions

Exact or Recess *:	Exact
Units of Measurement *:	cm
Width *:	54.9 cm
Drop *:	113.0 cm
Installation Height *:	259.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	66.0 cm
Valance Returns Required *:	Yes
Qty:	1

line 30:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	172.0 cm
Drop *:	129.8 cm
Installation Height *:	259.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 50:

50mm snow expressions

line 20:

50mm snow expressions

Exact or Recess *:	Exact
Units of Measurement *:	cm
Width *:	50.1 cm
Drop *:	113.0 cm
Installation Height *:	259.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	66.0 cm
Valance Returns Required *:	Yes
Qty:	1

line 40:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	112.7 cm
Drop *:	96.8 cm
Installation Height *:	259.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	116.8 cm
Valance Returns Required *:	Yes
Qty:	1

line 60:

50mm snow expressions

line 70:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	56.5 cm
Drop *:	98.7 cm
Installation Height *:	259.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Non-Standard Valance Length:	1

Contact Form

Leave a message and we will be in touch

line 80:

BRANDS

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	115.2 cm
Drop *:	115.2 cm
Installation Height *:	259.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

Call Arena

On 0800 389 7281
Weekdays 8.30am - 5pm

line 90:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	54.9 cm
Drop *:	97.4 cm
Installation Height *:	259.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	58.4 cm
Valance Returns Required *:	Yes
Qty:	1

line 100:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	115.5 cm
Drop *:	115.5 cm
Installation Height *:	259.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

© 2019 Arena Terms & Conditions Anti-Slavery Statement

Back To Top

version :