



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

334589

DATE MEASURED/ORDERED
11/7/19

Measured By:
A

SPECIAL INSTRUCTIONS

094025

PCUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
VELL P	
OTHER	

Customer's Name **MARSDEN**
Address **10 WARING AVE**
W/BAY
NE264SE Post Code

Tel. home **01188974911**
Tel. work
mobile
email

CURTAINS	
PLEATED	
ROLLERS	2
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	5
VISION	
WOODEN	

Fitted By	DATE	DAY	AM	PM
-----------	------	-----	----	----

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face
				/		/				

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
Kit	LIF 66 1/2	45	1	STRATTON cream	R	88	122
	RIF 70 3/8	42	-		L	88	122
	73 3/8	45 3/8	89		L/L	88	145
Patio	67 3/4	83 3/4	-		L/L	88	160
				WARRINGHAM			
	LIF 26	63 3/8	89	MIMMI IVORY	L-R	88	86
R/A	CR 61 3/4	63 3/8	89		L/S	88	145
	RIF 26	63 3/8	89		R/R	88	86
							866-
							-151-
							736

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.
I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ **736-**
DEPOSIT £ **200**
BALANCE £ **536**

PRICE ACCEPTANCE Customer's Signature
Marsden

CASH CHEQUE CARD

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING



Rainbow Blinds

Rainbow Blinds & Interiors
 41 Clayton Road
 Boundary Park
 Wetherby
 W.A.S. 680
 T. 01937 541 000
 F. 01937 541 000
 www.rainbowblinds.co.uk

VERTICAL BLINDS

Order Form

11-7-19
 MARDEN
 GOSFORTH
 334589

Order Ref	Order Qty	Order Description	Quantity	Unit Price	Total Price	Tax	Net Total	VAT	Gross Total	Notes
A 1863	1152	11-11	1152	2235	2581.44	0.00	2581.44	0.00	2581.44	STRAICORD
A 1720	2127	11-11	2127	1100	2339.70	0.00	2339.70	0.00	2339.70	CHEM
B 1660	1610	11-11	1610	1400	2254.00	0.00	2254.00	0.00	2254.00	LUCKY
B 1568	1610	11-11	1610	1400	2254.00	0.00	2254.00	0.00	2254.00	LUCKY
B 1580	1610	11-11	1610	1400	2254.00	0.00	2254.00	0.00	2254.00	LUCKY

We warrant that the goods are as described and of the quality stated in the order form.
 We warrant that the goods are as described and of the quality stated in the order form.
 We warrant that the goods are as described and of the quality stated in the order form.



Rainbow Blinds



ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors
61 Canyon Road
Excelsior Park
Wishaw
ML2 0EG
T. 01698 351 888
F. 01698 351 999
sales@rainbow-blinds.com

ML2 OEG
T. 01698 351 888
F. 01698 351 999
sales@rainbow-blinds.com

Date: 11-7-19

Retailer: MAIRDEN

Address: GDSFOATH

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 334589

Special Instructions

A R R U A	Width (mm)	Drop (mm)	Recess or Fabric size	Child safety installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 31mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvilles, Benlin, Felipse		ORDER		
									LHC	RHC	NO	TOTAL COST (£)	
1	1689	1143	R	2235		32	STAFFORD	CREAM			BAR	1	
2	1787	1066	R	2235		32	1" - 1"	1				1	
3													
4													
5													
6													
7													
8													

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVILLE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

Customer has been advised on (✓):

The Child Safety Regulations EN13150 and the use of child safety devices

Minimum distances applying to operating cords