



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

Customer's Name PARKINS  
Address 7 STOBBCROSS VILLAS  
WEST CORNFORTH  
Post Code DL17 9EZ

Tel. home	
Tel. work	
mobile	<u>07763 247 835</u>
email	

DATE MEASURED/ORDERED  
26/07/19

Measured By:  
SHAUN HANLEY

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	<u>X 9</u>

SPECIAL INSTRUCTIONS

R.W.R.

967

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face
					<u>1/R</u>	<u>/</u>		<u>/</u>	<u>/</u>	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
LANDING	<u>570</u>	<u>1157</u>	<u>50</u>	<u>EXPRESSIONS PRL EX</u>	<u>STD</u>	<u>2700</u>	<u>54</u>
B' BED	<u>1183</u>	<u>1317</u>		<u>COOL WHITE</u>	<u>STD</u>		<u>130</u>
F' BED L	<u>1795</u>	<u>1320</u>			<u>STD</u>		<u>184</u>
--- R	<u>1798</u>	<u>1298</u>			<u>STD</u>		<u>184</u>
LIV ROOM	<u>600 1/2</u>	<u>1443</u>		<u>PRL 630 LT</u>	<u>STD</u>		<u>65</u>
BAT	<u>560 1/2</u>	<u>1443</u>			<u> </u>		<u>65</u>
LTOR	<u>590 1/2</u>	<u>1443</u>		<u>PRL 630 LT</u>	<u> </u>		<u>65</u>
KIT	<u>1436</u>	<u>1290</u>			<u>STD</u>	<u>2900</u>	<u>155</u>
				<u>STD CTRLS</u>			<u>£ 770</u>
				<u>L- TILT</u>			<u>P'n</u>
				<u>R- RAISE/LOWER</u>			

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ <u>770</u>
DEPOSIT	£ <u>209</u>
BALANCE	£ <u>570</u>


PRICE ACCEPTANCE Customer's Signature

R. Parkins

CASH	CHEQUE	CARD	<u>/</u>
------	--------	------	----------

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING





# Rainbow Blinds

# WOOD VENETIAN BLINDS

## Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date:

Retailer:

BAILEYS BLINDS

Address:

SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:

335126 PARKINS

Special Instructions

Page 1 of 2

### BLIND SIZE

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
	25mm (✓)	35mm (✓)	50mm (✓)							STD (✓)	LHS (✓)	RHS (✓)	BOX (✓)					
1 Landings				570	1157	1/2	2700		EXPRESSIONS COOL WHITE					570				
2 B'IED				1183	1317	1/2												
3 P'IED				1795	1320	1/2												
4 R				1798	1298	1/2												
5 LV				600	1443	EX												
6 ROOM				560	1443	1/2												
7 B'Y				560	1443	1/2												
8 L'OR				590	1443	1/2												


NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords



# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

# WOOD VENETIAN BLINDS

## Order Form

Date: \_\_\_\_\_  
 Retailer: **BAILEYS BLINDS**  
 Address: **SPENNYMOOR SHOP**  
 Date Required: \_\_\_\_\_

Telephone: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Signature: \_\_\_\_\_  
 Purchase Reference No: **335126 PARDKINS**

Special Instructions  
*Page 2 of 2*

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)					
1			/	1436	1290	1/A	2909		EXPRESSIONS COOL WHITE	/							1	
2																		
3																		
4																		
5																		
6																		
7																		
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (v):  
 The Child Safety Regulations EN13130 and the use of child safety devices  
 Minimum distances applying to operating cords

**0800 389 7281**  
sales@arena-blinds.com



Welcome back [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk)

**ACCOUNT**

**SIGN OUT**

[change password](#)

**PRODUCTS SERVICES BRANDS NEWS ABOUT US CONTACT US MEMBERS IMAGERY**

**HOME** ▶ **MEMBER HOME** ▶ **PLACE AN ORDER** ▶ ORDER SUMMARY

order reference: **335126**

We have sent a confirmation email to **accounts@baileys-blinds.co.uk**.

**order reference**

335126

**delivery address**

Baileys Blinds, DL166DB

**line items**

**line 10:****50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>57.0 cm</b>
Drop *:	<b>115.7 cm</b>
Installation Height *:	<b>270.0 cm</b>
Controls Length:	<b>90 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>57.0 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

**line 20:****50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>118.3 cm</b>
Drop *:	<b>131.7 cm</b>
Installation Height *:	<b>270.0 cm</b>
Controls Length:	<b>90 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 30:****50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>179.5 cm</b>
Drop *:	<b>132.0 cm</b>
Installation Height *:	<b>270.0 cm</b>
Controls Length:	<b>90 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 40:****50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>179.8 cm</b>
Drop *:	<b>129.8 cm</b>
Installation Height *:	<b>270.0 cm</b>
Controls Length:	<b>90 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 50:****50mm cool white expressions**

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>60.0 cm</b>

**line 60:****50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>56.0 cm</b>

line 70:

**50mm cool white expressions**

Exact or Recess \*: **Pass**  
 Units of Measurement \*: **cm**  
 Width \*: **56.0 cm**  
 Drop \*: **144.3 cm**  
 Installation Height \*: **270.0 cm**  
 Controls Length: **90 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Valance Length: **56.0 cm**  
 Valance Returns Required \*: **No**  
 Location (this will appear on label): **BAY**  
 Qty: **1**

**Contact Form**

Leave a message and we will be in touch (this will appear on label):

line 80:  
**BRANDS**

**50mm cool white expressions**

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **59.0 cm**  
 Drop \*: **144.3 cm**  
 Installation Height \*: **270.0 cm**  
 Controls Length: **90 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Non-Standard**  
 Valance Length: **59.0 cm**  
 Valance Returns Required \*: **No**  
 Location (this will appear on label): **BAY**  
 Qty: **1**

**Call Arena**

On 0800 389 7281  
 Monday 8am - 5pm

© 2019 Arena Terms & Conditions Anti-Slavery Statement

[Back To Top](#)

line 90:

**50mm cool white expressions**

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **143.6 cm**  
 Drop \*: **129.0 cm**  
 Installation Height \*: **290.0 cm**  
 Controls Length: **110 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

version :