



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

DATE MEASURED/ORDERED  
21 / 8 / 19

335317

Measured By:  
AD

SPECIAL INSTRUCTIONS

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name TALLENIRE  
Address 4 TWEED RD  
S1 MODR  
DL 16 6 5 Post Code

Tel. home	<u>07850595261</u>
Tel. work	
mobile	
email	

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	<u>1 2 RIF</u>
VERTICALS	
VISION	
WOODEN	<u>1 10 78</u>

436685

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face
						<u>/</u>				

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
<u>LIF HALL</u>	<u>76 1/8</u> <u>35 7/8</u>	<u>47 1/4</u>	<u>47 1/8</u>	<u>WOODEN</u>			
<u>LIF HALL</u>	<u>76 1/8</u> <u>35 7/8</u>	<u>47 3/4</u>	<u>50</u>	<u>COOL WHITE</u>	<u>ST</u>	<u>103</u>	<u>162</u>
<u>DOWN STAIR WIC</u>	<u>37 1/8</u>	<u>41 3/8</u>	<u>50</u>	<u>---</u>		<u>103</u>	<u>76</u>
<u>LAND</u>	<u>17 1/2</u>	<u>36 1/4</u>	<u>50</u>	<u>---</u>		<u>110</u>	<u>54</u>
<u>BATH</u>	<u>34 3/4</u>	<u>33 7/8</u>	<u>50</u>	<u>---</u>		<u>103</u>	<u>76</u>
<u>4F BDR</u>	<u>37 1/4</u>	<u>42 1/4</u>	<u>50</u>	<u>---</u>		<u>103</u>	<u>76</u>
<u>14F BDR</u>	<u>59 5/8</u>	<u>47 1/4</u>	<u>50</u>	<u>---</u>		<u>103</u>	<u>126</u>
<u>LIF BDR</u>	<u>76 1/2</u>	<u>48 1/4</u>	<u>50</u>	<u>---</u>		<u>103</u>	<u>162</u>
<u>RIF BDR</u>	<u>35 1/8</u>	<u>47 3/4</u>	<u>50</u>	<u>---</u>		<u>103</u>	<u>76</u>
<u>KIT</u>	<u>36</u>	<u>42 1/4</u>	<u>50</u>	<u>PE @ 38</u>	<u>↓</u>		<u>76</u>
<u>RIF LIF</u>	<u>518</u>	<u>1795</u>	<u>25</u>	<u>0150</u>	<u>L</u>	<u>20</u>	<u>216</u>
<u>RIF</u>	<u>516</u>	<u>1795</u>	<u>25</u>	<u>0150</u>	<u>R</u>	<u>20</u>	<u>11.76</u>
							<u>+ 76.00</u>

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.


TOTAL PRICE	£ <u>1,100-</u>
DEPOSIT	£ <u>250-</u>
BALANCE	£ <u>850</u>

PRICE ACCEPTANCE Customer's Signature  
A Tallentire

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING





# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelstor Park  
 Wisnaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

# PERFECT FIT BLINDS

## Order Form

Date:	21-8-19	Telephone:	
Retailer:	TALENTIRE	Email:	
Address:	SLIPMOON	Signature:	
Date Required:		Purchase Reference No:	335317

Special Instructions:
-----------------------

MEMORANDUM

MEMORANDUM

Window	GLASS SIZE			BLIND			CONTROLS				ORDER						
	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH		BRACKET	VENETIAN CONTROLS			ROLLER Cover Weight Bar	Price (£)	Qty	TOTAL COST (£)			
					16mm (✓)	25mm (✓)		18/20mm (✓)	24/30mm (✓)	STD					LN	RH	REV
1	318	1795	W	0150	✓		20										
2	316	1795	W		-		20										
3																	
4																	
5																	
6																	
7																	
8																	

Blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device  
 If blinds will be tensioned unless stated otherwise.

Customer has been advised on (✓):

The Child Safety Regulations EN13030 apply to the use of child safety devices

Minimum distances applying to operating cords:

# EXPRESSIONS

# (WOOD)VENETIAN BLINDS

## Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wisnaw  
 ML1 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

## Order Form

Date: 21-8-19  
 Retailer: TALLENTINE  
 Address: SIMON  
 Date Required:

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 335317

Special Instructions:

Window	Slat Width		Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER	
	25mm (v)	35mm (v)						Operation			Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)	
	50mm (v)	STD (v)						LHS (v)	RHS (v)	BOX (v)						
1			1212	R	2616		COOL WHITE	✓								
2	✓		1031	R				✓								
3	✓		1050	R				✓								
4	✓		920	R				✓								
5	✓		860	R				✓								
6	✓		1073	R				✓								
7	✓		1700	R				✓								
8	✓		1225	R				✓								

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):  
 The Child Safety Regulations EN13030 and the use of child safety devices  
 Minimum distances applying to operating cords

# EXPRESSIONS

# (WOOD)VENETIAN BLINDS



## Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML3 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

## Order Form

Date: 21-8-19

Telephone: \_\_\_\_\_

Special Instructions: \_\_\_\_\_

Retailer: TALENTURE

Email: \_\_\_\_\_

Address: 51 Moor

Signature: \_\_\_\_\_

Purchase Reference No: 335317

Date Required: \_\_\_\_\_

Window	SLAT WIDTH				Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER	
	35mm (v)		50mm (v)								Operation			Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)	
	(v)	(v)	LHS (v)	RHS (v)							BOX (v)	STD (v)	NO						PELMET (v)
1					892	1212	R	2616		cool white									
2					914	1073	R												
3																			
4																			
5																			
6																			
7																			
8																			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):  This Child Safety Regulations EN13030 and the use of child safety devices  Minimum distances applying to operating cords

order reference: **335317**We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).**order reference**

335317

**delivery address**

Baileys Blinds, DL166DB

**line items****line 10:****50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>193.4 cm</b>
Drop *:	<b>121.2 cm</b>
Installation Height *:	<b>261.6 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 20:****50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>91.2 cm</b>
Drop *:	<b>103.1 cm</b>
Installation Height *:	<b>261.6 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 30:

**50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>94.2 cm</b>
Drop *:	<b>105.0 cm</b>
Installation Height *:	<b>261.6 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 50:

**50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>88.2 cm</b>
Drop *:	<b>86.0 cm</b>
Installation Height *:	<b>261.6 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 70:

**50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>151.4 cm</b>
Drop *:	<b>120.0 cm</b>
Installation Height *:	<b>261.6 cm</b>
Controls Length:	<b>80 cm</b>

## line 40:

**50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>44.4 cm</b>
Drop *:	<b>92.0 cm</b>
Installation Height *:	<b>261.6 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 60:

**50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>94.6 cm</b>
Drop *:	<b>107.3 cm</b>
Installation Height *:	<b>261.6 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 80:

**50mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>194.3 cm</b>
Drop *:	<b>122.5 cm</b>
Installation Height *:	<b>261.6 cm</b>
Controls Length:	<b>80 cm</b>

## BRANDS

line 90:

50mm cool white  
expressions

ADRIUS

SHERWOOD

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **89.2 cm**  
 Drop \*: **121.2 cm**  
 Installation Height \*: **261.6 cm**  
 Controls Length: **80 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Folds \*: **No**  
 Is Corded \*: **No**  
 Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

**Contact Form**  
 Leave a message and we will be in touch

line 100:

50mm cool white  
expressions IS

SANDRINGHAM

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **91.4 cm**  
 Drop \*: **107.3 cm**  
 Installation Height \*: **261.6 cm**  
 Controls Length: **80 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Folds \*: **No**  
 Is Corded \*: **Yes**  
 Valance Type \*: **Non-Standard**  
 Non-Standard Valance Length: **96.5 cm**  
 Valance Returns Required \*: **No**  
 Qty: **1**

**Call Arena**  
 On 0800 389 7281  
 Weekdays 8am - 5pm

© 2019 Arena Terms &amp; Conditions Anti-Slavery Statement

Back To Top

version :