



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML1 0EG
 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

VENETIAN BLINDS

Order Form

Date: 5-9-19

Retailer: BAILEYS

Address: (GOSFORTH)

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 334114 (HODGSON)

Special Instructions:

W i n d o w	Slat Width				Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				ORDER		
	Operation									Price (£)	QTY	TOTAL COST (£)				
	15mm (✓)	25mm (✓)	35mm (✓)	50mm (✓)									STD (✓)	REV (✓)	RHS (✓)	LHS (✓)
1		✓			1170	1020	R	2200	0150(A)							
2																
3																
4																
5																
6																
7																
8																

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓)

The Child Safety Regulated Blinds and the use of child safety device

Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Witshaw
 M.L. 05G
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

PERFECT FIT BLINDS

Order Form

Date: 5-9-19

Retailer: BAILEY'S

Address: (GOSFORTH)

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:
334114 (HODGSON)

Special Instructions:

SHAVES

VERTICIAN

ROLLER

Window	CLASS SIZE			BLIND				CONTROLS				ORDER						
	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH		BRACKET	VENETIAN Controls				Price (£)	Qty	TOTAL COST (£)				
					16mm (v)	25mm (v)		STD	LH	RH	REV				Tensure	YES	NO	
1	580	986	WHITE	0150(A)	✓		16/20mm (v)	20	14/30mm (v)	✓								
2																		
3																		
4																		
5																		
6																		
7																		
8																		

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v)

The Child Safety Regulations EN13030 and the use of child safety devices

Vertical blinds will be tensioned unless stated otherwise.

Minimum distances applying to operating cords