



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

Customer's Name

Address GILNAS LAKE SCHOOL
SEAFORD AVENUE HAUGHTON LE SPRINGS
Post Code DL15 8EH

Tel. home
Tel. work
mobile 07757695938 *
email ALEX - CARETAKER.

DATE MEASURED/ORDERED

17 / 9 / 19

Measured By:

MICHAEL

CURTAINS	
PLEATED	
ROLLERS	<input checked="" type="checkbox"/> x 83
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

SPECIAL INSTRUCTIONS

MAN 4250
FITTING
URGENT.
Scaffold +
High steps

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By

DATE

DAY

AM

PM

alum	white	brown	white chain	welded in weight	recess size	window not square	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
				<u>REMOVE ALL OLD BLINDS AND CURTAINS</u>			
				<u>SCAFFOLD REQ FOR HALL</u>			
				<u>STAIN BALMORAL FR Grey Haze</u>			
				<u>* SOME FIRE ALARMS TO MAKE CARETAKER KNOWS *</u>			
				<u>* SCAFFOLDS AND HIGH STEPS TO FIT HALL *</u>			
				<u>Blue Rvc</u>			
				<u>* CUSTOMER TO SORT ELECTRIC POINTS OUT IF ELECTRIC CURTAIN TRACKS *</u>			
				<u>* ADVISE CUSTOMER *</u>			
				<u>* WHEN FITTING GO OFF FAX ORDER NOTHING ELSE (STAFF ROOM YEAR 4) *</u>			

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Scotblinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £11'254.04
DEPOSIT £ —
BALANCE £11'254.04

PRICE ACCEPTANCE Customer's Signature

CASH	CHEQUE	CARD
------	--------	------

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING





Rainbow Blinds

Page 1/1

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Special Instructions

CHROME CHAIN
DOUBLE BREM
ON ALL CLASS
ROOM ROLLERS
ON ALL

Telephone:

Email:

Signature:

Purchase Reference No:

557420

Date: 16/10/19

Retailer: BAIVERS

Address:

Date Required:

BLIND SIZE

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	ORDER				
									Louvolite, Benthin, Eclipse	LHC / RHC	Price (£)	Qty	TOTAL COST (£)
1	873	1295	R	2050			XLINE	LIGHT GREY	L	C			
2	870	1295	R	—					L	C			
3	1770	1290	R	—					L	L			
4	647	2050	R	—					L	L			
5	1130	2050	R	—					L	R			
6	Year 1	630	R	2500					COF REVERSE BALL	L	L		
7	"	815	R	2500					COF "	L	L		
8	"	815	R	2500					COF "	L	R		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WIDTH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

All CLASSROOMS CURTAINS CHAIN DOUBLE BEAK

~~ALL CLASSROOMS CURTAINS CHAIN DOUBLE BEAK~~

Customer has been advised on (✓):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, ML2 OEG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

Issue June 2016



Rainbow Blinds

Page 2/11

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 0EG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Special Instructions

Date: _____

Retailer: _____

Address: _____

Date Required: _____

Telephone: _____

Email: _____

Signature: _____

Purchase Reference No: _____

Special Instructions

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvre, Benthin, Eclipse	LHC / RHC	ORDER	
											Price (£)	Qty
Year 1	640	1900	R	2500			PARSE ROLLS	L14 AT GLEY		R		
"	960	1860	✓	2560						L		
"	983	1860	✓							L		
"	955	1860	✓							L		
Year 2	990	1900	✓							L		
"	968	1900	✓							R		
"	935	1900	✓							R		
"	940	1850								L		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVRE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

Page 3/11

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date:

Retailer:

Address:

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:

Special Instructions

BLIND SIZE

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvolite, Benlin Eclipse	LHC / RHC	C C C		Price (£)	Qty	TOTAL COST (£)
											h	a			
1	Year 2	985	1850	R	2500		Reverse Roll	Light Grey		R					
2	"	965	1850	/			COF			R					
3	"	1875	1900	/			COF			R					
4	"	1870	1850	/			COF			R					
5	OFFICE	1420	1570	/						R					
6	"	1360	1570	/						R					
7	SACE/GARD	1770	1295	/	2070					R					
8															

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13200 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

Page 4/11

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelstor Park

Wishaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date:

Retailer:

Address:

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:

Special Instructions

BLIND SIZE

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvrolite, Bantlin, Eclipse	LHC / RHC	Child Safety	Price (£)	Qty	TOTAL COST (£)
1	YR6 885	1285	R	2100			EXQUIS	Light Grey		L				
2	11 1763	1290	R	2080						L				
3	11 875	1290	-	2080						L				
4	11 1773	1285	-	2080						L				
5	LIBRARY 1780	1285	-	2070						L				
6	1783	1290	-	2070						L				
7	Year 5 960	1850	-	2500						L				
8	985	1850	-	2500						L				

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

Issue June 2016



Rainbow Blinds

Page 5/11

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors
61 Canyon Road

Excelsior Park

Wishaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date:

Telephone:

Retailer:

Email:

Address:

Signature:

Date Required:

Purchase Reference No:

Special Instructions

BLIND SIZE

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvrolite, Bernhin, Eclipse	LHC / RHC	C C C h o r a i r i o n s	F i n i s h	Price (£)	Qty	TOTAL COST (£)
1	945	1850	✓	2500			EXCLUS	Light Grey		R					
2	895	1900	✓	2500			COF			L					
3	975	1900	✓	2500			COF			R					
4	955	1850		2500						L					
5	985	1850		2500						L					
6	955	1850		2500						R					
7	960	1850								L					
8	985	1850								L					

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVROLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WIDTH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

Issue June 2016



Rainbow Blinds

Page 6/14

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 0EG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date:

Telephone:

Retailer:

Email:

Address:

Signature:

Date Required:

Purchase Reference No:

Special Instructions

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvilles, Benthin, Eclipse	ORDER	
										LHC / RHC	Price (£)
1. <i>STAFF ROOM</i>	1767	1290	R	2070			<i>EXUNE</i>	<i>LIQUOR</i>			
2.	880	1285	✓	2070							
3. <i>Year 4</i>	950	1850	✓	2500			<i>COF</i>				
4. "	875	1900	✓				<i>COF</i>				
5. "	995	1900	✓				<i>COF</i>				
6. "	953	1850	✓								
7. "	985	1850	✓								
8. "	950	1850	✓								

NOTE:

UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device


Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

Issue June 2016

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, ML2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com



Rainbow Blinds

Page 7

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

M12 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date:

Retailer:

Address:

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:

Special Instructions

Reverse Power

BLIND SIZE

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvres, Benthis, Eclipse	LHC / RHC	ORDER				
											h o r i s	P r i c e (£)	Q t y	TOTAL COST (£)	
1 PKR813	950	1850	R	2500			EXLITE	LSWT Grey	L	L					
2 "	985	1850	/	/					L	R					
3 "	955	1850	/	/					L	R					
4 "	875	1900	/	/					L	R					
5 "	980	1900	/	/					L	R					
6 "	955	1900	/	/					L	L					
7 "	985	1900	/	/					L	L					
8 "	950	1900	/	/					L	L					

UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOWVOLT 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device


Customer has been advised on (✓):

The Child Safety Regulations EN13030 and the use of child safety devices

Minimum distances applying to operating cords

Issue June 2016

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, M12 OEG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com



Rainbow Blinds

Page 8

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

M.L.2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Dates:

Retailer:

Address:

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:

Special Instructions

BLIND SIZE

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvres, Slats, Eclipse	LHC / RHC	CSC	F	Price (£)	Qty	TOTAL COST (£)
1 GRST CURB	960	1900	R	2500			EXUTE	Light Grey		R					
2 "	985	1900	/	/						R					
3 "	947	1900	/	/						R					
4 HEAD OFFICE	1875	1855	/	/						R					
5															
6															
7															
8															

UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOWVOLT 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH DROP OR FABRIC WEIGHT.

Roller blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13320 and the use of Child Safety devices

Minimum distances applying to operating cords

Issue June 2016

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, M.L.2 OEG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

Filename: **HALL**
 Name/Company: **GRUVE LANE SCHOOL**
 Department: **SANSON AVE**
 House: **KINGSWAY LE BRUNS**

Ref: **337420**
 Date Enquiry: **25/9/11**

Road/Name: **DISSEY**
 Place: **DISSEY**
 Post Town: **DISSEY**
 Post Code: **DISSEY**

Source: **DISSEY**
 Where did you get our name: **DISSEY**

Quote No: **337420**
 Order No: **RMS**
 Sales Person: **RMS**
 Day to Call: **RMS**
 Time to Call: **RMS**
 Time Called: **RMS**
 Address Verified: **Yes/No**
 Action Required: **Yes/No**

Comments:

ALL TYPES				VERTICAL			ROLLERS				VEN					
Material Code	Width	Drop	Rec Cont	Brft	Location	Bnch	H/R Col	Wgt Col	Shape	Pole Colour	Trim Code	Trim Colour	Pull Type	H/R Col	Special Instructions	Price (inc)
EXLITE	1877	1050	L		HALL											✓
EXLITE	2894	1050	R		"				INSTRUCTION WIRE	H-250					55mm tube	✓
GLFT	2859	1050	L		L/E										55mm tube	✓
	2859	1050	L												55mm tube	✓
	2865	2193	R												55mm tube	✓
	2887	1050	L												55mm tube	✓
	1882	2220	R													
	2886	1050	L													
	1870	1050	R													
	2885	1050	L													

254

