

Baileys

Blinds

A member of the G. C. Group

OUR REF: RSH//342715

34 HIGH ST
SPENNYMOOR
CO.DURHAM
DL16 6DB
01388 813267

FAX.01388 814895

E-MAIL Commercial@baileys-blinds.co.uk

Wednesday 9th October 2019
Baines Jewitt
41-45 Yarm Lane
Stockton
TS18 3EA

Dear Sir / Madam,

Thank you for your enquiry. Please find our quotation detailed below: -

Type	Colour	Location	Price
1 Nr Vertical Blind	Guardian Silver	Chris Shaw's Office	£92.40 + Vat

Payment Terms: 30 Days after Month End.

Once order is placed and fitting date agreed if for any reason we are unable to gain access to site which is not the fault of Baileys, we reserve the right to make an additional surcharge.

Should you require any further information please contact our Commercial Sales department, quoting the above reference.

If you wish to proceed please Email your Purchase Order with your Invoice Email Address on to the Commercial Sales Department.

Yours sincerely Julie Horner

Commercial sales dept.

Rainbow Blinds

VERTICAL BLINDS

Order Form

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wilsnaw
 ML2 OEG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 11-10-19

Retailer: BAILEYS BLINDS

Address: SPENNYMOR SHOP

Date Required: 24/10

Telephone:

Email:

Signature:

Purchase Reference No: 342715 BRANES SEWETT

Special Instructions: INC WHITE WTS & CHAINS

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	CONTROLS				OPTIONS		ORDER			
									Draw		Operation		Headrail Colour	Top/Face Fix	Price (£)	Qty	TOTAL COST (£)	
1	Office 1290	1926	1/A	3100		GUARDIAN	SILVER		RHS (v)	LHS (v)	SPLIT (v)	RHS (v)	LHS (v)	WHITE	S"		1	
2																		
3																		
4																		
5																		
6																		
7																		
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords