



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

339841

DATE MEASURED/ORDERED
16/10/19

Measured By:
RDP

SPECIAL INSTRUCTIONS
ALL GAPS + CHILD
DEVICES FULLY
EXPLAINED

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name RALPH
Address 39A WHITE HILL ROAD
BENSUAM
GATESHEAD Post Code NE8 4ER

CURTAINS	
PLEATED	
ROLLERS	X3 + 1 X PLAT
ROMANS	X3
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Tel. home	0191-4901720
Tel. work	
mobile	07779 151040
email	

Fitted By		DATE		DAY		AM		PM	
-----------	--	------	--	-----	--	----	--	----	--

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	face
------	-------	-------	-------------	------------------	-------------	-----------	----------	-----------	--------------	------

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
LOUNGE ①	590	1150	AGEL	MOSS	L	2200	118.00
LOUNGE ②	865	1150			R		118.00
LOUNGE ③	590	1150			R		118.00
FRONT BEA	1740	1140	GEMINI	OLIVE	R	2200	136.00
REAR	1825	1135		WILD ROSE	R		136.00
KITCHEN	1195	995		PERIWINKLE	R		94.00
TOTAL							£720.00
BACK DOOR	580	958	GEMINI	PERIWINKLE	R	24 IN	133.00
NEW TOTAL							£853.00
DISE TO PROCEED							153.00

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £700.00

DEPOSIT £700.00

BALANCE £ PAID IN FULL

PRICE ACCEPTANCE Customer's Signature
AUTM
016913 [Signature]

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING



PERFECT FIT BLINDS

Order Form

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 16-10-19

Retailer: BAILEY'S

Address: (GOSFORTH)

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 339841 (RECPH)

Special Instructions

PLEATED

VENETIAN

ROLLER

Window	GLASS SIZE			BLIND		BRACKET				CONTROLS				ORDER		
	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH		18/20mm (v)	24/30mm (v)	VENETIAN Controls				Price (£)	Qty	TOTAL COST (£)	
					16mm (v)	25mm (v)			STD	LH	RH	REV				Tension d
1	580	958	WHITE	GEMINI PERLINKLE				24								
2																
3																
4																
5																
6																
7																
8																

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN13130 and the use of child safety devices

Venetian blinds will be tensioned unless stated otherwise.

Minimum distances applying to operating cords

ROMAN BLINDS

Order Form

Date: 16-10-19

Retailer: BAILEY'S

Address: (GOSFORTH)

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 339841 (REPLY)

Special Instructions

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Walsaw
 ML3 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Window	BLIND SIZE			BLIND			HEADRAIL				FINISH				ORDER			
	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Fabric Range & Colour	Lining			Roman (✓)	Controls			Shape	Eyelets	Pleat matching required (✓)	Price (£)	Qty	TOTAL COST (£)
						STD (✓)	Blackout (✓)	Unlined (✓)		Length of Control Chain (mm)	RHS (✓)	LHS (✓)						
1	590	1150	E	2200	FAGEL MOSS	✓	✓	✓	✓	✓	✓							
2	865	1150	E			✓	✓	✓	✓	✓	✓							
3	590	1150	E			✓	✓	✓	✓	✓	✓							
4																		
5																		
6																		
7																		
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS NEEDED

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (a)

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

CHILDREN CHAINS, NO PULMETS.

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Walsaw, ML3 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

ROLLER BLINDS

Order Form

Special Instructions

Telephone: _____
 Email: _____
 Signature: _____

Date: 16-10-19
 Retailer: BAILEY'S
 Address: (GOSFORTH)
 Code Required: _____

Purchase Reference No:
 339841 (RELPH)

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Walsley
 ML2 0EG
 T: 01698 351 888
 F: 01698 351 999
 sales@rainbow-blinds.com

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	BLIND SIZE			Fabric Range	Fabric Colour	LHC / RHC / Eclipse	C o l o u r s	P r i c e (£)	QTY	TOTAL COST (£)
						Top	Bottom	Depth							
1	1743	1140	R	2200	---	32		GEMINI	OLIVE	R C					
2	1828	1135	R	---	---	32		---	WILD ROSE	R C					
3	1198	995	R	---	---	32		---	PERU WINKLE	R C					
4															
5															
6															
7															
8															

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS NECESSARY AND SYSTEM WILL BE LOWVOLTAGE 240V. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH DROP OR FABRIC WEIGHT.
 All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):
 The Child Safety Regulations require the use of child safety devices
 Minimum distances applying to operating cords