



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name MASON

Address 3, ALDGROVE WAY  
DARLINGTON

Post Code DL3 0GR

Tel. home	<u>788807</u>
Tel. work	
mobile	<u>07495 476 688</u>
email	

DATE MEASURED/ORDERED  
24 / 10 / 19

Measured By:

SHAUN HANLEY

CURTAINS		
PLEATED		
ROLLERS		
ROMANS		
SHUTTERS		
VENETIAN		
VERTICALS		
VISION		
WOODEN		

SPECIAL INSTRUCTIONS

R.W.R.

29/24

342820

PIC/UST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By

DATE

DAY

AM PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
					<u>1/2</u>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
LIV ROOM	420	1270	50	EXPRESSIONS COOL WHITE	STD	2500	
BAY	420	1270					£236
LTOR	420	1270		BLIND 124 PEL 445 Ex			
F' BED L	1282	1124	50	EXPRESSIONS COOL WHITE	STD	2500	£384
- R	1280	1124					
B' BED L	1284	1117					
- R	1285	1123					£600
							P1 MATCH HILLMATS

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ <u>600</u>
DEPOSIT	£ <u>150</u>
BALANCE	£ <u>450</u>


PRICE ACCEPTANCE Customer's Signature

[Signature]

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**





# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

# WOOD VENETIAN BLINDS

## Order Form

Special Instructions

Date: 24-10-19

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 342820 MASON

### BLIND SIZE

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				PELMET	ORDER		
	25mm (✓)	35mm (✓)	50mm (✓)							STD (✓)	LHS (✓)	RHS (✓)	BOX (✓)		Width (mm)	Return (mm)	Price (£)
1 LIV	/	/	/	420	1270	1/R	2500		EXPRESSIONS	/				445		1	
2 ROOM	/	/	/	420	1270				COOL WHITE	/						1	
3 BHT	/	/	/	420	1270					/						1	
4 LTOR	/	/	/	420	1270					/						1	
5 F'Bed L	/	/	/	1282	1124					/						1	
6 -R	/	/	/	1280	1124					/						1	
7 B'Bed L	/	/	/	1284	1117					/						1	
8 -R	/	/	/	1285	1123					/						1	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13560 and the use of child safety devices

Minimum distances applying to operating cords

[ACCOUNT](#)[SIGN OUT](#)[change password](#)[PRODUCTS](#)[SERVICES](#)[BRANDS](#)[NEWS](#)[ABOUT US](#)[CONTACT US](#)[MEMBERS](#)[IMAGERY](#)[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)order reference: **342820**We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

## order reference

342820

## delivery address

Baileys Blinds, DL166DB

## line items

### line 10:

#### 50mm cool white expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>42.0 cm</b>
Drop *:	<b>127.0 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>44.5 cm</b>
Valance Returns Required *:	<b>No</b>
Location (this will appear on label):	<b>BAY</b>
Qty:	<b>1</b>

### line 20:

#### 50mm cool white expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>42.0 cm</b>
Drop *:	<b>127.0 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Location (this will appear on label):	<b>BAY</b>
Qty:	<b>1</b>

line 30:

### 50mm cool white expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>42.0 cm</b>
Drop *:	<b>127.0 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Location (this will appear on label):	<b>BAY</b>
Qty:	<b>1</b>

line 50:

### 50mm cool white expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>128.2 cm</b>
Drop *:	<b>112.4 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Location (this will appear on label):	<b>BED</b>
Qty:	<b>1</b>

line 70:

line 40:

### 50mm cool white expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>42.0 cm</b>
Drop *:	<b>127.0 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>44.5 cm</b>
Valance Returns Required *:	<b>No</b>
Location (this will appear on label):	<b>BAY</b>
Qty:	<b>1</b>

line 60:

### 50mm cool white expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>128.0 cm</b>
Drop *:	<b>112.4 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Location (this will appear on label):	<b>BED</b>
Qty:	<b>1</b>

line 80:

## 50mm cool white expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>128.4 cm</b>
Drop *:	<b>111.7 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Location (this will appear on label):	<b>BED</b>
Qty:	<b>1</b>

## 50mm cool white expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>128.5 cm</b>
Drop *:	<b>112.3 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Location (this will appear on label):	<b>BED</b>
Qty:	<b>1</b>

## BRANDS

AQUARIUS

### Contact Form

Leave a message and we will be in touch

### Call Arena

On 0800 389 7281

Weekdays 8.30am - 5pm

© 2019 Arena Terms & Conditions Anti-Slavery Statement

version :