

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

342781

DATE MEASURED/ORDERED  
18/10/19

Measured By:  
SHAUN HANLEY

**SPECIAL INSTRUCTIONS**

R.W.R.  
  
FIT CON ONTO  
WINDOW FRAMES  
& DOORS  
TOP FIX KIT

NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name OLIVER  
Address 11, ASPEN CLOSE  
SPENNYMOOR  
Post Code DL16 77Q

Tel. home	
Tel. work	
mobile	07817 242 745
email	

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Fitted By		DATE		DAY		AM		PM	
-----------	--	------	--	-----	--	----	--	----	--

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
					EX 1/R	CON KIT	DU			

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
CON	740	1510	RX		STD	260°	100
SIDE	740	1510	250	PVFA VOA			1800/100
	800	1510		8706 (D)			116
	800	1510		EX			116
	800	1510		EXPRESSIONS			116
	800	1510		CIRRUS			116
	800	1510		ALL WITH RTNS			116
	633 710	1844 1910					116
	710	1910					116
KIT	1709	1005	250	8706 (D)	STD	2600	1470
			1/R				166
				PRL 1730 EX			1178
							1170
							1178

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 1178
DEPOSIT	£ 300
BALANCE	£ 878

PRICE ACCEPTANCE Customer's Signature  
B. Oliver

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**



# Rainbow Blinds

# WOOD VENETIAN BLINDS

# Order Form

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wisshaw  
 M/L2 OEG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Date: 15-10-19

Retailer: BALLEYS BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 342761 OLVER

Special Instructions

Page 1 of 2

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
	25mm (✓)	35mm (✓)	50mm (✓)							STD (✓)	LHS (✓)	RHS (✓)	BOX (✓)					
1	CON			740	1510	EX	2600		EXPRESSIONS					7/5	1	1	✓	
2	STDS			740	1510				CIRCUS					7/5	1	1	✓	
3	L50			800	1510									7/5	1	1	✓	
4	R2			800	1510									7/5	1	1	✓	
5				800	1510									7/5	1	1	✓	
6				800	1510									7/5	1	1	✓	
7				800	1510									7/5	1	1	✓	
8				710	1510									7/5	1	1	✓	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

X 1910

Customer has been advised on (✓):

The Child Safety Regulations EN13200 and the use of child safety devices

Minimum distances applying to operating cords



# Rainbow Blinds

# WOOD VENETIAN BLINDS

## Order Form

Special Instructions

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wvishaw  
 ML2 OEG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Date: 15-10-19

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 342781 OLIVER

Pge 282

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				BRACKETS	PELMET		ORDER				
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)		Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)		
1 CON SIDE			/	710	1910	EX	2600		EXPRESSIONS	/						1730	NO	YES	1	✓	
2 KIT				1709	1005	1/R			CIRROS												✓
3																					
4																					
5																					
6																					
7																					
8																					

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All Blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN13200 and the use of child safety devices

Minimum distances applying to operating cords

order reference: **342781**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

### order reference

342781

### delivery address

Baileys Blinds, DL166DB

### line items

line 10:

#### 50mm cirrus expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>74.0 cm</b>
Drop *:	<b>151.0 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 20:

#### 50mm cirrus expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>74.0 cm</b>
Drop *:	<b>151.0 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 30:

### 50mm cirrus expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>80.0 cm</b>
Drop *:	<b>151.0 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 40:

### 50mm cirrus expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>80.0 cm</b>
Drop *:	<b>151.0 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 50:

### 50mm cirrus expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>80.0 cm</b>
Drop *:	<b>151.0 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 60:

### 50mm cirrus expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>80.0 cm</b>
Drop *:	<b>151.0 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 70:

### 50mm cirrus expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>80.0 cm</b>
Drop *:	<b>151.0 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>80 cm</b>

line 80:

### 50mm cirrus expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>71.0 cm</b>
Drop *:	<b>191.0 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>80 cm</b>

**BRANDS**

line 90:

**50mm cirrus**

expressions **DIARIUS**

**SHERWOOD**

Exact or Recess \*: **Exact**  
 Units of Measurement \*: **cm**  
 Width \*: **71.0 cm**  
 Drop \*: **191.0 cm**  
 Installation Height \*: **260.0 cm**  
 Controls Length: **80 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

line 100:

**50mm cirrus**

expressions **IS**



Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **170.9 cm**  
 Drop \*: **100.5 cm**  
 Installation Height \*: **260.0 cm**  
 Controls Length: **80 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required: **Yes**  
 Valance Type \*: **Non-Standard**  
 Non-Standard Valance **173.0 cm**  
 Length:  
 Valance Returns Required \*: **No**  
 Qty: **1**

**Contact Form**

Leave a message and we will be in touch

**Call Arena**

On 0800 389 7281

Weekdays 8am - 5pm

© 2019 Arena Terms & Conditions Anti-Slavery Statement

Back To Top

version :