

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name **HAWMAN**

Address **10, THE LEAS**

**DARLINGTON**

Post Code **DL1 3DD**

Tel. home	
Tel. work	
mobile	<b>07866 824 746</b>
email	

DATE MEASURED/ORDERED

**19/11/19**

Measured By:

**SHAUN HANLEY**

CURTAINS		
PLEATED		
ROLLERS		
ROMANS		
SHUTTERS		
VENETIAN		
VERTICALS		
VISION		
WOODEN	<b>X</b>	<b>9</b>

## SPECIAL INSTRUCTIONS

**R.W.R.**

**FIX ONTO  
DOORS  
FIT SIDES ONTO  
FRAME USING  
BLOCKS OR EXI  
BKTS**

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By

DATE

DAY

AM

PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
							<b>PVC</b>			<input checked="" type="checkbox"/>

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
CON	650	1468	1/2	EXPRESSIONS			
SIDES	660	1395	EX	SNOW RTN R	STD	2509	100
LTO	780	1475	1/2	35MM			100
R	780	1475	1/2	} 1x PKL 2290 WITH RTN ON L			116
	700	1475	1/2				116
	780	1475	1/2				100
	640	1880	EX		RTNS RTN R		
	640	1880	EX	RTNS BCTM SIDES			116
	1360	1468	1/2	RTN BOTH SIDES			116
							170
				STD CONTROLS			- 15% Disc
				L- TILT			
				R- RAISE			£ 890

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 890
05/300 c/c DEPOSIT	£ 200
BALANCE	£ 690

PRICE ACCEPTANCE Customer's Signature

*[Signature]*

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

**ALL BLINDS TO  
BE PAID FOR  
AT TIME OF  
FITTING**

**BBSA**  
BRITISH BLIND & SHUTTER ASSOCIATION

# WOOD VENETIAN BLINDS

## Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

## Order Form

Special Instructions  
 Page 1 of 2

Telephones:  
 Email:  
 Signature:  
 Purchase Reference No:  
 342933 HAWKIN

Date: 19-11-19  
 Retailer: BAILEY'S BLINDS  
 Address: SPENNYMOOR SHOP  
 Date Required:

Window	Slat Width			Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		TOTAL COST (£)			
	25mm (v)	35mm (v)	50mm (v)						Operation			LHS (v)	RHS (v)	BOX (v)	Width (mm)		Return (mm)	Price (£)	Qty
									STD (v)	LHS (v)	RHS (v)								
1	/	/	/	1468	1/2	2500		EXPRESSIONS	/	/	/				R	1			
2	/	/	/	1395	EX			SNOW	/	/	/				BOTH SIDES	1			
3	/	/	/	1475	1/2				/	/	/				1xPEL L	1			
4	/	/	/	1475	1/2				/	/	/				2290	1			
5	/	/	/	1475	1/2				/	/	/				R2N	1			
6	/	/	/	1475	1/2				/	/	/				R	1			
7	/	/	/	1880	EX				/	/	/				BOTH SIDES	1			
8	/	/	/	1880	EX				/	/	/				BOTH SIDES	1			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device  
 Customer has been advised on (v):  The Child Safety Regulations EN13200 and the use of child safety devices  
 Minimum distances applying to operating cords

## Order Form

### Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Telephone: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Signature: \_\_\_\_\_  
 Purchase Reference No: **342933 HAWMAN**  
 Special Instructions: **Pge Zofz**

Date: **19-11-19**  
 Retailer: **BAILETS BLINDS**  
 Address: **SPENNYMOOR SHOP**  
 Date Required: \_\_\_\_\_

Window	SLAT WIDTH				Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS	PELMET		TOTAL COST (£)	
	Operation			Return (mm)							Price (£)	Qty						
	STD (v)	LHS (v)	RHS (v)										Width (mm)					
1	25mm (v)	35mm (v)	50mm (v)	1360	1468	1/R	2500			EXPRESSIONS SNOW	✓				8077 51025	1		
2																		
3																		
4																		
5																		
6																		
7																		
8																		

**NOTE:** UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on ( v ):  The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

**0800 389 7281**  
sales@arena-blinds.com



Welcome back [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk)

**ACCOUNT**

**SIGN OUT**

[change password](#)

**PRODUCTS SERVICES BRANDS NEWS ABOUT US CONTACT US MEMBERS IMAGERY**

**HOME** ▶ **MEMBER HOME** ▶ **PLACE AN ORDER** ▶ **ORDER SUMMARY**

order reference: **342933**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

### order reference

342933

### delivery address

Baileys Blinds, DL166DB

### line items

#### line 10:

#### 38mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>65.0 cm</b>
Drop *:	<b>146.8 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>Silver</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Manufacturers Notes:	<b>Valance to have RH return only</b>

Location (this will appear on **CONS1**)

#### line 20:

#### 38mm snow expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>66.0 cm</b>
Drop *:	<b>139.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>Silver</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Location (this will appear on label):	<b>CONS2</b>
Qty:	<b>1</b>

## line 30:

**38mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>78.0 cm</b>
Drop *:	<b>147.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>Silver</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>229.0 cm</b>
Valance Returns Required *:	<b>Yes</b>
Manufacturers Notes:	<b>Valance to have LH return only</b>
Location (this will appear on label):	<b>CONS3</b>
Qty:	<b>1</b>

## line 50:

**38mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>70.0 cm</b>
Drop *:	<b>147.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>Silver</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>No</b>
Location (this will appear on label):	<b>CONS5</b>
Qty:	<b>1</b>

## line 40:

**38mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>78.0 cm</b>
Drop *:	<b>147.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>Silver</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>No</b>
Location (this will appear on label):	<b>CONS4</b>
Qty:	<b>1</b>

## line 60:

**38mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>78.0 cm</b>
Drop *:	<b>147.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>Silver</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Manufacturers Notes:	<b>Valance to have RH return only</b>
Location (this will appear on label):	<b>CONS6</b>
Qty:	<b>1</b>

**BRANDS**  
line 80:

line 70:

**38mm snow expressions**  
**AQUARIUS** **SHERWOOD**  
 Exact or Recess \*: **Exact**  
 Units of Measurement \*: **cm**  
 Width \*: **64.0 cm**  
 Drop \*: **188.0 cm**  
 Installation Height \*: **250.0 cm**  
 Controls Length: **70 cm**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **Silver**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Location (this will appear on label): **CONS7**  
 Qty: **1**

**38mm snow expressions**  
**TANBROUGH**  
 Exact or Recess \*: **Exact**  
 Units of Measurement \*: **cm**  
 Width \*: **64.0 cm**  
 Drop \*: **188.0 cm**  
 Installation Height \*: **250.0 cm**  
 Controls Length: **70 cm**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **Silver**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Location (this will appear on label): **CONS8**  
 Qty: **1**

**Contact Form**  
 Leave a message and we will be in touch

**Call Arena**  
 On 0800 389 7281  
 Weekdays 8.30am - 5pm

line 90:

© 2019 Arena Terms & Conditions Anti-Slavery Statement

**38mm snow expressions**

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **136.0 cm**  
 Drop \*: **146.8 cm**  
 Installation Height \*: **250.0 cm**  
 Controls Length: **70 cm**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **Silver**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Location (this will appear on label): **CONS9**  
 Qty: **1**

[Back To Top](#)

version :