



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

339882

DATE MEASURED/ORDERED
25/11/19

Measured By:
AOP

SPECIAL INSTRUCTIONS
TO BE SURVEYED
IF STUDY ONLY
£250 MIN CHARGE

PCUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By: _____ DATE: _____ DAY: _____ AM/PM: _____

Customer's Name: CARLEY
Address: MORLEY HILL COTTAGE
COACH LANE, HAZELRIGG,
Post Code: NE13 7AP

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	X2
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Tel. home: _____
Tel. work: _____
mobile: 07745 918690
email: _____

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
------	-------	-------	-------------	------------------	-------------	-----------	----------	-----------	--------------	---------------

Room	Width	Drop	Slat Size	Colour	Control	Fitting Height	Price
STUDY	1120	687	63	COOL PURPLE	2	1X/1X	193.00
LOUNGE	1050	1410	63	WHITE	NO CONT	2xL	370.00
TOTAL							£563.00

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE: £ 563.00
DEPOSIT: £ 281.50
BALANCE: £ 281.50

PRICE ACCEPTANCE Customer's Signature
16/12/19 AUTH CODE 000383

CASH CHEQUE CARD

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING
BBSA