

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

Customer's Name PATEL
Address 19 BOYLE GROVE
SPENNYMOOR
Post Code DL16 6FA

Tel. home	
Tel. work	
mobile	<u>07896 705510</u>
email	

DATE MEASURED/ORDERED
13/01/20

Measured By:
SHAUN HANLEY

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

SPECIAL INSTRUCTIONS
RWR
*FIT VIEW &
P'FIT FIRST *
GLUE SAFETY CLIP
ON BATT MIDDLE *
BLIND ① CUT
OUT ②
300 } 370
1365

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By _____ DATE _____ DAY _____ AM _____ PM _____

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
KIT L	418	810	25	P'FIT VIEW 18mm	L		124
- R	510	900	25	WHITE FRAME	R		124
DIN L				0952 (A)			
PATIO	1433	2048	3 1/2	COLOURTEX	LS		153
PATIO DIN	1170	1445	3 1/2	ASH	LS		121
LIV ROOM	470	1444	3 1/2	MIMMI	LL	2100	91
BAY	1410	1444		SHARKSKIN	LS		152
	470	1444			RR		91
FRONT B L	1525	1136	EXT	NOVA TAUPE	L	2100	289
LAND	869	1138		B'OUT LINING	L		157
F'BED R	869	1141			L		157
B'BED L	1150	1135	EXT	AMAYA TAUPE	L	2100	195
- R	1528	1134		B'OUT LINING	L		287
				P.M - 25% DISC		1350	1941

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1350
DEPOSIT £ 400
BALANCE £ 950


PRICE ACCEPTANCE Customer's Signature

SH
[Signature]

CASH CHEQUE CARD

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING





Rainbow Blinds

Rainbow Blinds & Interiors
61 Canyon Road
Excelsior Park
Wishaw
ML2 0EG
T. 01698 351 888
F. 01698 351 999
sales@rainbow-blinds.com

VERTICAL BLINDS

Order Form

Date: 13-01-20

Retailer: BILEYS BLINDS

Address: SPENNITHOGA SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 343248 PATEL

Special Instructions: WHITE WTS & CHAINS

	BLIND SIZE				CONTROLS				OPTIONS			ORDER						
	Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	Draw		Operation		Headrail Colour	Top/Face Fix	Price (£)	Qty	TOTAL COST (£)
1	PATIO	1433	2045	1/R	2100		COLOURTEX	ASH						WHITE	TOP		1	
2	DIN	1170	1445				(LOWOULT) 3/2										1	
3	LIV	470	1444				MIMM	SHARKSKIN									1	
4	Room	1410	1444														1	
5	BAT	470	1444														1	
6								(AEREND) 3 1/2										
7																		
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

ROMAN BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road
Excelsior Park

Wishaw
ML2 0EG

T. 01698 351 888
F. 01698 351 999
sales@rainbow-blinds.com

Date: 13-01-20

Retailer: BILEY'S BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 343248 PATEL

Special Instructions

WITH
PELMETS
CHROME
S' WINDERS

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Fabric Range & Colour	BLIND			HEADRAIL			FINISH			ORDER			
						STD (v)	Blackout (v)	Unlined (v)	Roman (v)	Length of Control Chain (mm)	RHS (v)	LHS (v)	Braid	Shape	Eyelets	Pleat matching required (v)	Price (£)	Qty
1	FBL	1525	1136	EX	2100	NOVA TAPE	/	/	/	/	/	/	/	/	/	/	1	1
2	LND	869	1138			(ECLIPSE)	/	/	/	/	/	/	/	/	/	/	1	1
3	FBR	869	1141			ARITA TAPE	/	/	/	/	/	/	/	/	/	/	1	1
4	BBL	1150	1135			ARITA TAPE	/	/	/	/	/	/	/	/	/	/	1	1
5	BBA	1528	1134			ARITA TAPE	/	/	/	/	/	/	/	/	/	/	1	1
6						ARITA TAPE	/	/	/	/	/	/	/	/	/	/	1	1
7																		
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (a):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

14/1/20

FAO RAINBOW

FAX

FOR CUT OUT

SPECIAL INSTRUCTIONS
P/F VENETIAN

343 248 PATEL

FROM SPENNYMOOR

PAM

1 OF 2 SHEETS



Rainbow Blinds

Rainbow Blinds & Interiors

61 Canyon Road
Excelisior Park

Wishaw
ML2 0EG

T. 01698 351 888
F. 01698 351 999

sales@rainbow-blinds.com

FOR CUT OUT

PERFECT FIT BLINDS

Order Form

Special Instructions

BLIND 1 CUT
OUT ON (A)
SIDE OF FRAME
370
3114
365
GLASS SIZE

Date: 13-01-20

Retailer: BAILEYS

Address: SPENNYTHOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 343248 PATEL

PLEATED

VENETIAN

ROLLER

Window	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH				BRACKET		CONTROLS				ROLLER		Price (£)	Qty	TOTAL COST (£)
					16mm (v)	25mm (v)	18/20mm (v)	24/30mm (v)	STD	LH	RH	REV	Tension d	YES	NO				
1	KIT L 418	810	WHITE	0952 (A)		/	/	18		/								1	
2	" R 510	900	"	"		/		18											
3																			
4																			
5																			
6																			
7																			
8																			

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device
Venetian blinds will be tensioned unless stated otherwise.

Customer has been advised on (v):
The Child Safety Regulations EN13120 and the use of child safety devices
Minimum distances applying to operating cords