



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

VERTICAL BLINDS

Order Form

Page 1/3

Date: 16/7/20
 Retailer: BAUVETS
 Address: SPENNYMOOR
 Date Required:

Telephone:
 Email:
 Signature:
 Purchase Reference No: 340402
 Special Instructions:

BLIND SIZE										CONTROLS			OPTIONS		ORDER	
Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	Draw	Operation		Headrail Colour	Top/Face Fix	Slat Size 89mm or 127mm	Wand	Weight and chained
									RHS (v)	LHS (v)	SPLIT (v)	RHS (v)	LHS (v)			
1 FIVE L	853	1102	R	2060		PVC PHOENIX	WHITE		L			R		89	✓	
2 KIT	850	1128	R	2060		"	"		L			R		89	✓	
3 FIVE L	855	987	R	2060		"	"		L					89	✓	
4 FIVE L	1440	1135	R	2060		"	"		L					89	✓	
5 BED	805	1140	R	2060		"	"		L					89	✓	
6 BED	840	990	R	2060		"	"		L					89	✓	
7 FIVE L	853	1095	R	2060		"	"		L					89	✓	
8 BED	848	1128	R	2060		"	"		L					89	✓	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v): The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

All WANDS OPERATED All WANDS TO BE 1000



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

VERTICAL BLINDS

Order Form

Date: 16/7/20
 Retailer: BAILEYS
 Address: SPENNY MOOR
 Date Required:

Telephone:
 Email:
 Signature:
 Purchase Reference No: 340702
 Special Instructions:

Pages 2/3

Window	BLIND SIZE							CONTROLS				OPTIONS			ORDER		
	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	Draw		Operation		Headrail Colour	Top/Face Fix	Slot Size 89mm or 127mm	Wand and chained	Weight
									RHS (v)	LHS (v)	SPLIT (v)	RHS (v)					
FUA31K1	857	1125	R	2060		PVC	WHITE		L				W	T	89	✓	✓
2 BED	850	1115	R	2060		u	u		L				W	T	89	✓	✓
FUA7BED	853	1135	R	2060		u	u		L				W	T	89	✓	✓
4 KUT	1437	1135	R	2060		u	u		R				W	T	89	✓	✓
FUA8 K1	1450	1135	R	2060		u	u		R				W	T	89	✓	✓
6 SIDE	840	1130	R	2060		u	u		L				W	T	89	✓	✓
7 BED	855	1153	R	2060		u	u		L				W	T	89	✓	✓
FUA9 10	865	995	R	2060		u	u		L				W	T	89	✓	✓

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS NECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device
 Customer has been advised on (v): The Child Safety Regulations EN13120 and the use of child safety devices Minimum distances applying to operating cords

All WAND OPERATED ALL WANDS TO BE 1000



Rainbow Blinds

Rainbow Blinds & Interiors
61 Canyon Road
Excelsior Park
Wishaw
ML2 0EG
T. 01698 351 888
F. 01698 351 999
sales@rainbow-blinds.com

PRES3/3

VERTICAL BLINDS

Order Form

Date: 16/7/20

Retailer: BAILEYS

Address: SPENNYMOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 340402

Special Instructions:

Window	BLIND SIZE					CONTROLS				OPTIONS			ORDER					
	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	Draw		SPLIT (v)	RHS (v)	LHS (v)	Headrail Colour	Top/Face Fix	Slat Size 89mm or 127mm	Wand and chained	Weight
									RHS (v)	LHS (v)								
FLAT 11 BED	843	997	R	2060		PRE	WHITE		✓	✓	✓				89	✓		
FLAT 4K1	852	997	R	2060		n	n		✓	✓	✓				89	✓		
4 SIDE	860	1112	R	2060		n	n		✓	✓	✓				89	✓		
5 BED	853	1110	R	2060		n	n		✓	✓	✓				89	✓		
6	845	1130	R	2060		n	n		✓	✓	✓				89	✓		
7																		
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

MY HUSBAND'S PROBLEMS

Page 23

210101

Where did you get our frame: _____
 Measure Date: _____
 Sale by: _____

Comments: _____

Type	Material Code	Width	Deg.	Rep	Cont.	Right	Left	Location	MEDICAL				ROLLER				Price (inc)
									HR	W	Coil	Shasta	Pat's	Time	Form	Roll	
3A	RW	W/106	1175	R				T PART 3	L W 1000							1A 2060	58.80
3A	"	880	1115	R				T BED	L W 1000							1A 2060	58.80
3A	"	883	1135	R				T PART 7	L W 1000							1A 2060	58.80
3A	"	1457	1135	R				T KIT	R W 1000							1A 2060	88.20
3A	"	1450	1135	R				T PART 8	R W 1000							1A 2060	88.20
3A	"	880	1130	R				T SIDE	L W 1000							1A 2060	58.80
3A	"	885	1153	R				T BED	L W 1000							1A 2060	58.80
3A	3A/130	905	995	R				T PART 10	L W 1000							1A 2060	58.80
3A	3A	1465						KIT								1A 2060	58.80
																	2 BUNDLES REQUIRED

AMMUNITION RECORDS

2/3

3-10-07

Where did you get our name:

Solice

Sale By:

Comments:

Date	Material Code	Width	Dens	Rep	Card	Bolt	Location	VERTICAL			ROLLERS			Price (inc)					
								Snch	Col	Mag	Ensr	Pa's	Time		Time	Pol			
3/1	WC WARE	818	997	R		T	FUR II	LW	900						14	7000	36	00	
"	810 810 *						KIT #0		900						*	W/SLING	262MS		
"	810 810 *	852	997	R		T	BED	LW	900										
3/1	WC WARE	860	1112	R		T	FUR II	LW	900							14	7000	36	00
3/1	"	853	1110	R		T	FUR II	LW	900							14	7000	36	80
3/1	"	815	1130	R		T	BED	LW	900							14	7000	36	80

3-10-07