

Baileys

Blinds

A member of the G. C. Group

OUR REF: RSH//340428

34 HIGH ST
SPENNYMOOR
CO.DURHAM
DL16 6DB
01388 813267

FAX.01388 814895

E-MAIL Commercial@baileys-blinds.co.uk

Wednesday 19th February 2020
IKE Supported Living
113, Byerley Road
Shildon
DL4 1HU

Dear Sir / Madam,

Thank you for your enquiry. Please find our quotation detailed below: -

Type	Colour	Location	Price
1 Nr Roller Blind	Acacia Light Grey	Kitchen	£67.20 + Vat

Payment Terms: 30 Days after Month End.

Once order is placed and fitting date agreed if for any reason we are unable to gain access to site which is not the fault of Baileys, we reserve the right to make an additional surcharge.

Should you require any further information please contact our Commercial Sales department, quoting the above reference.

If you wish to proceed please Email your Purchase Order with your Invoice Email Address on to the Commercial Sales Department.

Yours sincerely Julie Horner

Commercial sales dept.



Rainbow Blinds

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 24-02-20

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 340428 P1077

Special Instructions

	BLIND SIZE						ORDER								
	Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 42mm, 45mm	Fabric Range	Fabric Colour	Louvolite, Benthin, Eclipse	LHC / RHC	Child Safety	Price (£)	Qty	TOTAL COST (£)
1	KT	1315	1230	1/2	2500		32	Acacia	LIGHT GREY		R	W	1	1	
2															
3															
4															
5															
6															
7															
8															

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords