

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name Dannie

Address 39 Romanby Drive  
Darlington

Post Code DL38ET

Tel. home	
Tel. work	
mobile	<u>07719 160 602</u>
email	

DATE MEASURED/ORDERED

18 / 02 / 2020

Measured By:

Shaun

X URGENT ORDER X 340423

**SPECIAL INSTRUCTIONS**

R.W.R \* URGENT ORDER

~~2-5-2020~~ \*

FULL WIDTH ON SIDES IN BAY  
SCREW FIX P'FIT FRAME ON FRONT DOOR

PC/UST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	X 11 P'FIT
VERTICALS	
VISION	
WOODEN	X 9

Fitted By DATE DAY AM PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
FRONT BL	1743	1125	50	EXPRESSIONS	STD	2500	166
-- R	1180	1130		CIRCUS			112
B' BED L	1180	1133		REL 1180			112
-- R	1165	1128					112
LIV L	540	1435					79
ROOM M	2320	1435					328
BAY R	540	1435					79
STUDY	1978	1435					266
KIT	1753	985				2600	166
HALL L	385	918	25	P'FIT BEAD 27	L		173
DOOR	530	886		VEN	R		163
HALL R	385	917		WHITE FRAMES	R		173
PATIO	230	1959		TENSIONLO	L		195
LTO	386	1816		STYLLS	L		229
R	385	1816		7439 (C)	R		229
	230	1959		*BI-FOLD FRAME	R		195
BI-FOLD	570	1907	*	R SIDE 1880 BEAD 39	L		229
DOORS	570	1907	*	1x3 (3mm)	L		229, 229
LTO R	565	1907	*	CUT OUT 1845	R		229

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 2769
775 DEPOSIT	£ 1300
BALANCE	£ 1469

PRICE ACCEPTANCE Customer's Signature

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**

CASH	CHEQUE	CARD
------	--------	------



# Rainbow Blinds

# WOOD VENETIAN BLINDS

# Order Form

Rainbow Blinds & Interiors

61 Canyon Road  
Excelsior Park  
Wishaw

ML2 OEG  
T. 01698 351 888  
F. 01698 351 999  
sales@rainbow-blinds.com

Date: 18-02-20

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:  
340423 DARRIE

Special Instructions

Page 1 of 2

### BLIND SIZE

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COS (£)
	25mm (✓)	35mm (✓)	50mm (✓)							STD (✓)	LHS (✓)	RHS (✓)	BOX (✓)					
1 Fibrol				1743	1125	1/R	2500		EXPRESSIONS									
2 - R				1180	1130				CIRAVS									
3 B B L				1180	1133									1180				
4 - R				1165	1128													
5 L N L				540	1435													
6 Room M				2320	1435													
7 B A R				540	1435													
8 Stud				1978	1435													

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

# Rainbow Blinds

# WOOD VENETIAN BLINDS

## Order Form

Special Instructions

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Date: 18-02-20

Retailer: BALLETS BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 340423 DARRIE

Page 2 of 2

	Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
		25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)					
1	Kit			✓	1753	985	1/R	2600		Expressions and Colour CLEAR	✓							1	
2																			
3																			
4																			
5																			
6																			
7																			
8																			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

[ACCOUNT](#)[SIGN OUT](#)[change password](#)[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)order reference: **340423**We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).**order reference**

340423

**delivery address**

Baileys Blinds Ltd, DL166DB

**line items****line 10:****50mm cirrus expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>174.3 cm</b>
Drop *:	<b>112.5 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>Silver</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 20:****50mm cirrus expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>118.0 cm</b>
Drop *:	<b>113.0 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>Silver</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 30:****line 40:**

### 50mm cirrus expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>118.0 cm</b>
Drop *:	<b>113.3 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>Silver</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>118.0 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

line 50:

### 50mm cirrus expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>54.0 cm</b>
Drop *:	<b>143.5 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pul. Type *:	<b>None</b>
Universal Extention Colour *:	<b>Silver</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 70:

### 50mm cirrus expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>54.0 cm</b>
Drop *:	<b>143.5 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>

### 50mm cirrus expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>116.5 cm</b>
Drop *:	<b>112.8 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>Silver</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 60:

### 50mm cirrus expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>232.0 cm</b>
Drop *:	<b>143.5 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>Silver</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 80:

### 50mm cirrus expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>197.8 cm</b>
Drop *:	<b>143.5 cm</b>
Installation Height *:	<b>250 cm</b>
Controls Length:	<b>70 cm</b>

Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **Silver**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **Silver**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

line 90:

### 50mm cirrus expressions

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **175.3 cm**  
 Drop \*: **98.5 cm**  
 Installation Height \*: **260 cm**  
 Controls Length: **80 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **Silver**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

BRANDS

AQUARIUS

## Contact Form

Leave a message and we will be in touch

## Call Arena



# Rainbow Blinds

Rainbow Blinds & Interiors  
61 Canyon Road  
Excelsior Park  
Wishaw  
ML2 0EG  
T. 01698 351 888  
F. 01698 351 999  
sales@rainbow-blinds.com

# PERFECT FIT BLINDS

## Order Form

PLEATED

VENETIAN

ROLLER

Date: 18-02-29

Retailer: BAILEYS

Address: SPENNYMOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 340423 DRAIE

Special Instructions  
Blinds 810x2000  
ON R SIDE OF FRAME  
880 }  
3m }  
845 }  
Pg 1 of 2

Window	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH		BRACKET		CONTROLS			ROLLER		Price (£)	Qty	TOTAL COST (£)
					16mm (v)	25mm (v)	18/20mm (v)	24/30mm (v)	VENETIAN Controls	STD	LH	RH	REV			
1 HALL	385	918	WHITE	7430 (C)	/	/		30	/	/	/	/	/		1	
2 DOOR	530	886			/	/			/	/	/	/	/		1	
3 HALL R	385	917			/	/			/	/	/	/	/		1	
4 PASS	230	1959			/	/			/	/	/	/	/		1	
5 LTA	386	1816			/	/			/	/	/	/	/		1	
6 R	385	1816			/	/			/	/	/	/	/		1	
7	230	1959			/	/			/	/	/	/	/		1	
8 81-R-2	570	1907			/	/			/	/	/	/	/		1	

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device  
Venetian blinds will be tensioned unless stated otherwise.

Customer has been advised on (v):  
The Child Safety Regulations EN13240 and the use of child safety devices  
Minimum distances applying to operating cords



# Rainbow Blinds

# PERFECT FIT BLINDS

## Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 0EG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date: 18-02-20

Retailer: BAILEYS

Address: SPENNYHOOB

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 340423 DARRIE

Special Instructions  
 Blinds 10 cut  
 OUT ON (R)  
 SIDE OF FRAME  
 SEE PAGE 1.  
 Pg 2 of 2

PLEATED

VENETIAN

ROLLER

Window	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH		BRACKET		CONTROLS				ROLLER		Price (£)	Qty	TOTAL COST (£)	
					16mm (✓)	25mm (✓)	18/20mm (✓)	24/30mm (✓)	STD	LH	RH	REV	Tensord	YES				NO
1	81-	570	1907	White	7430 (C)	✓	✓	30	✓	✓	✓	✓	✓	✓	✓	1	1	1
2	Fold	570	1907			✓	✓		✓	✓	✓	✓	✓	✓	✓	1	1	1
3		565	1907			✓	✓		✓	✓	✓	✓	✓	✓	✓	1	1	1
4																		
5																		
6																		
7																		
8																		

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device  
 Venetian blinds will be tensioned unless stated otherwise.

Customer has been advised on (✓):  
 The Child Safety Regulations EN1320 and the use of child safety devices  
 Minimum distances applying to operating cords