

ROLLER BLINDS

Order Form

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 18-2-20

Retailer: ASIF

Address: GOSFORTH

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:
341348

Special Instructions
 CHROME
 E Leds
 FABRIC OFF
 FRONT

	BLIND SIZE							ORDER							
	Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvolite, Benthin, Eclipse	LHC / RHC	CC / F I n h i s	Price (£)	Qty	TOTAL COST (£)
1		1630	1130	R	2300		32	BERKLEY	EBONY		R C				
2															
3															
4															
5															
6															
7															
8															

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

VERTICAL BLINDS

Order Form

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date:	18-2-20
Retailer:	ASIF
Address:	GOSFORTH
Date Required:	
Telephone:	
Email:	
Signature:	
Purchase Reference No:	341348
Special Instructions:	

	BLIND SIZE						CONTROLS			OPTIONS			ORDER						
	Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	Draw			Headrail Colour	Top/Face Fix	Slat Size 89mm or 127mm	Wand	Weight and chained		
										RHS (v)	LHS (v)	SPLIT (v)						RHS (v)	LHS (v)
1	1158	1160	R	2200		HEYWOOD	WHITE		<input checked="" type="checkbox"/>										
2																			
3																			
4																			
5																			
6																			
7																			
8																			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (v): The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords: