



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

Customer's Name Walker
Address 80 Orchard Road
Darlington
Post Code DL3 6HR

Tel. home
Tel. work
mobile 07900 575 407
email

DATE MEASURED/ORDERED
11 / 03 / 2020

Measured By:
Shaun

CURTAINS		
PLEATED		
ROLLERS	X	1
ROMANS		
SHUTTERS		
VENETIAN		
VERTICALS		
VISION		
WOODEN	X	9

Go Ahead 340568

SPECIAL INSTRUCTIONS

~~CHISEL - Post~~
~~CALLING TO STARVA~~
~~TRAC~~
FIX BED BAT
TO TOP OF WOOD
FIX LIV BAT
TO FRAME WITH
EXT BATS

PI/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
					1/R		PVC	/	/	/

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
BATH	610	1200	1/RW	ROLLER CARIST SILVER SAMPLE 1	R	2300	89
B' BED L	883	1560	50	EXPRESSIONS	STD	2700	140
-- R	1083	1560		SNOW WITH	STD	"	190
FRONT L	920	1865		WHITE TAPES RTNL	STD	2900	194
BED 7	845	1865			STD		170
R	910	1865			RTNR STD		194
PATIO	1240	2386		PA 1245	STD	2700	249
LIV	905	1754		RTNL	STD	2800	165
Room	830	1754			STD		140
BED	905	1754		RTNR	STD		165
							£1696
							- 20%
							DISC
							£1356

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1356
DEPOSIT £ 340
BALANCE £ 1016

PRICE ACCEPTANCE Customer's Signature
card
12/3

CASH	CHEQUE	CARD
------	--------	------

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING





Rainbow Blinds

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road
Excelsior Park

Wishaw
ML2 0EG
T. 01698 351 888
F. 01698 351 999
sales@rainbow-blinds.com

Date: 13-03-20

Retailer: BAILEYS

Address: S MOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 340568 WALKER

Special Instructions

	BLIND SIZE					Fabric Range	Fabric Colour	Louvrette, Benthin, Eclipse	C C LHC / RHC	F i n h s	Price (£)	Qty	TOTAL COST (£)
	Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)								
1	BATH	610	1200	1/2	2300	CAREY	SILVER		R	C	1	1	
2													
3													
4													
5													
6													
7													
8													

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVRETTE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13150 and the use of child safety devices

Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, ML2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

Issue June 2016

WOOD VENETIAN BLINDS

Rainbow Blinds

Order Form

Date: 13-03-20

Telephone: _____

Retailer: BAILEYS BLINDS

Email: _____

Address: SPENNYMOOR SHOP

Signature: _____

Date Required: _____

Purchase Reference No: 340568 WALKER

Special Instructions: _____

Page 1 of 2

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Window	SLAT WIDTH			Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS	PELMET		ORDER		
	Operation								Width (mm)	Return (mm)	Price (£)		Qty	TOTAL COST (£)			
	25mm (v)	35mm (v)	50mm (v)												STD (v)	LHS (v)	RHS (v)
1				883	1560	1/R	2700	EXPRESSIONS	/							1	✓
2				1083	1560	/	"	SNOW WITH WHITE TAPES	/							1	✓
3				920	1865	/	2900		/					L		1	✓
4				845	1865	/			/					R		1	✓
5				910	1865	/			/							1	✓
6				1240	2386	/	2700		/					1245		1	✓
7				905	1754	/	2800		/					L		1	✓
8				830	1754	/	"		/							1	✓


NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date: 13-03-20

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:
 340568 WALKER

Special Instructions:
 Page 2 of 2

Window	SLAT WIDTH				Width (mm)	Drop (mm)	Recess or Exact (mm)	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER	
	Operation		STD (v)	LHS (v)							RHS (v)	BOX (v)	Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)		
	25mm (v)	35mm (v)																50mm (v)	
1	B&R			/	905	1754	1/2	2800		EXPRESSIONS SNOW WITH WHITE TAPES	/					R		1	✓
2																			
3																			
4																			
5																			
6																			
7																			
8																			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

0800 389 7281
sales@arena-blinds.com



Welcome back accounts@baileys-blinds.co.uk

ACCOUNT

SIGN OUT

[change password](#)

PRODUCTS SERVICES BRANDS NEWS ABOUT US CONTACT US MEMBERS IMAGERY

HOME ▶ **MEMBER HOME** ▶ **PLACE AN ORDER** ▶ **ORDER SUMMARY**

order reference: **340568**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

340568

delivery address

Baileys Blinds Ltd, DL166DB

line items

line 10:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	88.3 cm
Drop *:	156.0 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 20:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	108.3 cm
Drop *:	156.0 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 30:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	92.0 cm
Drop *:	186.5 cm
Installation Height *:	290.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have LH return only
Qty:	1

line 50:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	91.0 cm
Drop *:	186.5 cm
Installation Height *:	290.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have RH return only
Qty:	1

line 70:

50mm snow

line 40:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	84.5 cm
Drop *:	186.5 cm
Installation Height *:	290.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 60:

50mm snow expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	124.0 cm
Drop *:	238.6 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	124.5 cm
Valance Returns Required *:	No
Qty:	1

line 80:

50mm snow

By using our site, you consent to our use of cookies. [Learn More](#)

expressions

BRANDS expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **90.5 cm**
 Drop *: **AQUARIUS**
 Installation Height *: **280.0 cm**
 Controls Length: **90 cm**
 Cord or Tape Ladder *: **Tape**
 Tape Colour *: **White**
 Raise / Lower Control Side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Manufacturers Notes: **Valance to**
 Leave a message and we will be in **have LH return**
 touch **only**
 Qty: **1**

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **83.0 cm**
 Installation Height *: **280.0 cm**
 Controls Length: **90 cm**
 Cord or Tape Ladder *: **Tape**
 Tape Colour *: **White**
 Raise / Lower Control Side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Manufacturers Notes: **Valance to**
 Leave a message and we will be in **have RH return**
 touch **only**
 Qty: **1**

Contact Form

Call Arena

On 0800 389 7281
Weekdays 8.30am - 5pm

line 90:

© 2020 Arena Terms & Conditions Anti-Slavery Statement
50mm show expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **90.5 cm**
 Drop *: **175.4 cm**
 Installation Height *: **280.0 cm**
 Controls Length: **90 cm**
 Cord or Tape Ladder *: **Tape**
 Tape Colour *: **White**
 Raise / Lower Control Side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Manufacturers Notes: **Valance to**
 touch **have RH**
 return **only**
 Qty: **1**

[Back To Top](#)

version :

By using our site, you consent to our use of cookies. I Understand Learn More