



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

DATE MEASURED/ORDERED
10 / 03 / 2020

340554

Measured By:

Shaun

SPECIAL INSTRUCTIONS

RWR

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name Day
Address 5 Bourne Avenue
Darlington
Post Code DL1 1LJ

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Tel. home	
Tel. work	
mobile	07591612313
email	

Fitted By	DATE	DAY	AM	PM

rail type & colour		white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets	
alum	white / brown							top	face
	✓		✓	1/2			✓	✓	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
BATH	507	994	50	EXPRESSIONS GREIGE	STD	2600	64
KIT	1090	989	3 1/2	ROWAN BLUE	LL	2300	87
LIV	1540	1271	3 1/2	CORSICA STONE (ARENA)	RR	2300	109
							260

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 260
167059 c/c DEPOSIT	£ 60
BALANCE	£ 200

PRICE ACCEPTANCE Customer's Signature

 CASH CHEQUE CARD

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING





Rainbow Blinds

WOOD VENETIAN BLINDS

Order Form

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 10-03-20
 Retailer: BAILETS BLINDS
 Address: SPENNYMOOR SHOP
 Date Required:

Telephone:
 Email:
 Signature:
 Purchase Reference No: 340554 DAY

Special Instructions


Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				BRACKETS	PELMET		ORDER		
	25mm (✓)	35mm (✓)	50mm (✓)							STD (✓)	LHS (✓)	RHS (✓)	BOX (✓)		Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
1	Both			507	994	1/R	2600		EXPRESSIONS GREIGE									1	
2																			
3																			
4																			
5																			
6																			
7																			
8																			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (✓):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors

61 Canyon Road
Excelsior Park
Wishaw

ML2 OEG
T. 01698 351 888
F. 01698 351 999
sales@rainbow-blinds.com

VERTICAL BLINDS

Order Form

Date: 10-03-20

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 340554 DAY

Special Instructions
WEDED
IN WEIGHTS

	BLIND SIZE					CONTROLS				OPTIONS			ORDER						
	Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	Draw		Operation		Headrail Colour	Top/Face Fix	Price (£)	Qty	TOTAL COST (£)	
1	KT	1090	989	1/R	2300		ROMAN	BLUE										1	
2	LIV	1540	1271	1/R	"		CORICA	STONE										1	
3																			
4																			
5																			
6																			
7																			
8																			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords