



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

Customer's Name G. GRIGOR  
Address 62, NORTH FLEW ROAD,  
GOSPORT  
Post Code NE330N

Tel. home \_\_\_\_\_  
Tel. work \_\_\_\_\_  
mobile 07816 951649  
email \_\_\_\_\_

susangrigor@gmail.com

341635

DATE MEASURED/ORDERED  
27/05/20

Measured By:  
RDF

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	<u>13 AXES P</u>
VERTICALS	
VISION	
WOODEN	

**SPECIAL INSTRUCTIONS**

TO BE FITTED AS ABOVE TO LESSON GAPS, CHILD REVISED EXPLAINED TO CUST  
REMOVES OLD CURTAINS TRACKS.

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By \_\_\_\_\_ DATE \_\_\_\_\_ DAY \_\_\_\_\_ AM \_\_\_\_\_ PM \_\_\_\_\_

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
FRONT BEDRM	820	1395	50	COOL WHITE	LH RET	2200	116.00
	1600	1395			RH RET	2200	208.00
	820	1395			RH RET	2200	116.00
SUB TOTAL							440.00
REAR BEDRM	780	1400			LH RET	2200	100.00
	2345	1400			RH RET	2200	328.00
	780	1400			RH RET	2200	100.00
SUB TOTAL							528.00
FRONT LOUNGE	800	1690			LH RET	2350	116.00
	1600	1690			RH RET	2350	208.00
	800	1690			RH RET	2350	116.00
SUB TOTAL							440.00
REAR LOUNGE	680	1780			LH RET	100.00	116.00
	790	1780			RH RET	100.00	116.00
	790	1780			RH RET	100.00	116.00
	680	1780			RH RET	100.00	116.00
SUB TOTAL							440.00
1340 DISC GIVEN IF ALL ORDERED							1872.00
TOTAL							1840.00

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £1500.00  
DEPOSIT £ 750.00  
BALANCE £ 750.00

PRICE ACCEPTANCE Customer's Signature  
card 2815

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**

CASH	CHEQUE	CARD
------	--------	------



ARENA  
 EXPRESSIONS - VENETIANS  
 DELIVER TO  
 BAILEYS BLINDS  
 211 HIGH ST  
 GOSFORTH  
 NE3 1BQ

TEL: 01388 813267

ORDER REF: 341635 (921902)      BAILAS ORDERED BY: BAILEYS  
 ORDER DATE: 28/5/20      DATE REQUIRED: ASAP

	QTY	SLAT SIZE	SLAT COLOUR	WIDTH	DROP	RECESS/ EXACT	CONTROLS	FT HEIGHT
①	1	50	COOL WHITE	820	1395	E	S	2200
②	1	50	—	1600	1395	E	S	—
③	1	50	—	820	1395	E	S	—
④	1	50	—	750	1400	E	S	—
⑤	1	50	—	2345	1400	E	S	—
⑥	1	50	—	750	1400	E	S	—
⑦	1	50	—	800	1690	E	S	2350
⑧	1	50	—	1600	1690	E	S	—
⑨	1	50	—	800	1690	E	S	—
⑩	1	50	—	680	1780	E	S	—
⑪	1	50	—	790	1780	E	S	—
⑫	1	50	—	790	1780	E	S	—
⑬	1	50	—	680	1780	E	S	—

SPECIAL INSTRUCTIONS:

No TAPES.

R/U ROUND REQUIRED FOR BINDS = ③ ⑥ ⑨ ⑪ ⑬

L/U — — — — — = ① ⑤ ⑦ ⑩ ⑫



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **341635**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

### order reference

341635

### delivery address

Baileys Blinds, DL166DB

### line items

#### line 10:

#### 50mm cool white expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>82.0 cm</b>
Drop *:	<b>139.5 cm</b>
Installation Height *:	<b>220 cm</b>
Controls Length:	<b>40 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Manufacturers Notes:	<b>Valance to have LH return only</b>
Qty:	<b>1</b>

#### line 20:

#### 50mm cool white expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>160.0 cm</b>
Drop *:	<b>139.5 cm</b>
Installation Height *:	<b>220 cm</b>
Controls Length:	<b>40 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 30:

### 50mm cool white expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>82.0 cm</b>
Drop *:	<b>139.5 cm</b>
Installation Height *:	<b>220 cm</b>
Controls Length:	<b>40 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Manufacturers Notes:	<b>Valance to have RH return only</b>
Qty:	<b>1</b>

line 40:

### 50mm cool white expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>75.0 cm</b>
Drop *:	<b>140.0 cm</b>
Installation Height *:	<b>220 cm</b>
Controls Length:	<b>40 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 50:

### 50mm cool white expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>234.5 cm</b>
Drop *:	<b>140.0 cm</b>
Installation Height *:	<b>220 cm</b>
Controls Length:	<b>40 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Manufacturers Notes:	<b>Valance to have LH return only</b>
Qty:	<b>1</b>

line 60:

### 50mm cool white expressions

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>75.0 cm</b>
Drop *:	<b>140.0 cm</b>
Installation Height *:	<b>220 cm</b>
Controls Length:	<b>40 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>White</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Manufacturers Notes:	<b>Valance to have RH return only</b>
Qty:	<b>1</b>

line 70:

### 50mm cool white expressions

Exact or Recess *:	<b>Exact</b>
--------------------	--------------

line 80:

### 50mm cool white expressions

Exact or Recess *:	<b>Exact</b>
--------------------	--------------

Units of Measurement \*: **cm**  
 Width \*: **80.0 cm**  
 Drop \*: **169.0 cm**  
 Installation Height \*: **235 cm**  
 Controls Length: **50 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split cm**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **White**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No cm**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Manufacturers Notes: **Valance to have LH return only**  
 Qty: **1**

line 90:

### 50mm cool white expressions

Exact or Recess \*: **Exact**  
 Units of Measurement \*: **cm**  
 Width \*: **80.0 cm**  
 Drop \*: **169.0 cm**  
 Installation Height \*: **235 cm**  
 Controls Length: **50 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split cm**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **White**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No cm**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Manufacturers Notes: **Valance to have RH return only**  
 Qty: **1**

line 110:

### 50mm cool white expressions

Exact or Recess \*: **Exact**  
 Units of Measurement \*: **cm**  
 Width \*: **79.0 cm**  
 Drop \*: **178.0 cm**  
 Installation Height \*: **235 cm**  
 Controls Length: **50 cm**  
 Cord or Tape Ladder \*: **Cord**

Units of Measurement \*: **cm**  
 Width \*: **160.0 cm**  
 Drop \*: **169.0 cm**  
 Installation Height \*: **235 cm**  
 Controls Length: **50 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split cm**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **White**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No cm**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

line 100:

### 50mm cool white expressions

Exact or Recess \*: **Exact**  
 Units of Measurement \*: **cm**  
 Width \*: **68.0 cm**  
 Drop \*: **178.0 cm**  
 Installation Height \*: **235 cm**  
 Controls Length: **50 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split cm**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **White**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No cm**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Manufacturers Notes: **Valance to have LH return only**  
 Qty: **1**

line 120:

### 50mm cool white expressions

Exact or Recess \*: **Exact**  
 Units of Measurement \*: **cm**  
 Width \*: **79.0 cm**  
 Drop \*: **178.0 cm**  
 Installation Height \*: **235 cm**  
 Controls Length: **50 cm**  
 Cord or Tape Ladder \*: **Cord**

Raise / Lower Control Side **Split cm**  
 \*:  
 Pull Type \*: **None**  
 Universal Extention Colour **White**  
 \*:  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No cm**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Manufacturers Notes: **Valance to  
 have RH  
 return only**  
 Qty: **1**

Raise / Lower Control Side **Split cm**  
 \*:  
 Pull Type \*: **None**  
 Universal Extention Colour **White**  
 \*:  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No cm**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Manufacturers Notes: **Valance to  
 have LH  
 return only**  
 Qty: **1**

line 130:

### 50mm cool white expressions

Exact or Recess \*: **Exact**  
 Units of Measurement \*: **cm**  
 Width \*: **68.0 cm**  
 Drop \*: **178.0 cm**  
 Installation Height \*: **235 cm**  
 Controls Length: **50 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side **Split cm**  
 \*:  
 Pull Type \*: **None**  
 Universal Extention Colour **White**  
 \*:  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No cm**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Manufacturers Notes: **Valance to  
 have RH  
 return only**  
 Qty: **1**

BRANDS

AQUARIUS