

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name PEACOCK

Address 80 BAULKHAM HILLS  
PENSHAW

Post Code DH4 7RZ

|           |                     |
|-----------|---------------------|
| Tel. home |                     |
| Tel. work |                     |
| mobile    | <u>07769 314165</u> |
| email     |                     |

DATE MEASURED/ORDERED

31 6 120

Measured By:

ROF

341682

**SPECIAL INSTRUCTIONS**

CHILD DEVICES +  
GAPS EXPLANATION

|        |  |
|--------|--|
| P/CUST |  |
| NET    |  |
| PRESS  |  |
| RADIO  |  |
| MAG.   |  |
| VAN    |  |
| RECC.  |  |
| SHOP   |  |
| TV     |  |
| YELL P |  |
| OTHER  |  |

|           |            |
|-----------|------------|
| CURTAINS  |            |
| PLEATED   |            |
| ROLLERS   |            |
| ROMANS    |            |
| SHUTTERS  |            |
| VENETIAN  | <u>X 7</u> |
| VERTICALS | <u>X 1</u> |
| VISION    |            |
| WOODEN    |            |

|           |      |     |    |    |
|-----------|------|-----|----|----|
| Fitted By | DATE | DAY | AM | PM |
|           |      |     |    |    |

|      |       |       |             |                  |             |           |          |           |              |               |
|------|-------|-------|-------------|------------------|-------------|-----------|----------|-----------|--------------|---------------|
| alum | white | brown | white chain | welded in weight | recess size | motorised | wood fix | stone fix | brackets top | brackets face |
|      |       |       |             |                  |             |           |          |           |              |               |

| Room               | Width       | Drop        | Slat Size    | Colour   | Control LH or RH | Fitting Height | Price                          |
|--------------------|-------------|-------------|--------------|--|------------------|----------------|--------------------------------|
| <u>KITCHEN (1)</u> | <u>600</u>  | <u>990</u>  | <u>50</u>    | <u>SNOW</u> <u>NO</u> <u>LH</u> <u>TOP</u> <u>FR</u> <u>FR</u> | <u>S</u>         | <u>2420</u>    | <u>74.00</u>                   |
| <u>(2)</u>         | <u>1120</u> | <u>988</u>  | <u>4</u>     | <u>+</u> <u>+</u> <u>+</u> <u>PURPLE</u> <u>1145</u>           | <u>S</u>         | <u>---</u>     | <u>112.00</u>                  |
| <u>Lounge (1)</u>  | <u>530</u>  | <u>1300</u> | <u>4</u>     | <u>+</u> <u>+</u> <u>+</u>                                     | <u>S</u>         | <u>2100</u>    | <u>89.00</u>                   |
| <u>(2)</u>         | <u>2205</u> | <u>1300</u> | <u>4</u>     | <u>+</u> <u>+</u> <u>+</u>                                     | <u>S</u>         | <u>---</u>     | <u>295.00</u>                  |
| <u>W.C.</u>        | <u>575</u>  | <u>1005</u> | <u>4</u>     | <u>+</u> <u>+</u> <u>+</u>                                     | <u>S</u>         | <u>---</u>     | <u>74.00</u>                   |
| <u>LAND</u>        | <u>575</u>  | <u>850</u>  | <u>4</u>     | <u>+</u> <u>+</u> <u>+</u>                                     | <u>S</u>         | <u>---</u>     | <u>74.00</u>                   |
| <u>BATHROOM</u>    | <u>1120</u> | <u>995</u>  | <u>4</u>     | <u>+</u> <u>+</u> <u>+</u>                                     | <u>S</u>         | <u>---</u>     | <u>112.00</u>                  |
| <u>DINER</u>       | <u>1715</u> | <u>2045</u> | <u>3 1/2</u> | <u>PERFORMANCE WHITES</u>                                      | <u>R/R</u>       | <u>---</u>     | <u>189.00</u>                  |
|                    |             |             |              |  |                  |                | <u>1019.00</u>                 |
|                    |             |             |              |  |                  |                | <u>18% DISC GIVEN - 153.00</u> |

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 866.00

DEPOSIT £ 433.00

BALANCE £ 433.00

PRICE ACCEPTANCE Customer's Signature

Autu  
182667 5 Peacock

|      |        |                                     |
|------|--------|-------------------------------------|
| CASH | CHEQUE | CARD                                |
|      |        | <input checked="" type="checkbox"/> |

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**

**BBSA**  
BRITISH BLIND & SHUTTER ASSOCIATION

# VERTICAL BLINDS

## Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wisnaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

## Order Form

|                |         |                        |                 |                       |  |
|----------------|---------|------------------------|-----------------|-----------------------|--|
| Date:          | 3-6-20  | Telephone:             |                 | Special Instructions: |  |
| Retailer:      | BAILEYS | Email:                 |                 |                       |  |
| Address:       | GOSFOLD | Signature:             |                 |                       |  |
| Date Required: |         | Purchase Reference No: | 341682 (BACOCK) |                       |  |

|   | BLIND SIZE |            |           |                 | CONTROLS                              |                              |              |               | OPTIONS                        |         | ORDER    |                 |              |                         |        |                    |    |    |    |  |
|---|------------|------------|-----------|-----------------|---------------------------------------|------------------------------|--------------|---------------|--------------------------------|---------|----------|-----------------|--------------|-------------------------|--------|--------------------|----|----|----|--|
|   | Window     | Width (mm) | Drop (mm) | Recess or Exact | Child Safety Installation Height (mm) | Length of Control Chain (mm) | Fabric Range | Fabric Colour | Control Guard Face or Side Fix | Draw    | Operator | Headrail Colour | Top/Face Fix | Slat Size 89mm or 127mm | Wand   | Weight and Chained |    |    |    |  |
| 1 |            | 1715       | 2045      | R               | 2100                                  | /                            | ROSENCE      | WHITES        | /                              | RHS (✓) | LHS (✓)  | SPLIT (✓)       | RHS (✓)      | LHS (✓)                 | WHITES | TOP                | 89 | NO | NO |  |
| 2 |            |            |           |                 |                                       |                              |              |               |                                |         |          |                 |              |                         |        |                    |    |    |    |  |
| 3 |            |            |           |                 |                                       |                              |              |               |                                |         |          |                 |              |                         |        |                    |    |    |    |  |
| 4 |            |            |           |                 |                                       |                              |              |               |                                |         |          |                 |              |                         |        |                    |    |    |    |  |
| 5 |            |            |           |                 |                                       |                              |              |               |                                |         |          |                 |              |                         |        |                    |    |    |    |  |
| 6 |            |            |           |                 |                                       |                              |              |               |                                |         |          |                 |              |                         |        |                    |    |    |    |  |
| 7 |            |            |           |                 |                                       |                              |              |               |                                |         |          |                 |              |                         |        |                    |    |    |    |  |
| 8 |            |            |           |                 |                                       |                              |              |               |                                |         |          |                 |              |                         |        |                    |    |    |    |  |

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):  
 The Child Safety Regulations EUCON and the use of Child safety devices  
 Minimum distance applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wisnaw, ML2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com





ACCOUNT

SIGN OUT

change password

PRODUCTS SERVICES BRANDS NEWS ABOUT US CONTACT US MEMBERS IMAGERY

HOME ► MEMBER HOME ► PLACE AN ORDER ► ORDER SUMMARY

order reference: **341682**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

### order reference

341682

### delivery address

Baileys Blinds, DL166DB

### line items

#### line 10:

#### 50mm snow expressions

|                               |                                       |
|-------------------------------|---------------------------------------|
| Exact or Recess *:            | <b>Recess</b>                         |
| Units of Measurement *:       | <b>cm</b>                             |
| Width *:                      | <b>60.0 cm</b>                        |
| Drop *:                       | <b>99.0 cm</b>                        |
| Installation Height *:        | <b>242 cm</b>                         |
| Controls Length:              | <b>60 cm</b>                          |
| Cord or Tape Ladder *:        | <b>Cord</b>                           |
| Raise / Lower Control Side *: | <b>Split cm</b>                       |
| Pull Type *:                  | <b>None</b>                           |
| Universal Extention Colour *: | <b>White</b>                          |
| Hold Down Brackets *:         | <b>No</b>                             |
| Side Fix Brackets *:          | <b>No cm</b>                          |
| Is Valance Required *:        | <b>Yes</b>                            |
| Valance Type *:               | <b>Standard</b>                       |
| Manufacturers Notes:          | <b>Valance to have LH return only</b> |
| Qty:                          | <b>1</b>                              |

#### line 20:

#### 50mm snow expressions

|                               |                     |
|-------------------------------|---------------------|
| Exact or Recess *:            | <b>Recess</b>       |
| Units of Measurement *:       | <b>cm</b>           |
| Width *:                      | <b>112.0 cm</b>     |
| Drop *:                       | <b>98.5 cm</b>      |
| Installation Height *:        | <b>242 cm</b>       |
| Controls Length:              | <b>60 cm</b>        |
| Cord or Tape Ladder *:        | <b>Cord</b>         |
| Raise / Lower Control Side *: | <b>Split cm</b>     |
| Pull Type *:                  | <b>None</b>         |
| Universal Extention Colour *: | <b>White</b>        |
| Hold Down Brackets *:         | <b>No</b>           |
| Side Fix Brackets *:          | <b>No cm</b>        |
| Is Valance Required *:        | <b>Yes</b>          |
| Valance Type *:               | <b>Non-Standard</b> |
| Non-Standard Valance Length:  | <b>114.5 cm</b>     |
| Valance Returns Required *:   | <b>No</b>           |
| Qty:                          | <b>1</b>            |

line 30:

### 50mm snow expressions

|                               |                 |
|-------------------------------|-----------------|
| Exact or Recess *:            | <b>Recess</b>   |
| Units of Measurement *:       | <b>cm</b>       |
| Width *:                      | <b>53.0 cm</b>  |
| Drop *:                       | <b>130.0 cm</b> |
| Installation Height *:        | <b>210 cm</b>   |
| Controls Length:              | <b>30 cm</b>    |
| Cord or Tape Ladder *:        | <b>Cord</b>     |
| Raise / Lower Control Side *: | <b>Split cm</b> |
| Pull Type *:                  | <b>None</b>     |
| Universal Extention Colour *: | <b>White</b>    |
| Hold Down Brackets *:         | <b>No</b>       |
| Side Fix Brackets *:          | <b>No cm</b>    |
| Is Valance Required *:        | <b>Yes</b>      |
| Valance Type *:               | <b>Standard</b> |
| Qty:                          | <b>1</b>        |

line 50:

### 50mm snow expressions

|                               |                 |
|-------------------------------|-----------------|
| Exact or Recess *:            | <b>Recess</b>   |
| Units of Measurement *:       | <b>cm</b>       |
| Width *:                      | <b>57.5 cm</b>  |
| Drop *:                       | <b>100.5 cm</b> |
| Installation Height *:        | <b>210 cm</b>   |
| Controls Length:              | <b>30 cm</b>    |
| Cord or Tape Ladder *:        | <b>Cord</b>     |
| Raise / Lower Control Side *: | <b>Split cm</b> |
| Pull Type *:                  | <b>None</b>     |
| Universal Extention Colour *: | <b>White</b>    |
| Hold Down Brackets *:         | <b>No</b>       |
| Side Fix Brackets *:          | <b>No cm</b>    |
| Is Valance Required *:        | <b>Yes</b>      |
| Valance Type *:               | <b>Standard</b> |
| Qty:                          | <b>1</b>        |

line 70:

### 50mm snow expressions

|                         |                 |
|-------------------------|-----------------|
| Exact or Recess *:      | <b>Recess</b>   |
| Units of Measurement *: | <b>cm</b>       |
| Width *:                | <b>112.0 cm</b> |
| Drop *:                 | <b>99.5 cm</b>  |
| Installation Height *:  | <b>210 cm</b>   |
| Controls Length:        | <b>30 cm</b>    |
| Cord or Tape Ladder *:  | <b>Cord</b>     |

line 40:

### 50mm snow expressions

|                               |                 |
|-------------------------------|-----------------|
| Exact or Recess *:            | <b>Recess</b>   |
| Units of Measurement *:       | <b>cm</b>       |
| Width *:                      | <b>220.5 cm</b> |
| Drop *:                       | <b>130.0 cm</b> |
| Installation Height *:        | <b>210 cm</b>   |
| Controls Length:              | <b>30 cm</b>    |
| Cord or Tape Ladder *:        | <b>Cord</b>     |
| Raise / Lower Control Side *: | <b>Split cm</b> |
| Pull Type *:                  | <b>None</b>     |
| Universal Extention Colour *: | <b>White</b>    |
| Hold Down Brackets *:         | <b>No</b>       |
| Side Fix Brackets *:          | <b>No cm</b>    |
| Is Valance Required *:        | <b>Yes</b>      |
| Valance Type *:               | <b>Standard</b> |
| Qty:                          | <b>1</b>        |

line 60:

### 50mm snow expressions

|                               |                 |
|-------------------------------|-----------------|
| Exact or Recess *:            | <b>Recess</b>   |
| Units of Measurement *:       | <b>cm</b>       |
| Width *:                      | <b>57.5 cm</b>  |
| Drop *:                       | <b>85.0 cm</b>  |
| Installation Height *:        | <b>210 cm</b>   |
| Controls Length:              | <b>30 cm</b>    |
| Cord or Tape Ladder *:        | <b>Cord</b>     |
| Raise / Lower Control Side *: | <b>Split cm</b> |
| Pull Type *:                  | <b>None</b>     |
| Universal Extention Colour *: | <b>White</b>    |
| Hold Down Brackets *:         | <b>No</b>       |
| Side Fix Brackets *:          | <b>No cm</b>    |
| Is Valance Required *:        | <b>Yes</b>      |
| Valance Type *:               | <b>Standard</b> |
| Qty:                          | <b>1</b>        |

|                              |                 |
|------------------------------|-----------------|
| Raise / Lower Control Side * | <b>Split cm</b> |
| Pull Type *                  | <b>None</b>     |
| Universal Extention Colour * | <b>White</b>    |
| Hold Down Brackets *         | <b>No</b>       |
| Side Fix Brackets *          | <b>No cm</b>    |
| Is Valance Required *        | <b>Yes</b>      |
| Valance Type *               | <b>Standard</b> |
| Qty:                         | <b>1</b>        |

## BRANDS

< AQUARIUS >

### Contact Form

Leave a message and we will be in touch

### Call Arena

On 0800 389 7281

Weekdays 8.30am - 5pm

© 2020 Arena Terms & Conditions Anti-Slavery Statement

version :