

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

Customer's Name Dunn
Address 233 Plessey Road
Blyth

Post Code NE24 3LD

Tel. home 01670 638786
Tel. work
mobile 07715 980479
email

DATE MEASURED/ORDERED
8/6/20

Measured By:
RDR

341710

SPECIAL INSTRUCTIONS

Could advise + all
caps fully explained
Stack on patio
explained + understood
Remove old vinyl
headrails
Louvres for Cortina

PICTUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	<u>16xexst</u>
VERTICALS	
VISION	
WOODEN	

Fitted By _____ DATE _____ DAY _____ AM _____ PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
<u>LAND</u>	<u>1230</u>	<u>1340</u>	<u>50</u>	<u>COOL WHITE</u>	<u>S</u>	<u>2150</u>	<u>190.00</u>
<u>REAR BEN</u>	<u>1820</u>	<u>1480</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2200</u>	<u>269.00</u>
<u>FRONT</u>	<u>1820</u>	<u>1480</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2200</u>	<u>269.00</u>
<u>BEDBAY 1</u>	<u>575</u>	<u>1465</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2050</u>	<u>95.00</u>
<u>2</u>	<u>520</u>	<u>1465</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2050</u>	<u>95.00</u>
<u>3</u>	<u>535</u>	<u>1465</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2050</u>	<u>95.00</u>
<u>4</u>	<u>535</u>	<u>1465</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2050</u>	<u>95.00</u>
<u>5</u>	<u>520</u>	<u>1465</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2050</u>	<u>95.00</u>
<u>6</u>	<u>575</u>	<u>1465</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2050</u>	<u>95.00</u>
<u>LOUNGE 1</u>	<u>575</u>	<u>1715</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2200</u>	<u>95.00</u>
<u>2</u>	<u>520</u>	<u>1715</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2200</u>	<u>95.00</u>
<u>3</u>	<u>525</u>	<u>1715</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2200</u>	<u>95.00</u>
<u>4</u>	<u>520</u>	<u>1715</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2200</u>	<u>95.00</u>
<u>5</u>	<u>525</u>	<u>1715</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2200</u>	<u>95.00</u>
<u>6</u>	<u>575</u>	<u>1715</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>2200</u>	<u>95.00</u>
<u>PATIO DOOR</u>	<u>2455</u>	<u>1990</u>	<u>50</u>	<u>WHITE</u>	<u>S</u>	<u>1990</u>	<u>484.00</u>
TOTAL							2352.00

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £2352.00
DEPOSIT £1176.00
BALANCE £1176.00

PRICE ACCEPTANCE Customer's Signature
Avon 008710
[Signature]

CASH CHEQUE CARD

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING



**ARENA -
EXPRESSIONS - VENETIANS**

DELIVER TO
**BAILEYS BLINDS
211 HIGH ST
GOSFORTH
NE3 1BQ**

TEL: 01366 813267

ORDER REF **341710** (DUNS) BAILEYS ORDERED BY: BAILEYS
ORDER DATE **8-6-20** DATE REQUIRED: ASAP

QTY	SLAT SIZE	SLAT COLOUR	WIDTH	DROP	RECESS/BEAKT	CONTROLS	FT HEIGHT
1	50	COOL WHITE	1230	1340	R	S	2150
1	#	---	1820	1480	R	S	2200
1	#	---	1820	1480	R	IS	#
1	#	---	575	1465	R	S	2050
1	#	---	520	1465	R	S	#
1	#	---	535	1465	R	S	#
1	#	---	535	1465	R	S	#
1	#	---	520	1465	R	S	#
1	#	---	575	1465	R	S	#
1	#	---	575	1715	R	S	2200
1	#	---	520	1715	R	S	#
1	#	---	525	1715	R	S	#
1	#	---	520	1715	R	S	#
1	#	---	525	1715	R	S	#
1	#	---	575	1715	R	S	#
1	#	---	2455	1990	R	S	1990

①
②
③
④
⑤
⑥
⑦
⑧
⑨
⑩
⑪
⑫
⑬
⑭
⑮
⑯
⑰
⑱
⑲
⑳

SPECIAL INSTRUCTIONS: ALL WITH WHITE TAPES
BIND ④⑨⑩⑮ RINTU: 660 WID

[ACCOUNT](#)[SIGN OUT](#)[change password](#)[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT](#) [US](#) [MEMBERS](#) [IMAGERY](#)[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)order reference: **341710**We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

341710

delivery address

Baileys Blinds, DL166DB

line items

line 10:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	123.0 cm
Drop *:	134.0 cm
Installation Height *:	215 cm
Controls Length:	30 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	White
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 20:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	182.0 cm
Drop *:	148.0 cm
Installation Height *:	220 cm
Controls Length:	40 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	White
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 30:

line 40:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	182.0 cm
Drop *:	148.0 cm
Installation Height *:	220 cm
Controls Length:	40 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	White
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 50:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	52.0 cm
Drop *:	146.5 cm
Installation Height *:	210 cm
Controls Length:	30 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	White
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 70:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	53.5 cm
Drop *:	146.5 cm

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	57.5 cm
Drop *:	146.5 cm
Installation Height *:	210 cm
Controls Length:	30 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	White
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	66.0 cm
Valance Returns Required *:	No
Qty:	1

line 60:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	53.5 cm
Drop *:	146.5 cm
Installation Height *:	210 cm
Controls Length:	30 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	White
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 80:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	52.0 cm
Drop *:	146.5 cm

Installation Height *: **210 cm**
 Controls Length: **30 cm**
 Cord or Tape Ladder *: **Tape**
 Tape Colour *: **White**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**
 Universal Extention Colour *: **White**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**

line 90:

50mm cool white expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **57.5 cm**
 Drop *: **146.5 cm**
 Installation Height *: **210 cm**
 Controls Length: **30 cm**
 Cord or Tape Ladder *: **Tape**
 Tape Colour *: **White**
 Raise / Lower Control Side *: **Split cm**
 Full Type *: **None**
 Universal Extention Colour *: **White**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Non-Standard**
 Non-Standard Valance Length: **66.0 cm**
 Valance Returns Required *: **No**
 Qty: **1**

line 110:

50mm cool white expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **52.0 cm**
 Drop *: **171.5 cm**
 Installation Height *: **220 cm**
 Controls Length: **40 cm**
 Cord or Tape Ladder *: **Tape**
 Tape Colour *: **White**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**

Installation Height *: **210 cm**
 Controls Length: **30 cm**
 Cord or Tape Ladder *: **Tape**
 Tape Colour *: **White**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**
 Universal Extention Colour *: **White**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**

line 100:

50mm cool white expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **57.5 cm**
 Drop *: **171.5 cm**
 Installation Height *: **220 cm**
 Controls Length: **40 cm**
 Cord or Tape Ladder *: **Tape**
 Tape Colour *: **White**
 Raise / Lower Control Side *: **Split cm**
 Full Type *: **None**
 Universal Extention Colour *: **White**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Non-Standard**
 Non-Standard Valance Length: **66.0 cm**
 Valance Returns Required *: **No**
 Qty: **1**

line 120:

50mm cool white expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **52.5 cm**
 Drop *: **171.5 cm**
 Installation Height *: **220 cm**
 Controls Length: **40 cm**
 Cord or Tape Ladder *: **Tape**
 Tape Colour *: **White**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**

Universal Extention Colour **White**
*:
Hold Down Brackets *: **No**
Side Fix Brackets *: **No cm**
Is Valance Required *: **Yes**
Valance Type *: **Standard**
Qty: **1**

line 130:

50mm cool white expressions

Exact or Recess *: **Recess**
Units of Measurement *: **cm**
Width *: **52.0 cm**
Drop *: **171.5 cm**
Installation Height *: **220 cm**
Controls Length: **40 cm**
Cord or Tape Ladder *: **Tape**
Tape Colour *: **White**
Raise / Lower Control Side *: **Split cm**
Pull Type *: **None**
Universal Extention Colour *: **White**
Hold Down Brackets *: **No**
Side Fix Brackets *: **No cm**
Is Valance Required *: **Yes**
Valance Type *: **Standard**
Qty: **1**

line 150:

50mm cool white expressions

Exact or Recess *: **Recess**
Units of Measurement *: **cm**
Width *: **57.5 cm**
Drop *: **171.5 cm**
Installation Height *: **220 cm**
Controls Length: **40 cm**
Cord or Tape Ladder *: **Tape**
Tape Colour *: **White**
Raise / Lower Control Side *: **Split cm**
Pull Type *: **None**
Universal Extention Colour *: **White**
Hold Down Brackets *: **No**
Side Fix Brackets *: **No cm**
Is Valance Required *: **Yes**
Valance Type *: **Non-Standard**
Non-Standard Valance Length: **66.0 cm**
Valance Returns Required *: **No**
Qty: **1**

Universal Extention Colour **White**
*:
Hold Down Brackets *: **No**
Side Fix Brackets *: **No cm**
Is Valance Required *: **Yes**
Valance Type *: **Standard**
Qty: **1**

line 140:

50mm cool white expressions

Exact or Recess *: **Recess**
Units of Measurement *: **cm**
Width *: **52.5 cm**
Drop *: **171.5 cm**
Installation Height *: **220 cm**
Controls Length: **40 cm**
Cord or Tape Ladder *: **Tape**
Tape Colour *: **White**
Raise / Lower Control Side *: **Split cm**
Pull Type *: **None**
Universal Extention Colour *: **White**
Hold Down Brackets *: **No**
Side Fix Brackets *: **No cm**
Is Valance Required *: **Yes**
Valance Type *: **Standard**
Qty: **1**

line 160:

50mm cool white expressions

Exact or Recess *: **Recess**
Units of Measurement *: **cm**
Width *: **245.5 cm**
Drop *: **199.0 cm**
Installation Height *: **210 cm**
Controls Length: **30 cm**
Cord or Tape Ladder *: **Tape**
Tape Colour *: **White**
Raise / Lower Control Side *: **Split cm**
Pull Type *: **None**
Universal Extention Colour *: **White**
Hold Down Brackets *: **No**
Side Fix Brackets *: **No cm**
Is Valance Required *: **Yes**
Valance Type *: **Standard**
Qty: **1**