

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name **GRESSWELL**

Address **48, CONINGSBY CRESENT**

(Plot 126)

CRAMLINGTON

Post Code **NE233AT**

| | |
|-----------|--------------------|
| Tel. home | |
| Tel. work | |
| mobile | 07860668408 |
| email | |

DATE MEASURED/ORDERED

23/6/20

Measured By:

RDF

SPECIAL INSTRUCTIONS

341802

| | |
|--------|--|
| P/CUST | |
| NET | |
| PRESS | |
| RADIO | |
| MAG. | |
| VAN | |
| RECC. | |
| SHOP | |
| TV | |
| YELL P | |
| OTHER | |

| | |
|-----------|-----------------|
| CURTAINS | |
| PLEATED | |
| ROLLERS | |
| ROMANS | |
| SHUTTERS | |
| VENETIAN | 2x LIFTS |
| VERTICALS | |
| VISION | |
| WOODEN | |

| | | | | |
|-----------|------|-----|----|----|
| Fitted By | DATE | DAY | AM | PM |
| | | | | |

| | | | | | | | | | | |
|------|-------|-------|-------------|------------------|-------------|-----------|----------|-----------|--------------|---------------|
| alum | white | brown | white chain | welded in weight | recess size | motorised | wood fix | stone fix | brackets top | brackets face |
| | | | | | | | | | | |


| Room | Width | Drop | Slat Size | Colour | Control LH or RH | Fitting Height | Price |
|------------|-------|------|-----------|----------|------------------|----------------|--------|
| DOOR (1) | 481 | 1756 | 25 | DISC (A) | L | WHITE TENSION | 167.00 |
| | 401 | 1756 | 25 | | R | | 167.00 |
| TOTAL | | | | | | | 334.00 |
| DISC GIVEN | | | | | | | 34.00 |
| KITCHEN | 565 | 980 | 25 | | R | 2200 | 81.00 |

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

| | |
|-------------|----------------------------|
| TOTAL PRICE | £ 370.00 334.00 |
| DEPOSIT | £ 185.00 |
| BALANCE | £ 185.00 |

PRICE ACCEPTANCE Customer's Signature

ADVA 001203 (RAINBOW)


| | | | |
|------|--------|------|-------------------------------------|
| CASH | CHEQUE | CARD | <input checked="" type="checkbox"/> |
|------|--------|------|-------------------------------------|

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING



Rainbow Blinds

Order Form

Special Instructions

Telephone: _____
 Email: _____
 Signature: _____
 Purchase Reference No: **341802 (GLESSWELL)**

Date: **23-6-20**
 Retailer: **BANLEYS**
 Address: **GOSFORTH**
 Date Required: _____

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 WISHAW
 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

ML2 oEG

T.

| W I D T H | BLIND SIZE | | | | Drop (mm) | Recess or Exact | Child Safety Installation Height (mm) | Length of Control (mm) | Slat Range and Colour | CONTROLS | | | | Price (£) | Qty | TOTAL COST (£) |
|-----------------------|-------------|-------------------------------------|-------------|-----------|--------------|--------------------|---|------------------------------|--------------------------|------------|------------|-------------------------------------|------------|--------------|-----|----------------------|
| | Slat Width | | | Operation | | | | | | STD (v) | REV (v) | RHS (v) | LHS (v) | | | |
| | 16mm (v) | 25mm (v) | 35mm (v) | | | | | | | | | | | | | |
| 1 | | <input checked="" type="checkbox"/> | | | 565 | R | 2200 | | 0150(A) | | | <input checked="" type="checkbox"/> | | | | |
| 2 | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | |

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (a):
 The Child Safety Regulations EN13030 and the use of child safety devices
 Minimum distances applying to operating cords

PERFECT FIT BLINDS

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Order Form

Date: 23.6.20

Telephone: _____

Retailer: BATELAYS

Email: _____

Address: Gosforth

Signature: _____

Purchase Reference No: 341802 (GRESSWELL)

Special Instructions: _____

PLEATED

VENETIAN

ROLLER

| Window | GLASS SIZE | | FRAME Colour | BLIND | | | | CONTROLS | | | | ORDER | | | | |
|--------|------------|-----------|--------------|----------------------------|------------|----------|---------|-------------------|-------------|-----|-------------------------|-----------|-----|----------------|----|----|
| | Width (mm) | Drop (mm) | | FABRIC/SLAT RANGE & COLOUR | SLAT WIDTH | | BRACKET | VENETIAN Controls | | | ROLLER Cover Weight Bar | Price (£) | Qty | TOTAL COST (£) | | |
| | | | | | 16mm (✓) | 25mm (✓) | | 18/20mm (✓) | 24/30mm (✓) | STD | | | | | LH | RH |
| 1 | 481 | 1756 | WHITE | 0150(A) | ✓ | ✓ | 24 | ✓ | ✓ | ✓ | ✓ | | | | | |
| 2 | 481 | 1756 | | | ✓ | ✓ | 24 | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | |

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Venetian blinds will be tensioned unless stated otherwise.

Minimum distances applying to operating cords