

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

Customer's Name JONES

Address 26, INGLEWOOD CLOSE
DARLINGTON

Post Code DL12TX

Tel. home	
Tel. work	
mobile	<u>07938 187 474</u>
email	

DATE MEASURED/ORDERED

06/07/20

Measured By:

SHAUN HANLEY

CURTAINS		
PLEATED		
ROLLERS		
ROMANS		
SHUTTERS		
VENETIAN		
VERTICALS		
VISION		
WOODEN		

SPECIAL INSTRUCTIONS

GO-AHEAD
340881

CHARGE RWR

NEED WED OR THURS FITTING.

X GARAGE FIX OR CUSTOMER'S OWN SIZES

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
				<input checked="" type="checkbox"/>	<u>1/R</u>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
BED	1755	1018	50	EXPRESSIONS	STD	2800	166
BATH	1170	1007	50	CIRRUS	STD	2500	112
FIBROL	1181	1017	50		STD	"	112
--R	1770	1013	50		STD		166
KIT	1175	981	50		STD	2600	112
LIV ROOM	610	1228	50	PEL 640	STD	2600	100
BAT	565	1228	50		STD	1	79
GARAGE	610	1228	50	PEL 640	STD	1	100
DIN	1330	1060	50	RTNS * CUSTOMER'S OWN SIZE			109
KIT	1843	2162	3 1/2	NYLA	RL		196
	1500	2059	3 1/2	FAWN	LR	2250	153
				* WAND CONTROLS *		"	1296
						20% DISC	1036

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1036 ¹¹⁴⁵

DEPOSIT £ 300

BALANCE £ 736 ⁸⁴⁵

PRICE ACCEPTANCE Customer's Signature

8/7/20 Auth 000
029341

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING



Rainbow Blinds

WOOD VENETIAN BLIND

Order For

Special Instructions

Date: 08-07-20

Telephone:

Retailer: BAILEYS BLINDS

Email:

Address: SPENNYMOOR SHOP

Signature:

Date Required:

Purchase Reference No: 340851 SOWES

Page 1 of 2

Rainbow Blinds & Interiors
61 Canyon Road
Excelsior Park
Wishaw
ML2 0EG
T: 01698 351 888
F: 01698 351 999
sales@rainbow-blinds.com

Window	Slat Widths			Width (mm)	Drop (mm)	Recess or Stack Height (mm)	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			PELMET Width (mm)	Return (mm)	Price (£)	Qty
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)				
1 B' BED	/	/	/	1755	1018	1/R	2500		EXPRESSIONS CIRAVS	/	/	/				1
2 BATH	/	/	/	1170	1007					/	/	/				1
3 PLANT	/	/	/	1181	1017					/	/	/				1
4 L R	/	/	/	1770	1013					/	/	/				1
5 KITCH	/	/	/	1175	981		2600			/	/	/				1
6 LVL	/	/	/	610	1228					/	/	/				1
7 ROOM	/	/	/	565	1228					/	/	/				1
8 BATH	/	/	/	610	1228					/	/	/				1

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS NECESS

All blinds supplied by Retailer and Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations apply and the use of child safety devices
Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, ML2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

Rainbow Blinds

WOOD VENETIAN BLIND

Order For

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 0EG

T: 01698 351 888

F: 01698 351 999

sales@rainbow-blinds.com

Date:

05-07-20

Retailer:

BALLETS BLINDS

Address:

SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:
340851

50 WMS

Special Instructions

2/2

BLIND SIZE

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Stack	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				PELLET	ORDER	
	25mm (v)	35mm (v)	50mm (v)							STP (v)	LHS (v)	RHS (v)	BOX (v)			Width (mm)
1			✓	1330	1060	KX	2500		EXPRESSIONS CIRCUS	✓				YES	✓	1
2																
3																
4																
5																
6																
7																
8																

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS NECESS

All blinds supplied by Rainb now Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN13200 and the use of child proof devices

Information distances applying to opening cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, ML2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com



Rainbow Blinds

VERTICAL BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road
Excelsior Park

Wishaw
ML2 0EG

T. 01698 351 888
F. 01698 351 999

sales@rainbow-blinds.com

Date: 08-07-20

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 340881 SONES

Special Instructions
WHITE WAND
WELDED CONTROLS
IN WEIGHTS

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	CONTROLS				OPTIONS		ORDER		
									Draw	Operation	Headrail Colour	Top/Face Fix	Price (£)	Qty	TOTAL COST (£)		
1	DIN	1843	2162	1/2	2250	NYLA	FRWN										
2	KIT	1500	2059	1/2	"												
3																	
4																	
5																	
6																	
7																	
8																	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

order reference: **340881**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

340881

delivery address

Baileys Blinds, DL166DB

line items

line 10:

50mm cirrus expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **175.5 cm**
 Drop *: **101.8 cm**
 Installation Height *: **250.0 cm**
 Controls Length: **70 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**

line 20:

50mm cirrus expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **117.0 cm**
 Drop *: **100.7 cm**
 Installation Height *: **250.0 cm**
 Controls Length: **70 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**

line 30:

50mm cirrus expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **118.1 cm**
 Drop *: **101.7 cm**
 Installation Height *: **250.0 cm**
 Controls Length: **70 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**
 Universal Extention Colour *: **None**

line 40:

50mm cirrus expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **177.0 cm**
 Drop *: **101.3 cm**
 Installation Height *: **250.0 cm**
 Controls Length: **70 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**
 Universal Extention Colour *: **None**

By using our site, you consent to our use of cookies. I Understand [Learn More](#)

line 50:

50mm cirrus expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	117.5 cm
Drop *:	98.1 cm
Installation Height *:	260.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 60:

50mm cirrus expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	61.0 cm
Drop *:	122.8 cm
Installation Height *:	260.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	64.0 cm
Valance Returns Required *:	No
Qty:	1

line 70:

50mm cirrus expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	56.5 cm
Drop *:	122.8 cm
Installation Height *:	260.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 80:

50mm cirrus expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	61.0 cm
Drop *:	122.8 cm
Installation Height *:	260.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	64.0 cm
Valance Returns Required *:	Yes
Qty:	1

By using our site, you consent to our use of cookies. I Understand Learn More

BRANDS

line 90:

50mm cirrus expressions

AQUARIUS

SHERWOOD

expressions



- Exact or Recess *: **Exact**
- Units of Measurement *: **cm**
- Width *: **133.0 cm**
- Drop *: **106.0 cm**
- Installation Height *: **250.0 cm**
- Controls Length: **70 cm**
- Cord or Tape Ladder *: **Cord**
- Raise / Lower Control Side *: **Split cm**
- Pull Type *: **None**
- Universal Extension Colour *: **None**
- Hold Down Brackets *: **No**
- Side Fix Brackets *: **No cm**
- Is Valance Required *: **Yes**
- Valance Type *: **Standard**
- Qty: **1**

Contact Form

Leave a message and we will be in touch

Call Arena

On 0800 389 7281
Weekdays 8.30am - 5pm

© 2020 Arena Terms & Conditions Anti-Slavery Statement

[Back To Top](#)

version :

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)