



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name DAVIES

Address 1 KENTBELK DRIVE

HURWORTH

DL22 5JH Post Code

Tel. home	<u>07929939540</u>
Tel. work	
mobile	
email	

DATE MEASURED/ORDERED

3 / 7 / 20

Measured By:

PD

CURTAINS	
PLEATED	
ROLLERS	<u>2</u>
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	<u>13</u>

**SPECIAL INSTRUCTIONS**

FLH shown  
Expanded  
25% Discount  
Given  
OTHER QS

072965

340858

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
<u>LIF</u>	<u>745</u>	<u>1450</u>	<u>50</u>	<u>PURE WHITE</u>	<u>L/L</u>	<u>2500</u>	<u>87</u>
<u>LIF CTRL</u>	<u>2245</u>	<u>1450</u>	<u>50</u>		<u>ST</u>	<u>2500</u>	<u>306</u>
<u>RIF</u>	<u>780</u>	<u>1450</u>	<u>50</u>		<u>R/R</u>	<u>2500</u>	<u>87</u>
<u>KIS</u>	<u>1200</u>	<u>995</u>	<u>50</u>		<u>ST</u>	<u>2500</u>	<u>121</u>
<u>LIF</u>	<u>1196</u>	<u>1130</u>	<u>50</u>		<u>ST</u>	<u>2500</u>	<u>121</u>
<u>RIF</u>	<u>1194</u>	<u>1135</u>	<u>50</u>		<u>ST</u>	<u>2500</u>	<u>121</u>
<u>ENDITE</u>	<u>607</u>	<u>970</u>	<u>50</u>		<u>ST</u>	<u>2500</u>	<u>56</u>
<u>STUDY</u>	<u>1202</u>	<u>1135</u>	<u>50</u>		<u>ST</u>	<u>2500</u>	<u>121</u>
<u>BATH</u>	<u>616</u>	<u>965</u>	<u>50</u>		<u>ST</u>	<u>2500</u>	<u>56</u>
<u>LIF BBR</u>	<u>1196</u>	<u>1130</u>	<u>50</u>		<u>ST</u>	<u>2500</u>	<u>121</u>
<u>CTRL BBR</u>	<u>1195</u>	<u>1140</u>	<u>50</u>		<u>ST</u>	<u>2500</u>	<u>121</u>
<u>RIF BBR</u>	<u>1190</u>	<u>1135</u>	<u>50</u>		<u>ST</u>	<u>2500</u>	<u>121</u>
<u>ENDITE</u>	<u>614</u>	<u>970</u>	<u>50</u>		<u>ST</u>	<u>2500</u>	<u>56</u>
							<u>1,495-</u>
<u>BIF</u>	<u>1772</u>	<u>2080</u>		<u>ALCANTARA WHITE</u>	<u>L</u>	<u>2200</u>	<u>243</u>
<u>RIF</u>	<u>1771</u>	<u>2080</u>			<u>R</u>		
				<u>CUSTOMER AWARE OF FITTING SKIN</u>			
				<u>CHROME CHAINS</u>			

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1,738

DEPOSIT £ 438

BALANCE £ 1,300

PRICE ACCEPTANCE Customer's Signature

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------



2-2

# WOOD VENETIAN BLINDS

## Order Form

### Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wilsnaw  
 NLA 05E  
 T. 61693 351 083  
 F. 61693 354 993  
 sales@rainbow-blinds.com

Special Instructions

Notes: 3-7-20

Retailer: DANIEL

Address: S1 MOON

Phone Reference No: 340858

Window	Slat Width			Drop (mm)	Recess or Spac (mm)	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			PERMET		TOTAL COST (£)
	25mm (v)	35mm (v)	50mm (v)						Width (mm)	Return (mm)	Price (£)	Qty		
1				616	963	2500		PURE WHITE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	PERMET	NO	633
2				1196	1130				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	NO	NO	
3				1195	1140				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	NO	NO	
4				1190	1135				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	PERMET	NO	636
5				614	970				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
6														
7														
8														

OPERATION:  UP  DOWN  BOTH

Customer has been notified on (v)

THE CHILD SAFETY REGULATION ENFORCES THE USE OF CHILD SAFETY BLINDS

Child Safety Blinds:

Minimum Installation:

Child Safety Blinds:

UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS NECESSARY

All Blinds supplied by Rainbow Blinds & Interiors are fitted with CE approved child safety device

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wilsnaw, NLA 05E Telephone: 01693 351 083 • Fax: 01693 354 993 • E: sales@rainbow-blinds.com

1-2

# WOOD VENETIAN BLINDS

## Order Form

### Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Exeter Park  
 Wiltshire  
 MK2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Date: 3-7-20  
 Recipient: DAVIES  
 Address: SIMON  
 Date Required:

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 340858

Special Instructions

#### BLIND SIZE

Window	Slat Width			Drop (mm)	Width (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			PELNET		TOTAL COST (£)	
	25mm (v)	35mm (v)	50mm (v)							STD (v)	2HS (v)	OPS (v)	BOX (v)	Which (mm)		Return (mm)
1				1450	775	R	2500		PURE WHITE					NO		
2				1450	2245	R										
3				1450	780											
4				995	1200											
5				1130	1196											
6				970	1194											
7				1135	607											
8					1202											

UNLESS OTHERWISE SPECIFIED ALL MEASUREMENTS WILL BE TAKEN AS NECESS

The Child Safety Regulator Enigma and Enigma of Blind safety

Customer has been advised on (v):  
 Enigma  
 Enigma Enigma supplying to operating cords

All blinds supplied by Rainbow Blinds & Interiors are fitted with our approved Child Safety Device

Issue June 2016

Rainbow Blinds - 61 Canyon Road, Exeter Park, Wiltshire, MK2 0EG 01698 351 888 - E: sales@rainbow-blinds.com

# ROLLER BLINDS

## Order Form

### Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Special Instructions

Telephone: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Signature: \_\_\_\_\_  
 Purchase Reference No:  
 340858

Date: 3-7-20  
 Retailer: DAVIES  
 Address: 51 moor  
 Date Required: \_\_\_\_\_

Window	BLIND SIZE							ORDER						
	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvre, Banlin, Eclipse	LHC / RHC	CC F i n h a i r i s	Price (£)	Qty	TOTAL COST (£)
1	1172	2080	6	2200		32	ACACIA	WHITE		4	CL			
2	1177	2080	12	2200		45				12	CL			
3														
4														
5														
6														
7														
8														

**NOTE:** UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVREITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

The Child Safety Regulations Enforce and the use of child safety devices

Customer has been advised on (✓):  Minimum distances applying to operating cords

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

order reference: **340858**We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).**order reference**

340858

**delivery address**

Baileys Blinds, DL166DB

**line items****line 10:****50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>77.5 cm</b>
Drop *:	<b>145.0 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Left cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 30:****50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>78.0 cm</b>
Drop *:	<b>145.0 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Right cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>

**line 20:****50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>224.5 cm</b>
Drop *:	<b>145.0 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 40:****50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>120.0 cm</b>
Drop *:	<b>99.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>

## line 50:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>119.6 cm</b>
Drop *:	<b>113.0 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 70:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>60.7 cm</b>
Drop *:	<b>97.0 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>63.0 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

## line 90:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>61.6 cm</b>
Drop *:	<b>96.5 cm</b>

## line 60:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>119.4 cm</b>
Drop *:	<b>113.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 80:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>120.2 cm</b>
Drop *:	<b>113.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 100:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>119.6 cm</b>
Drop *:	<b>113.0 cm</b>

By using our site, you consent to our use of cookies. I Understand [Learn More](#)

line 110:

**50mm pure white  
sherwood**

AQUARIUS

SHERWOOD

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **119.5 cm**  
 Drop \*: **114.0 cm**  
 Installation Height \*: **250.0 cm**  
 Controls Length: **70 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split cm**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Swivel Brackets \*: **No**  
 Valance Type \*: **Standard**  
 Qty: **1**

**Contact Form**  
 Leave a message and we will be in touch

line 120:

**50mm pure white  
expressions  
sherwood**

SANDRINGHAM

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **119.0 cm**  
 Drop \*: **113.5 cm**  
 Installation Height \*: **250.0 cm**  
 Controls Length: **70 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split cm**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Swivel Brackets \*: **No**  
 Valance Type \*: **Standard**  
 Qty: **1**

**Call Arena**  
 On 0800 389 7281  
 Weekdays 8.30am - 5pm

line 130:

**50mm pure white  
sherwood**

© 2020 Arena Terms &amp; Conditions Anti-Slavery Statement

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **61.4 cm**  
 Drop \*: **97.0 cm**  
 Installation Height \*: **250.0 cm**  
 Controls Length: **70 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split cm**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Swivel Brackets \*: **No**  
 Valance Type \*: **Non-Standard**  
 Non-Standard Valance **63.6 cm**  
 Length:  
 Valance Returns Required \*: **No**  
 Qty: **1**

Back To Top

version :