

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name YATES

Address 43, ETHERLEY GRANGE

BISHOP AUCKLAND

Post Code DL14 0JZ

Tel. home	
Tel. work	
mobile	<u>07977 126 846</u>
email	

DATE  
MEASURED/ORDERED  
13 / 07 / 20

Measured By:  
SHAUN HANLEY

## SPECIAL INSTRUCTIONS

RWR X 2MAN  
Fit  
FOR  
Track  
BLINDS  
L 1440  
TRUCK  
L 90 PIA BHT

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

340926

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
					<u>1/A</u>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
STUDY	1778	1176	50	EXPRESSIONS	STD	2300	166
PATIO	1735	1980	50	SNOW PEL 1765	STD	2400	270
<del>PATIO L 618</del>	<del>618</del>	<del>1668</del>	<del>25</del>	<del>PIA VEN 24mm BHT</del>	<del>L</del>		
<del>R 618</del>	<del>618</del>	<del>1668</del>	<del>25</del>		<del>R</del>		
LIV L	1651	1715	50	STD CONTRAS			
				L - TILT	STD	2600	208
- R	1659	1704	50	R - RAISE	STD	2600	208
DIN	1852	1698	50		STD	2600	266
SIDE	517	1368	50		STD	"	79
UTILITY	1685	1046	50		STD	2500	166
KIT	1763	1145				2700	166
DOOR T	695	1310	25	0150 (A) 18mm BHT	L		158
- B	695	390	25		L		114
B' BED L	<del>2.5.0</del>			BAILIES WHITE			90
- R	<del>2.5.0</del>			METAL CURTAN			90
F' BED	2.0			Track			40

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1660

266953  
c/c DEPOSIT £ 500

BALANCE £ 1160

PRICE ACCEPTANCE Customer's Signature

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

**ALL BLINDS TO  
BE PAID FOR  
AT TIME OF  
FITTING**

**BBSA**  
BRITISH BLIND & SHUTTER ASSOCIATION





# Rainbow Blinds

# PERFECT FIT BLINDS

## Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 0EG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

PLEATED

VENETIAN

ROLLER

Date:

13-07-20

Retailer:

BALGAYS

Address:

SPENNYMOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:

340926 YHTB

Special Instructions

### GLASS SIZE

### BLIND

### CONTROLS

### ORDER

Window	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH		BRACKET		VENETIAN Controls			ROLLER Cover Weight Bar		Price (£)	Qty	TOTAL COST (£)
					16mm (✓)	25mm (✓)	18/20mm (✓)	24/30mm (✓)	STD	LH	RH	REV	Tension d			
1	DOOR T 695	1310	WHITE	0150 (H)		✓		18		✓					1	
2	" B 695	390	"													
3																
4																
5																
6																
7																
8																

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Venetian blinds will be tensioned unless stated otherwise.

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

# Rainbow Blinds

# WOOD VENETIAN BLIND

## Order Form

Special Instructions

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wisnaw

ML 2 0EG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date:

13-07-20

Retailer:

BILLETS BLINDS

Address:

SPENNYMOOR SHOP

Data Required:

Telephone:

Email:

Signature:

Purchase Reference No:

340926 YATES

### BLIND SIZE

Order No	Slat Widths			Width (mm)	Drop (mm)	Recess or Slack	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				Width (mm)	Return (mm)	Price (£)	Qty
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)				
1	STUD	/	/	1778	1176	1/2	2300		EXPRESSIONS	/	/	/					1
2	PATIO	/	/	1735	1980	/	2400		SNOW	/	/	/		1765			1
3	LVL	/	/	1651	1715	/	2600			/	/	/					1
4	" R	/	/	1659	1704	/	"			/	/	/					1
5	DIN	/	/	1852	1698	/	"			/	/	/					1
6	SIDE	/	/	517	1368	/	"			/	/	/					1
7	UTILITY	/	/	1685	1046	/	2500			/	/	/					1
8	KIT	/	/	1763	1145	/	2700			/	/	/					1

UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied in white unless otherwise stated and are fitted with an approved child safety device

Customer has been advised on (v):

The Child Safety Regulations relating to the use of child devices

Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wisnaw, ML 2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

**0800 389 7281**  
sales@arena-blinds.com



Welcome back [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk)

**ACCOUNT**

**SIGN OUT**

[change password](#)

**PRODUCTS SERVICES BRANDS NEWS ABOUT US CONTACT US MEMBERS IMAGERY**

**HOME** ▶ **MEMBER HOME** ▶ **PLACE AN ORDER** ▶ **ORDER SUMMARY**

order reference: **340926**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

**order reference**

340926

**delivery address**

Baileys Blinds, DL166DB

**line items**

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

**line 10:****50mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>177.8 cm</b>
Drop *:	<b>117.6 cm</b>
Installation Height *:	<b>230.0 cm</b>
Controls Length:	<b>50 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 30:****50mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>165.1 cm</b>
Drop *:	<b>171.5 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>50 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 50:****50mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>185.2 cm</b>

**line 20:****50mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>173.5 cm</b>
Drop *:	<b>198.0 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>50 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>176.5 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

**line 40:****50mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>165.9 cm</b>
Drop *:	<b>170.4 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>50 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 60:****50mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>51.7 cm</b>

By using our site, you consent to our use of cookies. I understand [Learn More](#)

line 70:

**50mm snow expressions**

Exact or Recess \*: **AGUARIUS** **SHERWOOD**  
 Units of Measurement \*: **cm**  
 Width \*: **168.5 cm**  
 Drop \*: **104.6 cm**  
 Installation Height \*: **250.0 cm**  
 Controls Length: **50 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split cm**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No cm**  
 Is Valance Required \*: **Yes**  
 Valance Type: **Standard**  
 Leverage Type: **Standard**  
 touch: **1**

**Contact Form**

Leave a message and we will be in touch

line 80:  
**BRANDS**

**50mm snow expressions**

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **176.3 cm**  
 Drop \*: **114.5 cm**  
 Installation Height \*: **270.0 cm**  
 Controls Length: **50 cm**  
 Cord or Tape Ladder \*: **Cord**  
 Raise / Lower Control Side \*: **Split cm**  
 Pull Type \*: **None**  
 Universal Extention Colour \*: **None**  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No cm**  
 Is Valance Required \*: **Yes**  
 Valance Type: **Standard**  
 touch: **1**  
 On 0800 389 7281  
 Weekdays 8.30am - 5pm

**Call Arena**

© 2020 Arena Terms & Conditions Anti-Slavery Statement

[Back To Top](#)

version :

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)