

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name **BROOKES**

Address **16, KIERAN MAXWELL
LANE, HEIGHINGTON VILLAGE**

Post Code **DL5 6RT**

Tel. home	
Tel. work	
mobile	07873 638 693
email	

DATE
MEASURED/ORDERED

06 / 08 / 20

Measured By:

**SHAUN
HANLEY**

SPECIAL INSTRUCTIONS

RWR

341098

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

CURTAINS		
PLEATED		
ROLLERS		
ROMANS		
SHUTTERS		
VENETIAN		
VERTICALS		
VISION		
WOODEN		

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
					1/R			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
FRONT	855	1143	50	EXPRESSIONS PAB55	STD	2400	80
BED L	628	1140	50	FRONT ASTRAL			70
-- R	853	1139	50	---			80
B' BED L	633	983	50	EXPRESSIONS PEL 638			70
MASTER L	638	845	50	HAZE			70
BED R	1083	1140	50	--- PEL 1082			100
BATH	630	845	50	EXPRESSIONS SNOW PEL 630			70
STAIRS	613	1146	50	EXPRESSIONS SNOW		2500	70
LIV	1074	1292	50	EXPRESSIONS FRONT ASTRAL		"	140
CLOAK	620	856	50	EXPRESSIONS SNOW		2400	70
KIT	1069	990	1/RW	MEMPHIS CRIMSON	R	2200	75
BI-	990	2090	1/RW	SHAPE 1			
FOLD	960	2090	1	SCAPPT R/C ON			740
DOORS	990	2090	1	BI-FOLDS - LITHIUM INTERNAL BATTERY 1x CHARGER TELS 4 REMOTE			15 40
						£1500	£1690

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ **1500**

DEPOSIT £ **400**

BALANCE £ **1100**

PRICE ACCEPTANCE Customer's Signature

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

**ALL BLINDS TO
BE PAID FOR
AT TIME OF
FITTING**

BBSA
BRITISH BLIND & SHUTTER ASSOCIATION



Rainbow Blinds

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 07-08-20

Retailer: BAILEYS

Address: SPENNYMOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 341095 BROOKES

Special Instructions
 B1-Fold DOORS (2,3,4)
 SOFT ROLL
 UP 28 RTS PROCS
 INTERIOR LITHIUM
 BATTERIES
 1x CHARGER
 1x TELS 4 RTS
 PUDE REMOTE

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	BLIND SIZE			ORDER				
									Louvre, Benth Eclipse	LHC / RHC	CC / AI / NU	FI / IS	Price (£)	Qty	TOTAL COST (£)	
1	KIT	1069	990	1/2	2200	32	MEMPHIS	CRIMSON		R	C	1	1			
2																
3	B1-	990	2090	1/2		40	MEMPHIS	CRIMSON								
4	Fold	960	2090	1/2												
5	DOORS	990	2090	1/2												
6																
7																
8																

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WIDTH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13030 and the use of child safety devices

Minimum distances applying to operating cords

Rainbow Blinds

WOOD VENETIAN BLIND

Order Form

Special Instructions

Rainbow Blinds & Interiors
 61 Canyon Road
 Escalator Park
 Walsham
 ML2 0EG
 T: 01698 351 888
 F: 01698 351 999
 sales@rainbow-blinds.com

Date: 07-08-20

Re-seller: BAILEYS BLINDS

Address: SPENNYMOOR SHOP

Trade Reference:

Telephone:

Enquiry:

Signature:

Purchase Reference No: 341098 BROOKES

Page 2 of 2

Window	Slat width			Width (mm)	Drop (mm)	Recess or Slant height (mm)	Child safety height (mm)	Length of control (mm)	Slat Range and Colour	CONTROLS				PELMET		ORI	
	35mm (v)	35mm (v)	35mm (v)							Operation	pins	width (mm)	height (mm)	Price (£)	OK		
1	LV			1074	1292	1/2	2500		EXPRESSIONS ASTRAL	✓							✓
2	CLOAK			620	856	1/2	2400		EXPRESSIONS SNOW	✓							✓
3																	
4																	
5																	
6																	
7																	
8																	

NOTES: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS DECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v)

This Child safety regulations engage and the user is advised

Manufacturer's instructions apply to operating cords

Rainbow Blinds - 61 Canyon Road, Escalator Park, Walsham, ML2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

Rainbow Blinds

WOOD VENETIAN BLIND

Order Form

Special Instructions

Rainbow Blinds & Venetians

61 Canyon Road

Excelsior Park

Wichaw

ML2 DEC

T: 01698 351 888

F: 01698 351 999

sales@rainbow-blinds.com

Date: 07-08-20

Retailer: RILEYS BLINDS

Address: SPENNYMOR SHOP

Blinds Required:

Telephone:

Initial:

Signature:

Purchase Reference No: 341098 Brookes

Page 1 of 2

BLIND SIZE

Widener	Slat Widths			Width (mm)	Drop (mm)	Recess or Stand Height (mm)	Child Safety/Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				Width (mm)	Return (mm)	Price (£)	Qty
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)				
1 FRONT	/	/	/	855	1143	1/R	2400		EXPRESSIONS ASTORL	/	/	/	/	855			
2 BEDL	/	/	/	628	1140					/	/	/	/				
3 -L-R	/	/	/	853	1139					/	/	/	/	638			
4 B BEDL	/	/	/	633	983				EXPRESSIONS HAZE	/	/	/	/	638			
5 -L-R	/	/	/	638	845					/	/	/	/	1083			
6 -L-R	/	/	/	1083	1140					/	/	/	/	1082			
7 BOTH	/	/	/	630	845				EXPRESSION SNOW	/	/	/	/	630			
8 STAIRS	/	/	/	613	1146		2500			/	/	/	/				

NOTE: DIMENSIONS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS DECESS

All blinds supplied by Rainbow Blinds & Venetians are fitted with an approved child safety device

Customer has been advised on (v)

The child safety regulations apply and the use of a minimum distance applying to opening cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wichaw, ML2 DEC T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com



[ACCOUNT](#)

[SIGN OUT](#)

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **341098**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

341098

delivery address

Baileys Blinds, DL166DB

line items

line 10:

50mm astral expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	85.5 cm
Drop *:	114.3 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	85.5 cm
Valance Returns Required *:	No
Qty:	1

line 20:

50mm astral expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	62.8 cm
Drop *:	114.0 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 30:

50mm astral expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	85.3 cm
Drop *:	113.9 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 40:

50mm haze expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	63.3 cm
Drop *:	98.3 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	63.8 cm
Valance Returns Required *:	No
Qty:	1

line 50:

50mm haze expressions

By using our site, you consent to our use of cookies. [Learn More](#)

line 60:

50mm haze expressions

By using our site, you consent to our use of cookies. [Learn More](#)