



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

DATE
MEASURED/ORDERED
01 / 09 / 20

344146

Measured By:
SHAUN
HANLEY

SPECIAL INSTRUCTIONS

RWR

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name HODGSON
Address 21, HILTON ROAD
NEWTON HALL
DURHAM Post Code DH1 5LS

Tel. home	0191 386 7930
Tel. work	
mobile	
email	

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	face
					1/R			/	/	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
BATH	1444	703	25	7178 (B)	LL	2100 2300	£100
BACK DOOR	570	948	25	P'FIT VEN 20 MM BKT WHITE FRAME 7178 (B)	R		£128 £228

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.


TOTAL PRICE	£ 228
DEPOSIT	£ 114
BALANCE	£ 114

PRICE ACCEPTANCE Customer's Signature

CASH	CHEQUE	CARD	
------	--------	------	--

ALL BLINDS TO
BE PAID FOR
AT TIME OF
FITTING





Rainbow Blinds

VENETIAN BLINDS

Order Form

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw

ML2 OEG
 01698 351 888
 F: 01698 351 999
 sales@rainbow-blinds.com

T.

Date: 01-09-20

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 344146 HODGSON

Special Instructions

BLIND SIZE

W i n d o w	Slat Width				Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				ORDER		
	16mm (v)	25mm (v)	35mm (v)	50mm (v)							STD (v)	REV (v)	RHS (v)	LHS (v)	Price (£)	Qty	TOTAL COST (£)
1					1444	703	1/2	2100		7178 (B)						1	✓
2																	
3																	
4																	
5																	
6																	
7																	
8																	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (a):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

PERFECT FIT BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 0EG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date:

01-09-20

Telephone:

Retailer:

BAILEYS

Email:

Address:

S'MOOR

Signature:

Date Required:

Purchase Reference No:

344146 Hodgson

Special Instructions

PLEATED

VENETIAN

ROLLER

	GLASS SIZE			BLIND	SLAT WIDTH		BRACKET		CONTROLS			ROLLER		ORDER						
	Window	Width (mm)	Drop (mm)		FABRIC/SLAT RANGE & COLOUR	16mm (✓)	25mm (✓)	18/20mm (✓)	24/30mm (✓)	VENETIAN Controls	STD	LH	RH	REV	Tensioned	YES	NO	Price (£)	Qty	TOTAL COST (£)
1	Door	570	948	WHITE		✓	20							✓					1	
2																				
3																				
4																				
5																				
6																				
7																				
8																				

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Venetian blinds will be tensioned unless stated otherwise.

Minimum distances applying to operating cords