

ROLLER BLINDS

Order Form

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 OEG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 16-9-20

Retailer: MANDLI

Address: GOSFORTH

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 342321

Special Instructions:

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	BLIND SIZE			ORDER			
									Louvolite, Benthin, Eclipse	LHC / RHC	Child Safety	Price (£)	Qty	TOTAL COST (£)	
1	1145	1000	R	2200		32	LOUISA	GREEN							
2															
3															
4															
5															
6															
7															
8															

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

The Child Safety Regulations EN1320 and the use of child safety devices

Customer has been advised on (✓):

Minimum distances applying to operating cords

VERTICAL BLINDS

Order Form

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Telephone: _____
 Email: _____
 Signature: _____
 Purchase Reference No: **342321**

Date: **16-9-20**
 Retailer: **MANOLI**
 Address: **GOSPORT**
 Date Required: _____

Special Instructions

Window	BLIND SIZE					CONTROLS				OPTIONS		ORDER			
	Width (mm)	Drop (mm)	Recess or Exact (mm)	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	Draw		Operation	Headrail Colour	Top/Face Fix	Slat Size 89mm or 127mm	Weight and chained
									RHS (v)	SPLIT (v)					
1	1775	2080	R	2200		BALTIMORE	LINEN	V		V		W	T	89	
2	1775	2080	R	2200		BALTIMORE	LINEN								
3	1190	1030	R	-		MOQUETTE	SILVER	V		V		W	T	89	
4															
5															
6															
7															
8															

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (v): The Child Safety Regulations EN13120 and the use of child safety devices Minimum distances applying to operating cords